This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.

+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.

+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.

+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`


600043274Q
PRESS E. 106.
SHELF R.
No 20.
C
189497 e. 2

CATALOGUE

OF THE DESCRIBED

COLEOPTERA OF AUSTRALIA

BY

GEORGE MASTERS.

PART I. - 1 Y

Cicindelidæ, Carabidæ, Dytiscidæ, Gyrinidæ, Hydrophilidæ, Staphylinidæ.

PRICE, 2s. 6D.

SYDNEY:
F. WHITE, MACHINE PRINTER, WILLIAM STREET.

1871. - 72

M. 15

PREFACE.

A Catalogue of the Coleoptera of Australia, with a reference to the author and description of each species, has long been a desideratum to all those who have made Australian Entomology their study.

Up to a late period, however, the task of compiling such a Catalogue with anything like certainty or correctness, was utterly beyond the power of anyone who had not the means and opportunity of reference to the vast variety of publications of many countries and in many languages in which the insects have been described.

The recent publication of Dr. Gemminger's, and B. von Harold's "*Catalogus Coleopterorum*," has to some extent removed this difficulty, though the many errors which exist in that otherwise most useful work, render it necessary to be very guarded in accepting its authority.

In preparing for the public the first part of his CATALOGUE, the Author has spared neither time nor trouble in making it what he intends and believes it to be,—a complete and correct list of all the species of Australian Coleoptera hitherto described.

GEORGE MASTERS.

83 Hill's Terrace, Riley Street,
Sydney, Nov. 29th, 1871.

Catalogue of Australian Coleoptera.

CICINDELIDÆ.

Megacephala. (*Latreille.*)

cylindrica *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1863, I. *p.* 11.
Hab. Peak Downs, and Cleveland Bay, Queensland.
Howittii *Casteln.* Not. Austr. Col. 1867, *p.* 2.
Hab. Cooper's Creek, Queensland.

Tetracha. (*Hope.*)

Australasiæ *Hope.* Proc. Ent. Soc. 1841, *p.* 45; Ann. nat. hist. IX. 1842, *p.* 425.—White. Stokes. Voy. App. t 1. f. 1.—Thoms. Mon. *p.* 49.
Hab. Port Essington, N. Australia.
Australis *Chaud.* Cat. Coll. Cic. 1865, *p.* 63.
Waterhousei Casteln. Not. Aust. Col. 1867, *p.* 2.
Hab. Central Australia, and Port Wakefield, S. Aust.
basalis *Macleay, W.*, Proc. Ent. Soc. N.S. Wales, 1866, *p.* 58.
Hab. Port Denison, Queensland.
Bostocki *Casteln.* Not. Aust. Col. 1867, *p.* 7.
Hab. Nickol Bay, Western Australia.
crucigera *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1863, I. *p.* 10.
Hab. Port Denison, Rockhampton, and Gayndah, Queensland.
Hopei *Casteln.* Not. Aust. Col. 1867, *p.* 7.
Hab. Nickol Bay, Western Australia.
humeralis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1863, I. *p.* 9.
Hab. Port Denison and Cleveland Bay, Queensland.
scapularis *Macleay W.*, Trans. Ent. Soc. N. S. Wales, 1863, I. *p.* 10.
Hab. Port Denison, Queensland.

Cicindela. (*Linné.*)

albicans *Chaud.* Bull. Mosc. 1854, I. *p.* 117.
Hab. Moreton Bay.
circumcinta *Casteln.* Not. Aust. Col. 1867, *p.* 4.
Hab. N.S. Wales and Queensland (widely distributed).
interrupta *Fab.* Syst. El. I. *p.* 243.
semicincta Chaud. Bull. Mosc. 1854. I. *p.* 117.
Hab. Moreton Bay.
ioscelis *Hope.* Proc. Ent. Soc. 1841, *p.* 45; Ann. nat. hist. IX. 1842, *p.* 425.
Hab. Port Essington, N. Australia.
Macleayi *Casteln.* Not. Aust. Col. 1867, *p.* 8.
Hab. Western Australia.
Mastersi *Casteln.* Not. Aust. Col. 1867, *p.* 4.
Hab. Ropes Creek, N.S. Wales.
nigrina *Macleay, W.*, Trans. Ent. Soc. N.S. Wales 1864, I. *p.* 107.
Hab. Port Denison, Queensland.
Rafflesia *Chaud.* Bull. Mosc. 1852. I. *p.* 13.
Montraveli *Blanch.* Voy. Pole. Sud. IV. 1853, *p.* 8. t. 1. f. 6.
Hab. Raffles Bay.
tetragramma *Boisd.* Voy. Astrol. II. *p.* 6.
Hab. New Holland.
upsilon *Dej.* Spec. I. *p.* 126.—*Boisd.* Voy. Astrol. II. *p.* 8.—*Macleay. Dej.* Cat. 3. ed. *p.* 5.
Hab. Sea Coast of N.S. Wales.
Wilcoxi *Casteln.* Not. Aust. Col. 1867, *p.* 4.
Hab. Clarence River, N.S. Wales.

Distypsidera. (*Westwood.*)

flavicans *Chaud.* Bull Mosc. 1854, I. *p.* 125.
cursitans Macleay. W., Trans. Ent. Soc. N. S. Wales, 1863, I. *p.* 12.
Hab. Clarence and Richmond Rivers, N. S. Wales, Moreton and Wide Bays, Queensland.
Gruti *Pascoe.* Ann. Nat. Hist. 1862, *p.* 462.
Hab. Lizard Island, N.E. Coast.
Mastersi, *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 10.
Hab. Wide Bay and Gayndah, Queensland.
Strangei *Casteln.* Not. Aust. Col. 1867, *p.* 4.
Hab. New Holland.
undulata *Westw.* Mag. of Zool. I. *p.* 252. t. 7, f. 1.
Hab. Clarence River, N. S. Wales; Moreton and Wide Bays, Queensland.
volitans *Macleay, W.*, Trans. Ent. Soc. N.S. Wales, 1863, I. *p.* 11.
Hab. Port Denison, Queensland.

CARABIDÆ.

Calosoma. (*Weber*)

Australe *Hope*. Trans. Ent. Soc. IV. 1845, *p.* 104.
Hab. Cooper's Creek, and Gayndah, Queensland.
grandipenne *Casteln.* Not. Aust. Col. 1867, *p.* 13.
Hab. Victoria.
Schayeri *Erich.* Wiegm. Arch. 1842, I. *p.* 122.
Curtisi Hope. Trans. Ent. Soc. IV. 1845, *p.* 104.—*Wilson.* Proc. Ent. Soc. 1863, *p.* 182.
Hab. N.S. Wales, Victoria, S. Australia and Tasmania.

Lacordairia. (*Castelnau.*)

anchomenoides *Casteln.* Not. Aust. Col. 1867, *p.* 12.
Hab. Mount Wellington, Tasmania.
angustata *Casteln.* loc. cit. *p.* 11.
Hab. Blue Mountains, N.S. Wales.
argutoroides *Casteln.* loc. cit. *p.* 12.
Hab. Yankee Jim Creek, Victoria.
calathoides *Casteln.* loc. cit. *p.* 12.
Hab. Ouse River, Tasmania.
cychroides *Casteln.* loc. cit. *p.* 11.
Hab. Clarence River, N.S. Wales; Brisbane, Queensland.
Erichsoni *Casteln.* loc. cit. *p.* 12.
Hab. Tasmania.
marginata *Casteln.* loc. cit. *p.* 11.
Hab. Yarra River, Victoria.
proxima *Casteln.* loc. cit. *p.* 11.
Hab. Yankee. Jim Creek, Victoria.

Pamborus. (*Latreille.*)

alternans *Latr.* Enc. meth. VIII. *p.* 678.—Dej. Spec. II. *p.* 19. —*Lacord.* Gen. Atl. t. 2, f. 5.
elongatus *Gory*. Mon. t. 116, f. 2.—*Chaud.* Rev. et Mag. de Zool. January, 1869.
Hab. Illawarra, Port Hacking, Lane Cove, Manly, Newcastle, and Clarence River, N.S. Wales.
Brisbanensis *Casteln.* Not. Aust. Col. 1867, *p.* 10.
Hab. Moreton Bay, Wide Bay, Port Curtis, and Gayndah, Queensland.

Guerini *Gory*. Mag. Zool. 1830. t. 26; Mon. t. 167. f. 2.—*Boisd.* Voy. Astrol. II. *p.* 27.
Hab. Clarence and Richmond Rivers, N. S. Wales; Pine Mountain, Moreton Bay, and Gayndah, Queensland.
Macleayi *Casteln.* Not. Aust. Col. 1867, *p.* 10.
Hab. Clarence River, N.S. Wales.
morbillosus *Boisd.* Voy. Astrol II. 1835, *p.* 27.—*Guér.* Mon. t. 167. f. 1.
Cunninghami Casteln. Etud. ent. 1835, *p.* 156.—*Chaud.* Rev. et Mag. de Zool. January, 1869.
Hab. N.S. Wales; Northern Territory of S. Australia.(?)
Pradieri *Chaud.* Rev. et Mag. de Zool. January, 1869.
Hab. North Australia.
viridis *Gory*. Mon. t. 166, f. 1.
Hab. Clarence and Richmond Rivers, N. S. Wales; Moreton Bay, Wide Bay, & Gayndah, Queensland.

Ophionea. (*Eschscholtz.*)

Thouzeti *Casteln.* Not. Aust. Col. 1867, *p.* 14.
Hab. Rockhampton, Queensland.

Casnonia. (*Latreille.*)

aliena *Pascoe*. Journ. of Ent. 1860. I. p. 39.
Hab. Moreton Bay.
Australis *Chaud.* Bull. Mosc. 1862. IV. *p.* 227.
Hab. New Holland.
Clarensi *Casteln.* Not. Aust. Col. 1867, *p.* 14.
Hab. Clarence River, N.S. Wales.
micans *Macleay, W.*, Trans. Ent. Soc. N.S. Wales, 1864, I. *p.* 107. —*Casteln.* Not. Aust. Col. 1867, *p.* 14.
Hab. Port Denison, Queensland.
obscura *Casteln.* Not. Aust. Col. 1867, *p.* 14.
Hab. Rockhampton and Gayndah, Queensland.

Anasis. (*Castelnau.*)

Howitti *Casteln.* Not. Aust. Col. 1867, *p.* 15.
Hab. Geelong, Victoria.

Eudalia. (*Castelnau.*)

latipennis, *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1864, *p* 108.—*Casteln* Not. Aust. Col. 1867, *p.* 16.
Hab. Port Denison and Gayndah, Queensland.
Waterhousei *Casteln.* Not. Aust. Col. 1867. *p.* 16.
Hab. Arnheims Land, N. Australia.

Drypta. (*Fabricius.*)

Australis *Dej.* Spec. I. *p.* 185.—*Macleay.* Dej. Cat. 3 ed. *p.* 8.
Hab. N.S. Wales and Queensland.

Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 82.
Hab. Gayndah, Queensland.

Dendrocellus. (*Schmidt—Goebel.*)

smaragdinus *Chaud.* Bull. Mosc. 1861. II. *p.* 545.—*Casteln.* Not. Aust. Col. 1867, *p.* 16.
Hab. Rockhampton, Queensland.

Polystichus. (*Bonelli.*)

Australis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 82.
Hab. Rockhampton and Gayndah, Queensland.

Pseudohelluo. (*Castelnau.*)

Wilsoni *Casteln.* Not. Aust. Col. 1867, *p.* 19.
Hab. Brisbane, Queensland.

Aenigma. (*Newman.*)

Gigadema *Thomson.* Helluosoma *Castelnau.*

atrum *Casteln.* Not. Aust. Col. 1867, *p.* 21.
Hab. Rockhampton, Queensland.

Bostocki *Casteln.* Not. Aust. Col. 1867, *p.* 20.
Hab. Northern parts of Western Australia.

cyaneum *Casteln.* Not. Aust. Col. 1867, *p.* 22.
Hab. Clarence River, N. S. Wales; Moreton Bay and Ipswich, Queensland.

cyanipenne *Hope.* Proc. Ent. Soc. 1842, *p.* 46; Ann. Nat. Hist. IX. 1842, *p.* 426.—*Casteln.* Not. Aust. Col. 1867, *p.* 22.
Hab. Port Denison and Rockhampton, Queensland.

grande *Macleay, W.*, Trans. Ent. Soc. N.S. Wales, 1864, *p.* 108.
Hab. Port Denison and Cleveland Bay, Queensland.

Iris *Newm.* Ent. Mag. III. *p.* 499.
Hab. N.S. Wales and Queensland.

longipenne *Germ.* Linn. ent. III. 1848, *p.* 162.
Hab. South Australia.

Mastersi *Macleay, W.*, Trans. Ent. Soc. N.S. Wales, 1871. II. *p.* 83.
Hab. Gayndah, Queensland.

minutum *Casteln.* Not. Aust. Col. 1867, *p.* 21.
Hab. Ipswich and Port Denison, Queensland.

Newmani *Casteln.* Not. Aust. Col. 1867, *p.* 22.
Hab. Cook's River, North Shore, and Ashfield, near Sydney.

noctis *Newm.* The Entomol. 1842.
titanum Thoms. Arc. Ent. 1859, *p.* 93. t. 5. f. 7–8.
Hab. Clarence River, N. S. Wales; Port Denison, Queensland.
Paroense *Casteln.* Not. Aust. Col. 1867, *p.* 20.
Hab. Paroo River.
politulum *Macleay, W.*, Trans. Ent. Soc. N.S. Wales, 1871. II. *p.* 83
Hab. Gayndah, Queensland.
resplendens *Casteln.* Not. Aust. Col. 1867, *p.* 22.
Hab. Port Denison, Queensland.
splendens *Casteln.* Not. Aust. Col. 1867, *p.* 23.
Hab. Port Denison, Queensland.
sulcatum *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. I. 1864, *p.* 108.
Thomsoni Casteln. Not. Aust. Col. 1867, *p.* 21.
Hab. Port Denison and Gayndah, Queensland.
unicolor *Hope.* Proc. Ent. Soc. 1842, *p.* 47; Ann. Nat. Hist. IV. 1842, *p.* 426.
Hab. Port Essington.

Acrogenys. (*Macleay, W.*)

hirsuta *Macleay, W.*, Trans. Ent. Soc. N.S. Wales, 1864. I. *p.* 109.
Hab. Moreton Bay, Wide Bay, Rockhampton, Port Denison, and Gayndah, Queensland.

Helluo. (*Bonelli.*)

carinatus *Chaud.* Bull. Mosc. 1848. I. *p.* 70.
Hab. Victoria.
costatus *Bon.* Mem. Ac. Turin. 1813, *p.* 455.—*Klug.* Jahrb. I. *p.* 75.—*Guér.* Jc. régn. anim. Ins. t. 4. f. 8.

Zuphium. (*Latreille.*)

Australe *Chaud.* Bull. Mosc. 1862. IV. *p.* 312.
Hab. Melbourne.
Mastersi *Casteln.* Not. Aust. Col. 1867, *p.* 17.
Hab. Ropes Creek. N.S. Wales.
Rockhamptonense *Casteln.* Not. Aust. Col. 1867, *p.* 17.
Hab. Rockhampton, Queensland.
Thouzeti *Casteln.* Not. Aust. Col. 1867, *p.* 17.
Hab. Rockhampton and Port Denison, Queensland.

Zuphiosoma. (*Castelnau.*)

fulva *Casteln.* Not. Aust. Col. 1867, *p.* 17.
Hab. Rockhampton, Queensland; Singleton, N.S.W.

Helluodema. (*Castelnau.*)

Batesi *Thoms.* Arch. Ent. 1857, *p.* 134.—*Casteln.* Not. Aust. Col. 1867, *p.* 19.
Hab. Clarence River, N.S.W.; Brisbane, Queensland.

Pheropsophus. (*Solier.*)

Australis *Casteln.* Not. Aust. Col. 1867, *p.* 23.
Hab. Rockhampton, Queensland.
verticalis *Dej.*, Spec. 1, *p.* 302.
Jamisoni Macleay. Dej. Cat. 3. ed. *p.* 13.
Hab. N.S. Wales, Queensland, Victoria, & S. Australia.

Callida. (*Dejean*).

Calleida *Dej.* Trigonothops *Macleay, W.*
nigricollis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1864. I. *p.* 111.
Hab. Rockhampton and Port Denison, Queensland.
pacifica *Erichs.* Wiegm. Arch. 1842. I. *p.* 124.
Hab. Tasmania.
pallidicollis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1864. I. *p.* 110.
Hab. Rockhampton, Port Denison, and Gayndah, Queensland.

Xanthophaea. (*Chaudoir.*)

Chaudoiri *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 84.
Hab. Gayndah, Queensland.
grandis *Chaud.* Bull. Mosc. 1848. I. *p.* 75.
Hab. N.S. Wales and Victoria.
suturata *Newm.* Entomol. 1842, *p.* 367.
Hab. Victoria.

Cymindis. (*Latreille.*)

angusticollis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1864, I. *p.* 112.
Hab. Port Denison, Queensland.
crassiceps *Macleay, W.* Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 84.
Hab. Brisbane and Gayndah, Queensland.
curtula *Erichs.* Wiegm. Arch. 1842. I. *p* 125.
Hab. Tasmania.
inquinata *Erichs* l. c. *p.* 125.
Hab. Tasmania.
longicollis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1864. I. *p.* 111.
Hab. Port Denison, Queensland.

Phlœocarabus. (*Macleay, W.*)

Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 85.
Hab. Gayndah, Queensland.

Demetrias. (*Bonelli.*)

brachinoderus *Chaud.* Bull. Mosc. 1852. I. *p.* 46.
Hab. Melbourne.

Homothes. (*Newman.*)

elegans *Newm.* Entomol. 1842, *p.* 402.
sericeus Erichs. Wiegm. Arch. 1842. I. *p.* 131.—*Lacord.* Gen. Col. I. *p.* 119.
Hab. Victoria and Tasmania.
guttifer *Germ.* Linn. ent. III. 1848, *p.* 166.
Hab. Tasmania, S. Australia, and Victoria.
marginipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 89.
Hab. Gayndah, Queensland.
micans *Germ.* Linn. Ent. III. 1848, *p.* 167.
Hab. S. Australia, Victoria, and N.S. Wales.
velutinus *Macleay, W*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 88.
Hab. Gayndah, Queensland.

Dromius. (*Bonelli.*)

crudelis *Newm.* Entomol. *p.* 37.
Hab. Kangaroo Island, S. Australia.
humeralis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 88.
Hab. Gayndah, Queensland.
tridens *Newm.* Entomol. *p.* 38.
Hab. Kangaroo Island, S. Australia.

Phlœodromius. (*Macleay, W.*)

piceus *Macleay, W*, Trans. Ent. Soc. N.S. Wales, 1871. II *p.* 86.
Hab. Gayndah, Queensland.

Lebia. (*Latreille.*)

benifica *Newm.* Entomol. 1842, *p.* 367.
Hab. Victoria, and South Australia.
calida *Newm.* Entomol. 1842. *p.* 367.
Hab. Victoria.
civica *Newm.* Entomol. *p.* 31.
Hab. N.S. Wales, Victoria, S. Australia, & Tasmania.
Duponti *Putz.* Mém. Liège. II. 1846, *p.* 393.
scapularis Dupont. i. litt.
Hab. Tasmania, S. Australia, and Victoria.
irrita *Newm.* Entomol. 1842, *p.* 370.
Hab. Adelaide.

luctuosa *Newm.* Entomol. *p.* 368.
Hab. Tasmania; Victoria; Bowenfels, & Monaro, N. S. Wales.
plagiata *Germ.* Linn. Ent. III. 1848, *p.* 165.
Hab. S. Australia.

Eulebia. (*Macleay, W.*)

plagiata *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 87.
Hab. Gayndah, Queensland.
picipennis *Macleay, W.*, l. c. *p.* 87.

Sarothrocrepis. (*Chaudoir.*)

corticalis *Fabr.* Syst. El. I. *p.* 201.
Hab. Tasmania and Victoria.
Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 87.
Hab. Gayndah, Queensland.
minima *Macleay, W.*, Trans. Ent. Soc. N.S. Wales, 1864 I *p.* 111. —*Macleay, W.*, Trans. Ent. Soc. N.S. Wales, 1871. II. *p.* 88.
Hab. Port Denison, and Gayndah, Queensland
pallida, *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 87
Hab. Gayndah, Queensland.
fasciata *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 88.
Hab. Gayndah, Queensland.

Philophlœus. (*Chaudoir.*

angulatus *Chaud.* Ann. de la Soc. Ent. Belg. XII. *p.* 219.
Hab. Melbourne.
Australasiæ *Chaud.* l. c. *p.* 217
Hab. Victoria.
Australis *Dej.* Spec. II. *p.* 449.—*Guér.* Voy. Coquille. t. 1. f. 7. —*Blanch.* Voy. Pole. Sud. *p*, 12.—*d'Urville.* Dej. Cat. 3 ed. *p.* 9.
Hab. Victoria, and N.S. Wales.
brunnipennis *Macleay, W.*, Trans. Ent. Soc. N.S. Wales, 1871. II. *p.* 89.
Hab. Gayndah, Queensland.
distinguendus *Chaud.* Ann. de la Soc. Ent. Belg. XII. *p.* 215.
Hab. N.S. Wales. (Monaro)
dubius *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 90.
Hab. Gayndah, Queensland.
Eucalypti *Germ.* Linn. ent. III. 1848, *p.* 164.
Hab. South Australia.

fuscipennis *Germ.* l. c. *p.* 165.
Hab. South Australia.
grandiceps *Chaud.* Ann. de la Soc. Ent. Belg. XII. *p.* 216.
Hab. South Australia.
immaculatus *Chaud.* l. c. *p.* 217.
Hab. Melbourne.
intermedius *Chaud,* l. c. *p.* 216.
Hab. South Australia, and Victoria.
luculentus—Lebia luculenta *Newm.* The Entomol. *p.* 368.—*Chaud.* l. c. *p.* 221.
Hab. N.S. Wales and Victoria.
maculatus *Macleay, W.*, Trans. Ent. Soc. N.S. Wales, 1871, II. *p.* 89.
Hab. Gayndah, Queensland.
mollis—Lebia mollis *Newm.* The Entomol. *p.* 370.—*Chaud.* Ann. de la Soc. Ent. Belg. XII. *p.* 222.
Hab. Victoria.
obtusus *Chaud.* Ann. de la Soc. Ent. Belg. XII. *p.* 219.
Hab. New South Wales.
planus—Lebia plana *Newm.* The Entomol. *p.* 33.—*Chaud.* Ann. de la Soc. Ent. Belg. XII. *p.* 220.
Hab. South Australia and Cooper's Creek, Queensland.
puberulus *Chaud.* l. c *p.* 218.
Victoria; Mittagong, New South Wales.
quadripennis *Chaud.* l. c. *p.* 218.
Hab. New Holland.
rectangulus *Chaud.* l. c. *p.* 222.
Hab. New South Wales.
unicolor *Chaud.* l. c. *p.* 220.
Hab. Gayndah, and interior of Australia.
vittatus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 90.
Hab. Gayndah, Queensland.

Agonochila. (*Chaudoir.*)

anomala *Chaud.* Ann. de la Soc. Belg. XII. *p.* 223.
Hab. Melbourne.
biguttata *Chaud.* l. c. *p.* 225.
Hab. Victoria, and New South Wales.
binotata *White.* Voy. Ereb. Terr. 1846, p. 2.—*Blanch.* Voy. Pole, Sud. *p.* 12. t. 1. f. 8.
Hab. New Holland.
corticalis *Chaud.* Ann. de la Soc. Ent. Belg. XII. *p.* 226.
Hab. Melbourne.
cribripennis *Chaud.* l. c. *p.* 230.
Hab. Melbourne.
guttata *Chaud.* Bull. Mosc. 1848. I. *p.* 119.
Hab. Melbourne.

littera V. *Chaud.* Ann. de la Soc. Ent. Belg. XII. *p.* 227.
Hab. New Holland.
lutosa—Lebia lutosa *Newm.* The Entomol. *p.* 32.
Thyreopterus subangulatus Germ. Linn. Ent. III. 1848, *p.* 166.
Hab. South Australia.
sinuosa *Chaud.* Ann. de la Soc. Ent. Belg. XII. *p.* 228.
Hab. Moreton Bay.
subfasciata *Chaud.* l. c. *p.* 228.
Hab. Adelaide.
sublævis *Chaud.* l. c. *p.* 224.
Hab. Australian Alps.
suturalis, *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 91.
Hab. Gayndah, Queensland.
vittula *Chaud.* Ann. de la Soc. Ent. Belg. XII. *p.* 229.
Hab. Melbourne.

Idius. (*Chaudoir.*)

mœstus *Chaud.* Ann. de la Soc. Ent. Belg. XII. *p.* 212.
Hab. Melbourne.

Eucalyptocola. (*Macleay, W.*)

Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 91.
Hab. Gayndah, Queensland.

Coptoglossus. (*Chaudoir.*)

sulcatulus *Chaud.* Ann. de la Soc. Ent. Belg. *p.* 125.
Hab. Melbourne.

Catascopus. (*Kirby.*)

Australasiæ *Hope.* Ann. Nat. Hist. IX. 1842, *p.* 426.
Hab. Port Essington.
Chaudoiri *Casteln.* Not. Aust. Col. 1867, *p.* 24.
Hab. Clarence and Richmond Rivers, N. S. Wales.
unicolor *Hope.* Ann. Nat. Hist. IX. 1842, *p.* 426.
Hab. New Holland.

Scopodes. (*Erichson.*)

æneus *Macleay, W.*, Trans. Ent. Soc. N.S. Wales, 1871, II. *p.* 91.
Hab. Gayndah, Queensland.
angulicollis *Macleay, W.* l. c. *p.* 92.
Hab. Gayndah, Queensland.
auratus *Macleay, W.* l. c. *p.* 92.
Hab. Gayndah, Queensland.

boops *Erichs.* Weigm. Arch. 1842. I. *p.* 124, t. 4. f. 1.—*Lacord.* Gen. Atl. I. t. 4. f. 5.
sexpunctatus Newm. Entomol. *p.* 413.
Hab. Tasmania.

denticollis, *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1864, I. *p.* 112.
Hab. Port Denison, Queensland.

lævis *Macleay. W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 92.
Hab. Gayndah, Queensland.

sericeus *Macleay, W.* l. c. *p.* 93.
Hab. Gayndah, Queensland.

sigillatus *Germ.* Linn. ent. III. 1848, *p.* 163.
Hab. South Australia and Victoria.

tripunctatus *Chaud.* Bull. Mosc. 1852. I. *p.* 64.
Hab. New Holland.

Silphomorpha. (*Westwood.*)

albopicta *Newm.* Zoolog. Append. *p.* 124.
Hab. New Holland.

amabilis *Casteln.* Not. Aust. Col. 1867, *p.* 26.
Hab. Port Denison, Queensland.

bicolor *Casteln.* l. c. *p.* 25.
Hab. Rockhampton, Port Denison, and Gayndah, Queensland.

bimaculata *Casteln.* l. c. *p.* 26.
Hab. Rockhampton, Queensland.

biplagiata *Casteln.* l. c. *p.* 26.
Hab. Brisbane and Gayndah, Queensland.

Brisbanensis *Casteln.* l. c. *p.* 27.
Hab. Clarence River, N. S. Wales; Brisbane and Port Denison, Queensland.

Castelnaui *Reiche.* Col. Hft. III. 1868.
marginata Casteln. Not. Aust. Col. 1867, *p.* 26
Hab. Melbourne and Sydney.

colymbetoides *Westw.* Mon. *p.* 403. t. 14. f. 19.
Hab. Victoria, and N.S. Wales.

decipiens *Westw.* Trans. Linn. Soc. 1840, *p.* 415. t. 28. f. 3; Mon. t. 14. f. 5.
Hab. Victoria, N.S. Wales, and Queensland.

Denisonensis *Casteln.* Not. Aust. Col. 1867, *p.* 28.
Hab. Port Denison, Queensland.

discoidalis *Casteln.* l. c. *p.* 26.
Hab. Murray River.

dubia *Casteln.* l. c. *p.* 29.
Hab. N.S. Wales.

fallax *Westw.* Trans. Linn. Soc 1840, *p.* 416. t. 28. f. 4; Mon. t. 14. f. 2.—*Lacord.* Gen. Atl. I. t. 5. f. 3.
orectochiloides Hope. Trans. Ent. Soc. IV. 2, 1845, *p.* 104.
Hab. Victoria, S. Australia, and N.S. Wales.

grandis *Casteln.* Not. Aust. Col. 1867, *p.* 28.
Hab. Port Denison, Queensland.

guttifera *Casteln.* l. c. *p.* 27.
Hab. Port Denison, Queensland.

guttigera *Newm.* The Entomol. 1842, *p.* 367.
Hab. Victoria, and N.S. Wales.

hydroporoides *Westw.* Mon. *p.* 401. t. 14. f. 7.
Hab. S. Australia, Victoria, N.S. Wales, and Gayndah, Queensland.

lævigata *Casteln.* Not. Aust. Col. 1867. *p.* 30.
Hab. Victoria.

lævis *Casteln.* l. c, *p.* 29.
Hab. Port Denison, Queensland.

maculata *Newm.* Ann. Nat. Hist. IV. *p.* 365.—*Westw.* Mon. t. 14. f. 8.
Hab. New Holland.

maculigera *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1864, I. *p.* 113.
Hab. Port Denison and Gayndah, Queensland.

marginata *Casteln.* Not. Aust. Col. 1867, *p.* 25.
Hab. Paroo River, Queensland.

Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1864, I. *p.* 112.
Hab. Port Denison, Queensland.

nitiduloides *Guér.* Mag. Zool. 1844. t. 140.—*Westw.* Mon. t. 14. f. 9.
cinctipennis Westw. olim.
Hab. N.S. Wales, and Victoria.

occidentalis *Casteln.* Not. Aust. Col. 1867, *p.* 27.
Hab. Swan River, Western Australia.

ovalis *Casteln.* l. c. *p.* 30.
Hab Pine Mountain, Queensland.

picta *Casteln.* l. c. *p.* 25.
Hab. Moreton Bay, Gayndah, Rockhampton, and Port Denison, Queensland.

polita *Macleay W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 93.
Hab. Gayndah, Queensland.

quadrimaculata *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1864, I. *p.* 113.
Hab. Port Denison and Gayndah, Queensland.

quadrisignata *Casteln.* Not. Aust. Col. 1867, *p.* 25.
Hab. Victoria, and S. Australia.

Rockhamptonensis *Casteln.* l. c. *p.* 27.
Hab. Rockhampton, Queensland.
rufomarginata *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 94.
Hab. Gayndah, Queensland.
semistriata *Casteln.* Not. Aust. Col. 1867, *p.* 29.
Hab. Port Denison, Queensland.
speciosa *Pascoe.* Journ. of Ent. II. 1863, *p.* 26.
Hab. Port Denison and Gayndah, Queensland.
striata *Casteln.* Not. Austr. Col. 1867, *p.* 28.
Hab. N.S. Wales.
suturalis *Germ.* Linn. Ent. 1848, *p.* 171.—*Westw.* Mon. t. 14. f. 6.—*Lacord.* Gen. Atl. I. t. 5. f. 2.
Hab. S. Australia, and N.S. Wales.
Tasmanica *Casteln.* Not. Aust. Col. 1867, *p.* 29.
Hab. Tasmania.
Thouzeti *Casteln.* l. c. *p* 27.
Hab. Rockhampton, Queensland.
vicina *Casteln.* l. c. *p.* 28.
Hab. Brisbane, Maryborough, & Gayndah, Queensland.

Adelotopus. (*Hope.*)

affinis *Casteln.* Not. Aust. Col. 1867, *p.* 32.
Hab. Sydney.
analis *Macleay, W.*, Trans. Ent. Soc. N.S. Wales, 1871. II. *p.* 95.
Hab. Gayndah, Queensland.
aphodioides *Westw.* Mon. *p.* 404.
Hab. New Holland.
apicalis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. 1864 I. *p.* 113.
Hab. Port Denison, Queensland.
bicolor *Casteln.* Not. Aust. Col. 1867, *p.* 34.
Hab. Loddon River, Victoria.
bimaculatus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1864. I. *p.* 113.
Hab. Port Denison, Wide Bay, & Gayndah, Queensland.
brunneus *Casteln.* Not. Aust. Col. 1867, *p.* 33.
Hab. Swan River, Western Australia.
castaneus *Casteln.* l. c. *p.* 33
Hab. Swan River, Western Australia.
cornutus *Casteln.* l. c. *p.* 31.
Hab. Arnheims Land, N. Australia.
cylindricus *Chaud.* Rev. Zool. 1862, *p.* 490.
Hab. Melbourne.
dytiscoides *Newm.* The Entomol. *p.* 365.—*Westw.* Mon. t. 14. f. 2.—*Lacord.* Gen. Atl. I. t. 5. f. 4.
Fortnumi Hope. Trans. Ent. Soc. IV. 2. 1845, *p.* 105.
Hab. S. Australia.

ephippiatus *Newm.* Trans. Ent. Soc. 1856, *p.* 127.
Hab. New Holland.
fasciatus *Casteln.* Not. Aust. Col. 1867, *p.* 32.
Hab. Sydney.
filiformis *Casteln.* l. c. *p.* 33.
Hab. Adelaide and Melbourne.
gyrinoides *Hope.* Trans. Ent. Soc. I. 1834, *p.* 12. t. 1. f. 1.— *Westw.* Mon. t. 14, f. 1.
Hab. South Australia.
hæmorrhoidalis *Erichs.* Weigm. Arch. 1842. I. *p.* 126.— *Westw.* Mon. t. 14 f. 3—var. *inquinatus Newm.* The Entomol. *p.* 366.
Hab. Tasmania, and S. Australia.
hydrobioides *Westw.* Mon. *p.* 406.
Hab. New Holland.
ipsoides *Westw.* Trans Linn. Soc. XVIII. *p.* 413. t. 28. f. 2.
Hab. New Holland.
maculipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II *p.* 95.
Hab. Gayndah, Queensland.
Mastersi *Macleay, W.*, l. c. *p.* 94.
Hab. Gayndah, Queensland.
nemosomoides *Westw.* Mon. *p.* 408. t. 14. f. 4.
Hab. New Holland.
obscurus *Casteln.* Not. Aust. Col. 1867, *p.* 34.
Hab. Sydney.
occidentalis *Casteln.* l. c. *p.* 31.
Hab. Swan River, Western Australia.
Parroensis *Casteln.* l. c. *p.* 31.
Hab. Paroo and Darling Rivers.
politus *Casteln.* l. c. *p.* 31.
Hab. Clarence River, N.S. Wales; Brisbane, Queensland.
punctatus *Casteln.* l. c. *p.* 31.
Hab. Clarence River, N.S. Wales.
rubiginosus *Newm.* Trans. Ent. Soc. 1856, *p.* 128.
Hab. New Holland.
scolytides *Newm.* The Entomol. 1842, *p.* 366.
Hab. New Holland.
sub-opacus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 94.
Hab. Gayndah, Queensland.
vicinus *Casteln.* Not. Aust. Col. 1867, *p.* 31.
Hab. Sydney.
zonatus *Casteln.* l. c. *p.* 32
Hab. Melbourne.

Mystropomus. (*Chaudoir.*)

Chaudoiri *Casteln.* Not. Aust. Col. 1867, *p.* 34.
Hab. Clarence and Richmond Rivers.

subcostatus *Chaud.* Bull. Mosc, 1848. I. *p.* 109; 1854. II. *p.* 290. —*Lacord.* Gen. Atl. t. 5. f. 5.
Hab. Kurrajong, Newcastle, Manning, Clarence, and Richmond Rivers, N. S. Wales; Pine Mountain, Queensland.

Apotomus. (*Illiger.*)

Australis *Casteln.* Not. Aust. Col. 1867, *p.* 35.
Hab. Melbourne.
Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 95.
Hab. Gayndah, Queensland.
Novæ Hollandiæ *Casteln.* Not. Aust. Col. 1867, *p.* 35.
Hab. Rockhampton, Queensland.

Hyperion. (*Castelnau.*)

Schrœtteri *Schreib.* Trans. Linn. Soc. VI. *p.* 201. t. 19. f. 15–19; t. 21. f. 10.—*Casteln.* Hist. Nat. I. *p.* 69. t. 5. f. 1.—*Westw.* Arc. Ent. I. *p.* 89. t. 23. f. 4.
Hab. Victoria; Ropes Creek, N.S.W.; Rockhampton, Queensland.

Moriomorpha. (*Castlenau.*)

Adelaidæ *Casteln.* Not. Aut. Col. 1867, *p.* 38.
Hab. Adelaide.
Victoriæ *Casteln.* l. c. *p.* 38.
Hab. Dandenong Ranges, Victoria.

Morio. (*Latreille.*)

Australasiæ *Chaud.* Rev. Mag. Zool. January, 1869.
Hab. Moreton Bay.
Australis *Casteln.* Not. Aust. Col. 1867, *p.* 36.
Hab. N.S. Wales.
longicollis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1867. II. *p.* 95.
Hab. Gayndah, Queensland.
Novæ Hollandiæ *Casteln.* Not. Aust Col. 1867, *p.* 36.
Hab. Brisbane, Queensland.
piceus *Casteln.* l. c. *p.* 36.
Hab. Mount Macedon, Victoria.
seticollis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 96.
Hab. Gayndah, Queensland.
Victoriæ *Casteln.* Not. Aust. Col. 1867, *p.* 36.
Hab. Victoria.

Moriodema. (*Castlenau.*)

M'Coyei *Casteln.* Not. Aust. Col. 1867, *p.* 39.
Hab. Melbourne.
Parramattensis *Casteln.* l. c. *p.* 39.
Hab. Sydney, Parramatta, and Ropes Creek, N.S.W.

Veradia. (*Castelnau.*)

Brisbanensis *Casteln.* Not. Aust. Col. 1867, *p.* 40.
Hab. Brisbane and Gayndah, Queensland.

Setalis. (*Castelnau.*)

niger *Casteln.* Not. Aust. Col. 1867, *p.* 40.
Hab. Clarence River, N. S. Wales; Brisbane, and Gayndah, Queensland.

Siltopia. (*Castelnau.*)

tricolor *Casteln.* Not. Aust. Col. 1867, *p.* 41.
Hab. Parramatta and Clarence River, N. S. Wales.

Teraphis. (*Castelnau.*)

argutoroides *Casteln.* Not. Aust. Col. 1867, *p.* 42.
Hab. Kiama, N. S. Wales.
elongata *Casteln.* l. c. *p.* 42.
Hab. Mountains of Victoria.
Melbournensis *Casteln.* l. c. *p.* 42.
Hab. Dandenong Ranges, Victoria.

Celanida. (*Castelnau.*)

montana *Casteln.* Not. Aust. Col. 1867, *p.* 36.
Hab. Mountains of Victoria.

Melisodera. (*Westwood.*)

picipennis *Westw.* Mag. Zool. 1835. Cl. IX. t. 132.
Hab. N. S. Wales.

Monocentrum. (*Chaudoir.*)

grandiceps *Chaud.* Ann. de la Soc. Ent. Belg. 1869, *p.* 146.
Hab. North Australia.
longiceps *Chaud.* l. c. *p.* 147.
Hab. North Australia.
megacephalum *Westw.* Arcan. Ent. I. *p.* 86. t. 22. f. 3.—*Hope.* Ann. Nat. Hist. IX. 1842, *p.* 426.
Hab. Port Essington, N. Australia.

Conopterum. (*Chaudoir.*)

amabile *Casteln.* Not. Aust. Col. 1867, *p.* 49.
Hab. Lachlan River, N. S. Wales.
insigne *Chaud.* Ann. de la Soc. Ent. Belg. 1869. *p.* 148.
Hab. Northern Australia.
superbum *Casteln.* Not. Aust. Col. 1867, *p.* 49
Hab. Lachlan River, N. S. Wales.

Carenidium. (*Chaudoir.*)

Dameli *Macleay, W*, Trans. Ent. Soc. N.S. Wales, 1869. II. *p.* 69.
Hab. Cape York, North Australia.
gagatinum *Macleay, W.* l. c. 1863, *p.* 136.
Hab. South Australia.
Kreusleræ *Macleay, W.* l. c. 1869. II. *p.* 70.
Hab. South Australia.

Eutoma. (*Newman.*)

bipunctatum *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1863. I. *p.* 60.
Hab. Port Denison, Maryborough, and Gayndah, Queensland.
cupripenne *Macleay, W.* l. c. *p.* 61.
Hab. King George's Sound.
Digglesi *Macleay, W.*, l. c. 1869. II. *p.* 67.
Hab. Brisbane, Queensland.
episcopale *Casteln.* Not. Aust. Col. 1867, *p.* 54.
Hab. Paroo River, Queensland.
filiforme *Casteln.* l. c. *p.* 54.
Hab. Darling River.
glaberrimum, *Macleay, W.*, Trans. Ent. Soc N. S. Wales, 1865. I. *p.* 180.
Hab. N. S. Wales.
læve *Casteln.* Not. Aust. Col. 1867, *p.* 55.
Hab. Rope's Creek, N. S. Wales.
Loddonense *Casteln.* l. c. *p.* 56.
Hab. Loddon River, Victoria.
Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1869. II. *p.* 67.
Hab. Dabee, N. S. Wales.
Newmani *Casteln.* Not. Aust. Col. 1867, *p.* 54.
Hab. Port Denison, Queensland.
purpuratum *Casteln.* l. c. *p.* 55.
Hab. South Australia.
splendidum *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1863. I. *p.* 60.
Hab. King George's Sound.

subrugosulum *Macleay, W.*, l. c. 1865. I. *p.* 180.
Hab. New Holland.
substriatulum *Macleay, W.*, l. c. *p.* 179.
Hab. Richmond River, N. S. Wales.
tinctilatum *Newm.* The Ent. Mag. V. *p.* 171.—*Westw.* Arcan. Ent. I. *p.* 86. t. 22. f. 2.—*Casteln.* Not. Aust. Col. 1867, *p.* 54.
Hab. Clarence River, N. S. Wales.
undulatum *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1865, I. *p.* 180.
Hab. Wingelo, N. S. Wales.
Violaceum *Macleay, W.*, l. c. 1863. I. *p.* 138.
Hab. South Australia.

Neocarenum. (*Castelnau*)

elongatum *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1863. I. *p.* 136.
Kreusleri Casteln. Not. Austr. Col. 1867, *p.* 53.
Hab. South Australia.
Mastersi *Macleay, W.*, l. c. 1869. II. *p.* 68.
Hab. Mount Barker, Western Australia.
rugosulum *Macleay, W.*, l. c. *p.* 68.
Hab. Salt Lake, Hummock Range, South Australia.
singulare *Casteln.* Not. Aust. Col. 1867, *p.* 53.
Hab. Swan River, Western Australia.

Carenum. (*Bonelli.*)

affine *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1863, I. *p.* 142.
Hab. N.S. Wales.
ambiguum *Macleay, W.*, l. c. 1865. I. *p.* 177.
Hab. King George's Sound.
angustipenne *Macleay, W.*, l. c. 1871. II. *p.* 98.
Hab. Gayndah, Queensland.
anthracinum *Macleay, W.*, l. c. 1863. I. *p.* 135.
Hab. S. Australia.
atronitens *Macleay, W.*, l, c. *p.* 137.
Hab. Gawler, South Australia.
Bonellii *Brulle.* Hist. Nat. V. *p.* 63. t. 2. f. 6.—*Westw.* Arcan. Ent. I. *p.* 83.
cyaneum Bonelli. Mém. Turin. 1813, *p.* 479.
Hab. New South Wales.
Brisbanense *Casteln.* Not. Aust. Col. 1867, *p.* 47.
Hab Pine Mountain, Brisbane, and Maryborough, Queensland..
campestre *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1865. I. *p.* 186.
Hab. Lower Murrumbidgee, N. S. Wales.

carbonarium *Casteln.* Not. Aust. Col. 1867. *p.* 48.
Hab. Esperanza Bay, Western Australia.
Chaudoiri *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1869, II. *p.* 63.
Hab. New Holland.
coracinum *Macleay, W.*, l. c. 1865. I. *p.* 178.
Hab. Ipswich, Queensland.
corruscum *Macleay, W.*, l. c. 1863. I. *p.* 141.
Hab. North Coast of New Holland.
cyaneum *Fabr.* Ent. Syst. I. *p.* 95.—*Lacord.* Gen. Atl. t. 8. f. 1. *Fabricii Westw.* Arcan. Ent. I. *p.* 85. t. 21. f. 5.
Hab. New Holland.
cyanipenne *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1869, II. *p.* 62.
Hab. S. Australia.
deauratum *Macleay, W.*, l. c. 1863. I. *p.* 140.
Hab. Warroo River, and Gayndah, Queensland.
devastator *Casteln.* Not. Aust. Col. 1867, *p.* 51.
Hab. Swan River, Western Australia.
distinctum *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1863, I. *p.* 145.
Hab. New Holland.
dispar *Macleay. W.*, Trans. Ent. Soc. N. S. Wales, 1869, II. *p.* 66.
Hab. South Australia.
ebeninum *Casteln.* Not. Aust. Col. 1867, *p.* 48.
Hab. South Australia.
elegans *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1863, I. *p.* 144.
Hab. Victoria River.
foveolatum *Macleay, W.*, l. c. 1863. I. *p.* 141.
Hab. N.E. Coast of New Holland.
frontale *Macleay, W.*, l. c. 1865. I. *p.* 185.
Hab. Wallaroo, South Australia.
gemmatum *Westw.* Arcan. Ent. I. *p.* 85. t. 21. f. 7.
Hab. Port Essington, North Australia.
ineditum *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1869. II. *p.* 65.
Hab. South Australia.
intermedium *Westw.* Trans. Ent. Soc. 1849, *p.* 203.
Hab. Victoria.
interruptum *Macleay W.*, Trans. Ent. Soc. N. S. Wales, 1865, *p.* 181.
Hab. Wingelo and Dabee, N. S. Wales.
Kingi *Macleay, W.*, l. c. 1869, *p.* 64.
Hab. Liverpool Plains, N. S. Wales.
lævigatum *Macleay, W.* l. c. 1863. I. *p.* 134.
Schomburgki Casteln. Not. Aust. Col. 1867, *p.* 51.
Hab. South Australia.

lævipenne *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1863. I. *p.* 59.
Hab. King George's Sound.
laterale *Macleay, W.* l. c. 1865. I. *p.* 183.
Hab. New Holland.
loculosum *Newm.* The Entomol. *p.* 369.
Hab. Victoria.
marginatum *Boisd.* Voy. Astrol. Col. *p.* 23.—*Westw.* Arcan Ent. I. *p.* 84. t. 21. f. 1.
Hab. New South Wales.
mucronatum *Macleay, W.*, Proc. Ent. Soc. N. S. Wales, 1866. I. *p.* 55.
Hab. Gawler, South Australia.
multiimpressum *Casteln.* Not. Aust. Col. 1867, *p.* 49.
Hab. Swan River, Western Australia.
Murrumbidgense, *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1865, I. *p.* 183.
Hab. Murrumbidgee, N. S. Wales.
nigerrimum *Macleay, W.*, l. c. 1865. I. *p.* 176.
Hab. South Australia.
nitescens *Macleay, W.*, l. c. 1869. II. *p.* 64.
Hab. Salt Lake, Hummock Range, South Australia.
oblongum *Macleay, W.*, l. c. 1863. I *p.* 138.
Hab. Adelaide.
obscurum *Macleay, W.*, l. c. 1865, *p.* 182.
Hab. N. S. Wales.
occultum *Macleay, W.*, l. c. 1871. II. *p.* 97.
Hab. Gayndah, Queensland.
Odewahni *Casteln.* Not. Aust. Col. 1867, *p.* 51.
Hab. South Australia.
opacum *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1869, II. *p.* 63.
Hab. Clarence River, N. S. Wales.
ordinatum *Macleay, W.*, l. c. 1869. II. *p.* 66.
Hab. South Australia.
ovipenne *Macleay, W.*, l. c. 1871. II. *p.* 98.
Hab. Gayndah, Queensland.
perplexum *White.* Grey's Trav. II. *p.* 456.—*Westw.* Arcan. Ent. I. *p.* 84. t. 21. f. 2.
Hab. King George's Sound.
politulum *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 98.
Hab. Gayndah, Queensland.
politum *Westw.* Arcan. Ent. I. *p.* 84. t. 21. f. 3.
Hab. Tasmania and Victoria.
propinquum *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1869, II. *p.* 64.
Hab. Liverpool Plains, N. S. W.

puncticolle *Macleay, W.*, l. c. 1863. I. *p.* 135.
Hab. South Australia.
punctulatum, *Macleay, W.*, l. c *p.* 143.
Hab. Byalla, N S. Wales.
quadripunctatum *Macleay, W.*, l. c. *p.* 59.
Hab. Port Denison, Queensland.
rectangulare *Macleay, W.*, l. c. *p.* 139.
Hab. South Australia.
Riverinæ *Macleay, W.*, l. c. 1865. I. *p.* 181.
Hab. Lower Murrumbidgee, N. S. Wales.
rufipes *Macleay, W.*, l. c. 1869. II. *p.* 65.
Hab. Stirling Range, Western Australia.
salebrosum *Macleay, W.*, l. c. 1871, II. *p.* 97.
Hab. Gayndah, Queensland.
scaritioides *Westw.* Arcan. Ent. I. *p.* 192.
Hab. New South Wales.
scitulum *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1863. I. *p.* 144.
Hab. Moreton Bay.
sexpunctatum *Macleay, W.*, l. c. 1869. II. *p.* 62.
Hab. Lower Murrumbidgee, N. S. Wales.
simile *Macleay, W.*, l. c. 1865. I. *p.* 182.
Hab. Moreton Bay.
smaragdulum *Westw.* Arcan. Ent. I. *p.* 84. t. 21. f. 4.
Hab. Swan River, Western Australia.
Spencei *Westw.* Ann. Nat. Hist. 1841. *p.* 123; Arcan. Ent. I. *p.* 85. t. 21. f. 6.
Hab. New South Wales.
striato-punctatum *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1865 I. *p.* 184.
Hab. Daly Waters, North Australia.
striato-punctulatum *Macleay, W.*, l. c. *p.* 178.
Hab. Murrumbidgee, N. S. Wales.
subcostatum *Macleay*, W., l. c. *p.* 186.
Hab. Clarence River, N. S. Wales.
subcyaneum *Macleay*, W., l. c. 1869. II. *p.* 66.
Hab South Australia.
submetallicum *Macleay*, W., l. c 1871. *p.* 98.
Hab Gayndah, Queensland.
subporcatulum *Macleay*, W., l. c. 1865. I. *p.* 184.
Hab. Wide Bay, Queensland.
subquadratum *Macleay*, W., l. c. *p.* 177.
Hab. South Australia.
subrugosulum *Macleay*, W. l. c. *p.* 180.
Hab. New Holland.
substriatulum *Macleay*, W., l. c. *p.* 179.
Hab. Richmond River, N. S. Wales.
sumptuosum *Westw.* Arcan. Ent. I. *p.* 86. t. 22. f. 1.
Hab. Port Essington, North Australia.

superbum *Casteln.* Not. Aust. Col. 1867, *p.* 49.
Hab. Lachlan River, N. S. Wales.
triste *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1869, II. *p.* 63.
Hab. Maryborough and Gayndah, Queensland.
undulatum *Macleay*, W., l. c. 1865. I. *p.* 180.
Hab. Wingelo, N. S. Wales.
variolosum *Macleay*, W., l. c. 1863. I. *p.* 143.
Hab. Murrumbidgee, N. S. Wales.
viridi-marginatum *Macleay*, W., l. c. 1871. II. *p.* 97.
Hab. Gayndah, Queensland.
viridipenne *Westw.* Trans. Ent. Soc. V. 1849, *p.* 202.
Hab. New England, N. S. Wales.
Westwoodi *Casteln.* Not. Aust Col. 1867, *p.* 50.
Hab. Mount Kosciusko, Victoria.

Philoscaphus. (*Macleay*, W.)

carinatus (Carenum carinatum) *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1863. I. *p.* 142.
Hab. Wingelo and Bungendore, N. S. Wales.
Mastersi *Macleay*, W., l. c. 1871. II. *p.* 96.
Hab. Gayndah, Queensland.
tuberculatus (Carenum tuberculatum) *Macleay*, W., l. c. 1863. I. *p.* 63.
Hab. Murrumbidgee, N. S. Wales.

Euryscaphus. (*Macleay*, W.)

affinis *Casteln.* Not. Aust. Col. 1867, *p.* 44.
Hab. Cooper's Creek, Queensland.
angulatus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. 1865 I. *p.* 188.
Hab. Victoria River.
bipunctatus *Macleay*, W., l. c. *p.* 189.
Hab. South Australia.
carbonarius *Casteln.* Not. Aust. Col. 1867, *p.* 44.
Hab. Cooper's Creek, Queensland.
dilatatus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1865. I. *p.* 188.
Hab. New Holland.
Hopei *Casteln.* Not. Aust. Col. 1867, *p.* 45.
Hab. Central Australia.
Howittii *Casteln.* l. c. *p.* 44
Hab. Port Augusta, S. Australia.
minor *Macleay*, W., Trans. Ent. Soc. N. S Wales, 1865. I. *p.* 189.
Hab. Victoria River. (Mitchell's Expedition.)
obesus *Macleay*, W., l. c. 1863. I *p.* 65.
Hab. Swan River, Western Australia. (?)
Waterhousei *Macleay*, W., l. c. *p.* 147.
Hab. Central Mount Stewart.

Scaraphites. (*Westwood.*)

Bacchus *Westw.* Arcan. Ent. *p.* 87. t. 22. f. 4.
Hab. Swan River, Western Australia.
crenaticollis *Macleay*, W., Trans. Ent. Soc. N. S. Wales, 1863. *p.* 147.
Hab. South Australia.
gigas *Casteln.* Not. Aust. Col. 1867, *p.* 46.
Hab. Nickol Bay, Western Australia.
heros *Casteln.* l. c. *p.* 43.
Hab. Champion Bay, Western Australia.
hirtipes *Macleay*, W., Trans. Ent. Soc. N. S. Wales, 1863. I *p.* 148.
Hab. South Australia.
humeralis *Casteln.* Not. Aust. Col. 1867, *p.* 45.
Hab. Swan River, Western Australia.
intermedius *Macleay*. W., Trans. Ent. Soc. N. S. Wales, 1865. I. *p.* 190.
Hab. Illawarra and Merimbula, N.S. Wales.
laticollis *Macleay*, W., Proc. Ent. Soc. N. S. Wales, 1866. I. *p.* 56.
Hab. Northern Territory of S. Australia.
latipennis *Macleay*, W., Trans. Ent. Soc. N. S. Wales, 1863. I. *p.* 66.
Hab. King George's Sound.
Lernæus *Westw.* Arcan. Ent. I. *p.* 87. t. 22. f. 5.
Hab. Swan River, Western Australia.
lucidus *Chaud*, Rev. Zool. 1863. *p.* 115.
Hab. Melbourne.
Macleayi *Westw.* Arcan. Ent. I. *p.* 157.
Hab. Sydney.
Martini *Casteln.* Not. Aust. Col. 1867, *p.* 47.
Hab. Champion Bay, Western Australia.
Mastersi *Macleay*, W., Trans. Ent. Soc. N. S. Wales, 1869. II. *p.* 70.
Hab. Mount Barker, Western Australia.
rotundipennis *Dej.* Spec. I. *p.* 401.—*Boisd.* Voy. Astrol. Col. *p.* 21. t. 6. f. 2.
Hab. Victoria and Tasmania.
Silenus *Westw.* Arcan. Ent. I. *p.* 87. t. 22. f. 6.
Hab. Swan River, Western Australia.

Scarites. (*Fabricius.*)

approximatus *Macleay*, W., Trans. Ent. Soc. N. S. Wales, 1865. I. *p.* 191.
Hab. Victoria River. (Mitchell's Expedition.)
bipunctatus *Casteln.* Not. Aust. Col. 1867, *p.* 58.
Hab. Rockhampton, Queensland.
Bostocki *Casteln.* l. c. *p.* 58.
Hab. Nickol Bay, Western Australia.

Cacus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1863, I. *p.* 67.
Hab. Port Denison and Gayndah, Queensland.
Damastes *Macleay, W.*, l. c. *p.* 68.
Hab. Murrumbidgee, N. S. Wales.
Geryon *Macleay, W.*, l. c. *p.* 68.
Hab. Upper Darling.
Jacksoniensis *Macleay, W.*, l. c. 1865. I. *p.* 193.
Hab. Lane Cove, Sydney.
Mitchelli *Casteln.* Not. Aust. Col. 1867, *p.* 57.
Hab. Darling River.
planiusculus *Macleay, W.*, Trans. Ent. Soc. 1865, I. *p* 193.
Hab. Victoria River. (Mitchell's Expedition.)
plicatus *Casteln.* Not. Aust. Col. 1867. *p.* 57.
Hab. Escape Cliff, Northern Territory of S. Australia.
ruficornis *Casteln.* l. c. *p.* 58.
Hab. Manning River, N. S. Wales; Cooper's Creek, Queensland.
subporcatulus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1865, I. *p.* 192.
Hab. North Australia. (Hely's Expedition.)
substriatus *Casteln.* Not. Aust. Col. 1867, *p.* 57.
Hab. Darling River.
Waterhousei *Macleay W.*, Trans. Ent. Soc. N. S. Wales, 1865, I. *p.* 192.
Hab. South Australia.

Gnathoxys. (*Westwood.*)

barbatus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1863, I. *p.* 151.
Hab. South Australia.
Blissi *Macleay, W.*, Proc. Ent. Soc. N. S. Wales, 1866, *p.* 58.
Hab. Swan River, Western Australia.
cicatricosus *Reiche.* Rev. Zool. 1842, *p.* 121.
Hab. Swan River, Western Australia.
foveatus *Macleay, W.*, Proc. Ent. Soc. N. S. Wales, 1866, *p.* 59.
Hab. Swan River, Western Australia.
granularis *Westw.* Arcan. Ent. I. *p.* 89. t. 23. f. 2.—*Lacord.* Gen. Atl. I. t. 8. f. 2.
Hab. Port Essington, North Australia.
humeralis *Macleay. W.*, Trans. Ent. Soc. N. S. Wales, 1863, I. *p.* 150.
Hab. South Australia.
insignitus *Macleay, W.*, l, c. *p.* 149.
Hab. King George's Sound.
irregularis *Westw.* Arcan. Ent. I. *p.* 89. t. 23. f. 3.
Hab. Port Essington, North Australia.

Murrumbidgensis *Macleay, W*, Trans. Ent. Soc. N. S. Wales, 1865. I. *p.* 195.
Hab. Murrumbidgee, N. S. Wales.
obscurus *Reiche*. Rev. Zool. 1842, *p.* 121.
Hab. Swan River, Western Australia.
submetallicus *Macleay, W*, Trans. Ent. Soc. N. S. Wales, 1863. I. *p.* 151.
Hab. South Australia.
tessellatus *Macleay, W.*, l. c. *p.* 152.
Hab. Parramatta, N. S. Wales.

Scolyptus. (*Putzeys.*)

Ceratoglossa *Macleay, W.*

crassicollis *Putz.* Ann. Soc. Belg. X. *p.* 25.
Hab. New South Wales.
foveiceps *Macleay, W*, Trans. Ent. Soc. N. S. Wales, 1863. I. *p.* 73.
Hab. Richmond River, N. S. Wales.
marginatus *Putz.* Ann. Soc. Belg. XI. 1868, *p.* 8.
Hab. Rockhampton, Queensland.
planiceps *Putz.* Mém. Liège. 1863, *p.* 42.
rugiceps, Macleay, W., Trans. Ent. Soc N. S. Wales, 1863. I. *p.* 72.
Hab. Murrumbidgee, N. S. Wales.
procerus *Putz.* Ann. Soc. Belg. X. *p.* 180; XI. *p.* 7.
Hab. New Holland.
prominens *Putz.* Stett. Ent. Zeit. 1866, *p.* 35.
Hab. New Holland.

Dyschirius. (*Bonelli.*)

Mastersi *Macleay, W.*, Proc. Ent. Soc. N. S. Wales, 1866. I. *p.* 59.
Hab. King George's Sound.
Stephensi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1865. I. *p.* 195.
Hab. Sutton Forest, N. S. Wales.
zonatus *Putz.* Ann. Soc. Belg. XI. 1868, *p.* 9.
Hab. Port Denison, Queensland.

Clivina. (*Latreille.*)

angustipes *Putz.* Ann. Soc. Belg. XI. 1868, *p.* 12.
Hab. Swan River, Western Australia.
angustula *Putz.* Révis. *p.* 190.
Hab. Melbourne.
atrata *Putz.* Mém. Liège. 1863, *p.* 54.
Hab. New Holland.

Australasiæ *Bohem.* Res. Eugen. 1858, *p.* 8.
Hab. Sydney.

basalis *Chaud.* Bull. Mosc. 1843. IV. *p.* 733.—*Putz.* Mém. Liège. 1863, *p.* 38.
Hab. Sydney.

biplagiata *Putz.* Révis. *p.* 191.
Hab. New Holland.

cava *Putz.* Stett. Zeit. 1856, *p.* 38.
Hab. Moreton Bay.

cribrosa *Putz.* Ann. Soc. Belg. XI. 1868, *p.* 20.
Hab. Swan River, Western Australia.

deplanata *Putz.* Révis. *p.* 190.
Hab. Melbourne.

difformis *Putz.* Ann. Soc. Belg. XI. 1868, *p.* 19.
Hab. Victoria.

dilutipes *Putz.* l. c. *p.* 19.
Hab. Melbourne.

dimidiata *Putz.* Stett. Zeit. 1866, *p.* 39.
Hab. Melbourne.

elegans *Putz.* Mém. Liège. 1863. *p.* 44.
Hab. New Holland.

emarginata *Putz.* Ann Soc. Belg. XI. 1868, *p.* 15.
Hab. New Holland.

ferruginea *Putz.* l. c. *p.* 14.
Hab. Rockhampton.

flava *Putz.* l. c. *p.* 16.
Hab. Rockhampton.

heterogona *Putz.* Stett. Zeit. 1866, *p.* 41; Révis. *p.* 189.
Hab. New Holland.

isogona *Putz.* Ann. Soc. Belg. XI. 1868, *p.* 13.
Hab. New Holland.

juvenis *Putz.* Stett. Zeit. 1866, *p.* 37; Révis. *p.* 183.
Hab. Melbourne.

lepida *Putz.* l. c. *p.* 184.
Hab. Melbourne.

melanopyga, *Putz.* l. c. *p.* 41.
Hab. Melbourne.

microdon *Putz.* Révis. *p.* 183.
Hab. Melbourne.

nyctosyloides *Putz.* Ann. Soc. Belg XI. 1868, *p.* 10.
Hab. Queensland.

obliquata *Putz.* Révis. *p.* 188.
Hab. Sydney.

odontomera *Putz.* Ann. Soc. Belg. XI. 1868, *p.* 18.
Hab. Rockhampton.

pectoralis *Putz.* l. c. *p.* 14.
Hab. Rockhampton.

punctaticeps *Putz.* l. c. *p.* 18.
Hab. Rockhampton.
rubripes *Putz.* l. c. *p.* 13.
Hab. Rockhampton.
sellata *Putz.* Stett. Zeit. 1866, *p.* 40.
Hab. New Holland.
suturalis *Putz.* Mém. Liège. 1863, *p.* 39.
Hab. Victoria.
vagans *Putz.* Stett. Zeit. 1866, *p.* 38.
Hab. South Australia.
verticalis *Putz.* l. c. *p.* 40.
Hab. South Australia.

Eudema. (*Castelnau.*)

alternans *Casteln.* Not. Aust. Col. 1867, *p.* 60.
Hab. Rockhampton and Gayndah, Queensland.
Australasiæ *Chaud.* Bull. Mosc. 1850. II. *p.* 419.
Hab. N. S. Wales, Victoria, and S. Australia.
Australe *Dej.* Spec. V. *p.* 601.
Hab. N. S. Wales, and Queensland.
azureum *Casteln.* Not. Aust. Col. 1867, *p.* 61.
Hab. N. S. Wales, and Queensland.
comptum *Laferté.* Ann. Fr. 1851, *p.* 220. Not. 2.—*Chaud.* Bull. Mosc. 1861. IV. *p.* 341.
Hab. New Holland.
convexum *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1864. I. *p.* 114.
Hab. Port Denison, and Cape York.
elongatum *Casteln.* Not. Aust. Col. 1867, *p.* 60.
Hab. Sydney.
Rockhamptonense *Casteln.* l. c. *p.* 60.
Hab. Rockhampton, Queensland.

Chlaenius.

Australis *Dej.* Spec. V. *p.* 650.
Hab. Australia. (Widely distributed.)
bimaculatus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, I. 1864. *p.* 115.
Hab. Port Denison, Queensland.
Darlingensis *Casteln.* Not. Aust. Col. 1867, *p.* 62.
Hab. Darling River.
Greyanus *White.* Voy. Grey. Austr. II. 1841, *p.* 458.—*Chaud.* Bull. Mosc. 1856. III. *p.* 290.
Hab. King George's Sound.
maculifer *Casteln.* Not. Aust. Col. 1867, *p.* 62.
Hab. N. S. Wales, and Queensland.

maculiger *Casteln.* l. c. *p.* 62.
Hab. Rockhampton, Queensland.
marginatus *Dej.* Spec. II. *p.* 305.
Hab. New Holland.
ophonoides *Fairm.* Ann. Fr. 1843, *p.* 11. t. 1. f. 1.—*Chaud.* Bull. Mosc. 1856. III. *p.* 197.
Hab. New Holland.
peregrinus *Laferté.* Ann. Fr. 1851, *p.* 247.—*Chaud.* Bull. Mosc. 1856. III. *p.* 264.
Hab. N. S. Wales, and Queensland.
puncticeps *Gem.* and *Harold.* Cat. *p.* 224.
punctatus Chaud. Bull. Mosc. 1856. III. *p.* 200.
Hab. Moreton Bay.
subcostatus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1864. I. *p.* 114.
Hab. Port Denison, Queensland.

Hololeius. (*Laferté.*)

nitidulus *Dej.* Spec. II. *p.* 341.
Hab. Clarence River, N. S. Wales.

Coptocarpus. (*Chaudoir.*)

Oodes *Bonelli.*

Australis *Dej.* Spec. V. *p.* 671.
Hab. Victoria, N. S. Wales, and Queensland.
Bostocki *Casteln.* Not. Aust. Col. 1867, *p.* 65.
Hab. Nickol Bay, Western Australia.
convexus *Casteln.* l. c. *p.* 65.
Hab. Victoria, King George's Sound, and Swan River.
Denisonensis *Casteln.* l. c. *p.* 64.
Hab. Port Denison, Queensland.
fuscitarsis *Blanch.* Voy. Pole. Sud. *p.* 39. t. 1, f. 14.
Hab. North Australia.
inornatus *Casteln.* Not. Aust. Col. 1867, *p.* 65.
Hab. Swan River, Western Australia.
interioris *Casteln.* l. c. *p.* 64.
Hab. Cooper's Creek, Central Australia.
latus *Casteln.* l. c. *p.* 64.
Hab. Swan River, Western Australia.
modestus *Casteln.* l. c. *p.* 63.
Hab. Melbourne.
oblongus *Casteln.* l. c. *p.* 63.
Hab. Rope's Creek, N. S. Wales.
Parroënsis *Casteln.* l. c. *p.* 64.
Hab. Paroo River, Central Australia.
proximus *Casteln.* l. c. *p.* 65.
Hab. Paroo River, Central Australia.

Reichei *Laferté*. Ann. Fr. 1851, *p.* 271.
Hab. Swan River, Western Australia.
thoracicus *Casteln.* Not. Aust. Col. 1867, *p.* 65.
Hab. Swan River, Western Australia.
trisulcatus *Casteln.* l. c. *p.* 64.
Hab. Port Denison, Queensland.
Waterhousei *Casteln.* l. c. *p.* 63.
Hab. Arnheim's Land, N. Australia.

Badister. (*Clairville.*)

anchomenoides *Macleay W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 120.
Hab. Gayndah, Queensland.

Physoloesthus. (*Chaudoir.*)

Australis *Chaudoir*. Bull. Mosc. 1850. II. *p.* 412.—*Moraw.* Beitr. Käf. Jesso. I. 1863, *p.* 37.
Hab. New Holland.
grandipalpis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 121.
Hab. Gayndah, Queensland.
suturalis *Casteln.* Not. Aust. Col. 1867, *p.* 66.
Hab. Paroo River, Central Australia.

Mecodema. (*Blanchard.*)

Blagravi *Casteln.* Not. Aust. Col. 1867, *p.* 75.
Hab. Mountains of Victoria.
montanum *Casteln.* l. c. *p.* 77.
Hab. Mountains of Victoria.
percoides *Casteln.* l. c. *p.* 77.
Hab. Mount Wellington, Tasmania.

Promecoderus. (*Dejean.*)

Cnemacanthus Gray.

Albanyensis *Casteln.* Not. Aust. Col. 1867, *p.* 82.
Hab. King George's Sound.
Bassii *Casteln.* l. c. *p.* 80.
Hab. King's Island, Bass's Straits.
brunnicornis *Dej.* Spec. IV. *p.* 28.—*Latr.* Dej. Cat. 3 ed. *p.* 46.
Hab. New Holland.
clivinoides *Guér.* Rev. Zool. 1841, *p.* 189.
Hab. New Holland.
concolor *Germ.* Linn. Ent. III. 1848, *p.* 168.
Hab. South Australia.
degenor *Guér.* Rev. Zool. 1841, *p.* 189.
Hab. New Holland.

dyschirioides *Guér.* l. c. *p.* 189.
Hab New Holland.

elegans *Casteln.* Not. Aust. Col. 1867, *p.* 83.
Hab. Melbourne.

gibbosus *Gray.* Anim. Kingd. II. *p.* 276. t. 15. f. 1; t. 34. f. 5.—*Guér.* Rev. Zool. 1841, *p.* 189.—*Blanch.* Voy. Pole. Sud. *p.* 18. t. 3. f. 5.
Hab. Tasmania.

gracilis *Germ.* Linn. Ent. III. 1848, *p.* 169.
Hab. South Australia.

Howittii *Casteln.* Not. Aust. Col. 1867, *p.* 85.
Hab. Melbourne.

lucidicollis *Casteln.* l. c. *p.* 85.
Hab. Melbourne.

maritimus *Casteln.* l. c. *p.* 81.
Hab. Cape Schanck, Victoria.

minutus *Casteln.* l. c. *p.* 81.
Hab. Swan River, Western Australia.

modestus *Casteln.* l. c. *p.* 84.
Hab. Tasmania.

neglectus *Casteln.* l. c. *p.* 84.
Hab. Mountains of Victoria.

nigricornis *Casteln.* l. c. *p.* 81.
Hab. Mountains of Victoria.

oblongus *Casteln.* l. c. *p.* 83.
Hab. Melbourne.

pygmæus *Casteln.* l. c. *p.* 81.
Hab. Mountains of Victoria.

scauroides *Casteln.* l. c. *p.* 83.
Hab. Swan River, Western Australia.

semistriatus *Casteln.* l. c. *p.* 82.
Hab. Ropes Creek, and Clarence River, N. S. Wales.

striatopunctatus *Casteln.* l. c. *p.* 82.
Hab. Victoria, and the Darling River.

subdepressus *Guér.* Rev. Zool. 1841, *p.* 190.
Hab. Tasmania.

suturalis *Casteln.* Not. Aust. Col. 1867, *p.* 84.
Hab. Adelaide.

Tasmanicus *Casteln.* l. c. *p.* 80.
Hab. Tasmania.

viridis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1867. II. *p.* 99.
Hab. Gayndah, Queensland.

Wilcoxi *Casteln.* Not. Aust. Col. 1867, *p.* 85.
Hab. Clarence River, N. S. Wales.

Parroa. (*Castelnau.*)

bicolor *Casteln.* Not. Aust. Col. 1867, *p.* 88.
Hab Paroo River, Central Australia.
carbonaria *Casteln.* l. c. *p.* 88.
Hab. Swan River, Western Australia.
grandis *Casteln.* l. c. *p.* 88.
Hab. Swan River, Western Australia.
Howitti *Casteln.* l. c. *p.* 87.
Hab. Paroo River, Central Australia.
violacea *Casteln.* l. c. *p.* 88.
Hab. Swan River, Western Australia.

Adotela. (*Castelnau.*)

concolar *Casteln.* Not. Aust. Col 1867, *p.* 89.
Hab. Swan River, Western Australia.
Esmeralda *Casteln.* l. c. *p.* 89.
Hab. Swan River, Western Australia.

Cerotalis. (*Castelnau.*)

semiviolacea *Casteln.* Not. Aust. Col. 1867, *p.* 89.
Hab. Port Lincoln, S. Australia.
substriata *Casteln.* l. c. *p.* 89.
Hab. King George's Sound.
versicolor *Casteln.* l. c. *p.* 89.
Hab. Victoria.

Maoria. (*Castelnau.*)

dyschirioides *Casteln.* Not. Aust. Col. 1867, *p.* 78.
Hab. Crooked River, Gipp's Land, Victoria.

Meonis. (*Castelnau.*)

ater *Casteln.* Not. Aust. Col. 1867, *p.* 70.
Hab. Clarence River, N. S. Wales; Brisbane, and Gayndah, Queensland.
niger *Casteln.* l. c. *p.* 70.
Hab. Clarence River, N. S. Wales.
ovicollis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 100.
Hab. Gayndah, Queensland.

Adetipa. (*Castelnau.*)

punctata *Casteln.* Not. Aust. Col. 1867, *p.* 71.
Hab. Clarence River, N. S. Wales.

Darodilia. (*Castelnau.*)

mandibularis *Casteln.* Not. Aust. Col. 1867, *p.* 71.
Hab. Lachlan River, N. S. Wales.

Leirodira. (*Castelnau.*)

auricollis *Casteln.* Not. Aust. Col. 1867, *p.* 73.
Hab. Clarence River, N. S. Wales; Maryborough and Rockhampton, Queensland.
Latreillei *Casteln.* l. c. *p.* 72.
Hab. Brisbane, Maryborough, & Gayndah, Queensland.
Liopleura *Chaud.* Ann. Soc. Ent. Belg. *p.* 163.
Hab. Moreton Bay.

Phorticosomus. (*Schaum.*)

Edeli *Casteln.* Not. Aust. Col. 1867, *p.* 92.
Hab. Swan River, Western Australia.
felix *Schaum.* Journ. of Ent II. *p.* 78. t. 4. f. 5.
Hab. Victoria.
grandis *Casteln.* Not. Aust. Col. 1867, *p.* 91.
Hab. Cooper's Creek, Central Australia.
lateralis *Casteln.* l. c. *p.* 92.
Hab. Paroo River, Central Australia.
minutus *Casteln.* l. c. *p.* 92.
Hab. Paroo River, Central Australia.
Nuytsi *Casteln.* l. c. *p.* 92.
Hab. Nickol Bay, Western Australia.
rotundipennis *Casteln.* l. c. *p.* 91.
Hab Paroo River, Central Australia.
rugiceps *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 100.
Hab. Gayndah, Queensland.

Pachauchenius. (*Macleay, W.*)

læviceps *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1864, I. *p.* 116.
Hab. Port Denison, Queensland.

Amblygnathus. (*Dejean.*)

minutus *Casteln.* Not. Aust. Col. 1867, *p.* 93.
Hab. King George's Sound.

Geobaenus. (*Dejean.*)

Australasiæ *Guér.* Voy. Coquille. 1830. II. *p.* 59.
Hab. New Holland.

Diaphoromerus. (*Chaudoir.*)

iridipennis *Chaud.* Bull. Mosc. 1843. III. *p.* 405.
Hab. New Holland.
lucidicollis *Dej.* Spec. IV. *p.* 312.
Hab. New Holland.

melanarius *Dej.* loc. cit. *p.* 311.
Hab. New Holland.

Nebriosoma. (*Castelnau.*)

fallax *Casteln.* Not. Aust. Col. 1867. *p.* 93.
Hab. Kiama, N. S. Wales.

Lecanomerus. (*Chaudoir.*)

aberrans *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 101.
Hab. Gayndah, Queensland.
insidiosus *Chaud.* Bull. Mosc. 1850. II. *p.* 447.
Hab. New Holland.
ruficeps *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 100.
Hab. Gayndah, Queensland.

Secatophus. (*Castelnau.*)

Australis *Hope.* Trans. Ent. Soc. IV. 1845, *p.* 105.
Hab. South Australia.
Hopei *Casteln.* Not. Aust. Col. 1867, *p.* 94.
Hab. South Australia.

Harpalus. (*Latreille.*)

Adelaidæ *Casteln.* Not. Aust. Col. 1867, *p.* 108.
Hab. South Australia, and King George's Sound.
æneo-nitens *Macleay. W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 102.
Hab. Gayndah, Queensland.
æreus *Dej.* Spec. IV. *p.* 384.
Hab. New Holland.
alternans *Casteln.* Not. Aust. Col. 1867, *p.* 99.
Hab. Moreton Bay.
amaroides *Casteln.* l. c. *p.* 106.
Hab. Brisbane, Queensland.
angustatus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 102.
Hab. Gayndah, Queensland.
atro-viridis *Macleay, W.*, l. c. *p.* 103.
Hab. Gayndah, Queensland.
Australasiæ *Dej.* Spec. IV. *p.* 295.
Hab. New Holland.
Australis *Dej.* l. c. *p.* 385.
Hab. New Holland.
Boisduvali *Casteln.* Not. Aust. Col. 1867, *p.* 110.
Hab. Swan River, Western Australia.

Bostocki *Casteln.* l. c. *p.* 110.
Hab. Swan River, Western Australia.
brunneus *Casteln.* l. c. *p.* 109.
Hab. Adelaide, and Swan River.
convexiusculus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. *p.* 102.
Hab. Gayndah, Queensland.
Coxi *Casteln.* Not. Aust. Col. 1867, *p.* 107.
Hab. Clarence River, N. S. Wales.
Dampieri *Casteln.* l. c. *p.* 109.
Hab. Swan River, and King George's Sound, Western Australia; Port Lincoln, S. Australia.
Denisonensis *Casteln.* l c. *p.* 97.
Hab. Port Denison, Queensland.
Deyrollei *Casteln.* l. c. *p.* 110.
Hab. Port Lincoln, S. Australia.
dingo *Casteln.* l. c *p.* 111.
Hab. Rockhampton, Queensland.
Edwardsi *Casteln.* l. c. *p.* 101.
Hab. Victoria.
Erichsoni *Casteln.* l. c. *p.* 105.
Hab. Melbourne.
femoralis *Casteln.* l. c. *p.* 111.
Hab. Rockhampton, Queensland.
flavipalpis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1864. I. *p.* 118.
Hab. Port Denison, Queensland.
Flindersi *Casteln.* Not. Aust. Col. 1867, *p.* 102.
Hab. Rockhampton, Queensland.
Fortnumi *Casteln.* l. c. *p.* 109.
Hab. Adelaide.
Gayndahensis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 102.
Hab. Gayndah, Queensland.
Germari *Casteln.* Not. Aust. Col. 1867, *p.* 104.
Hab. Melbourne.
Goryi *Gory.* Ann. Fr. 1833. *p.* 241.—*Boisd.* Voy. Astrol. 1835, *p.* 46.
Hab. New Holland.
ignobilis *Bohem.* Res. Eugen. 1858. *p.* 10.
Hab. Sydney.
Illawarensis *Casteln.* Not. Aust. Col. 1867, *p.* 108.
Hab. Illawarra, N. S. Wales.
impressipennis *Casteln.* l. c. *p.* 100.
Hab. Rockhampton, Queensland.
inæqualipennis *Casteln.* l. c. *p.* 99.
Hab. King George's Sound, and Swan River.

infelix *Casteln.* l. c. *p.* 106.
Hab. Rockhampton and Gayndah, Queensland.
inornatus *Germ.* Linn. Ent. III. 1848, *p.* 169.
Hab. Adelaide.
interioris *Casteln.* Not. Aust. Col. 1867, *p.* 95.
Hab. Paroo River, Central Australia.
interstitialis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1864. I. *p.* 117.
Hab. Port Denison, Rockhampton, and Gayndah, Queensland.
Kingi *Casteln.* Not. Aust. Col. 1867, *p.* 107.
Hab. King George's Sound.
Kreffti *Casteln.* l. c. *p.* 104.
Hab. Port Denison, Queensland.
Lapeyrousei *Casteln.* l. c. *p.* 106.
Hab. Sydney.
mandibularis *Casteln.* l. c. *p.* 111.
Hab. Port Denison, Queensland.
marginepunctatus *Dej.* Spec. IV. *p.* 396.—*Boisd.* Voy. Astrol. *p.* 45.
Hab. New Holland.
marginicollis *Casteln.* Not. Aust. Col. 1867, *p.* 103.
Hab. Melbourne.
Melbournensis *Casteln.* l. c. *p.* 97.
Hab. Melbourne.
montanus *Casteln.* l. c. *p.* 100.
Hab. Pine Mountain, Queensland.
Novæ Hollandiæ *Casteln.* l. c. *p.* 111.
Hab. Melbourne.
oblongiusculus *Casteln.* l. c. *p.* 97.
Hab. Brisbane, Queensland.
Parroensis *Casteln.* l. c. *p.* 98.
Hab. Paroo River, Central Australia.
patrueloides *Casteln.* l. c. *p.* 97.
Hab. N. S. Wales, and Victoria.
Peroni *Casteln.* l. c. *p.* 102.
Hab. King George's Sound.
picipes *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1864. I. *p.* 117.
Hab. Port Denison, Queensland.
planipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 101.
Hab. Gayndah, Queensland.
planoimpressus *Casteln.* Not. Aust. Col. 1867, *p.* 101.
Hab. Brisbane, Queensland.
promtus *Erichs.* Weigm. Arch. 1842. I. *p.* 126.
Hab. Tasmania.

pulcher *Dej.* Spec. IV. *p.* 282.—*Macleay*, Dej. Cat. 3 ed. *p.* 51.
Hab. New South Wales.
punctifer *Casteln.* Not. Aust. Col. 1867, *p.* 98.
Hab. Brisbane, Queensland.
quadraticollis *Casteln.* Not. Aust. Col. 1867, *p.* 102.
Hab. Sydney; Brisbane, Queensland.
ranula *Casteln.* l. c. *p.* 105.
Hab. Melbourne.
rana *Casteln.* l. c. *p.* 100.
Hab. Melbourne.
rotundicollis *Casteln.* l. c. *p.* 96.
Hab. Australia. (Widely distributed.)
rugosipennis *Casteln.* l. c. *p.* 98.
Hab. Melbourne.
sculptipennis *Casteln.* l. c. *p.* 99.
Hab. King George's Sound.
sculpturalis *Casteln.* l. c. *p.* 99.
Hab. King George's Sound, and Swan River.
Tasmanicus *Casteln.* l. c. *p.* 105.
Hab. Tasmania.
Thouzeti, *Casteln.* l. c. *p.* 96.
Hab. Rockhampton and Port Denison.
Vandiemensis *Casteln.* l. c. *p.* 101.
Hab. Tasmania.
velox *Casteln.* l. c. *p.* 103.
Hab. Melbourne.
versicolor *Casteln.* l. c. *p.* 110.
Hab. Swan River, Western Australia.
verticalis *Erichs.* Weigm. Arch. 1842. I. *p.* 126.
Hab. Tasmania.
vestigialis *Erichs.* l. c. *p.* 127.
Hab. Tasmania.
Waterhousei *Casteln.* Not. Aust. Col. 1867, *p.* 96.
Hab. Adelaide.
Wilcoxi *Casteln.* l. c. *p.* 101.
Hab. Brisbane, Clarence River, and Sydney.
Yarrae *Casteln.* l. c. *p.* 108.
Hab. Melbourne.

Gnathaphanus. (*Macleay.*)

licinoides *Hope.* Ann. Nat. Hist. IX. 1842, *p.* 427.
Hab. New Holland.

Acupalpus. (*Latreille.*)

angulatus *Macleay W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 104.
Hab. Gayndah, Queensland.

Mastersi *Macleay, W.*, l. c. *p.* 104.
Hab. Gayndah, Queensland.
piceus *Guér.* Voy. Coquille. 1830, II. *p.* 60.
Hab. Sydney.

Cyclothorax. (*Macleay, W.*)

punctipennis, *Macleay, W.*, Trans. Ent. Soc N. S. Wales, 1871. II. *p.* 105.
Hab. Gayndah, Qnceusland.

Stenolophus. (*Dejean.*)

politus *Macleay, W.*, Proc. Ent. Soc. N. S. Wales, 1871. II. *p.* 103.
Hab. Gayndah, Queensland.

Lesticus. (*Dejean.*)

chloronotus *Chaud.* Ann. Soc. Ent. Belg. *p.* 156.
Hab. Northern parts of N. S. Wales, and Queensland.

Drimostoma. (*Dejean.*)

alpestre *Casteln.* Not. Aust. Col. 1867, *p.* 113.
Hab. Mountains of Victoria.
Australe *Casteln.* l. c. *p.* 112.
Hab. Mountains of Victoria.
montanum *Casteln* l. c. *p.* 112.
Hab. Dandenong Mountains, Victoria.
Tasmanicum *Casteln.* l. c. *p.* 113.
Hab. Tasmania.
Thouzeti *Casteln.* l. c. *p.* 112
Hab. Rockhampton, Queensland.
vicinum *Casteln.* l. c. *p.* 113.
Hab. Rockhampten, Queensland

Abacetus. (*Dejean.*)

angustior *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 105.
Hab. Gayndah, Queensland.
ater *Macleay, W.*, l, c. *p.* 105.
Hab. Gayndah, Queensland.

Amblytelus. (*Erichson.*)

amplipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p* 106.
Hab. Maryborough and Gayndah, Queensland.

curtus *Fabr.* Syst. El. I. *p.* 202.—*Erichs.* Weigm. Arch. 1842. I. *p.* 130. t 4. f. 2.
Hab. New Holland.
minutus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871 II. *p.* 106.
Hab. Gayndah, Queensland.
vittatus *Motsch.* Bull. Mosc. 1864. IV. *p.* 304.
Hab. New Holland.

Eccoptogenius. (*Chaudoir.*)

feronioides *Casteln.* Not. Aust. Col. 1867, *p.* 115.
Hab. Deep Creek, Victoria.

Zeodera. (*Castelnau.*)

atra *Casteln.* Not. Aust. Col. 1867, *p.* 114.
Hab. Clarence and Richmond Rivers, N. S. Wales.

Catadromus. (*Macleay.*)

Australis *Casteln.* Etud. Ent. *p.* 154; Hist. Nat. I. 1840, *p.* 120.
Hab. Victoria, N. S. Wales, and Queensland.
cordicollis *Motsch.* Bull. Mosc. 1864. IV. *p.* 350. t. 2. f. 24.
Hab. New Holland.
Elseyi *White.* Proc. Zool. Soc. 1859, *p.* 117. t. 58. f. 3.
Hab. New Holland.
Lacordairei *Boisd.* Voy. Astrol. Col. *p.* 34.
Hab. Victoria, and N. S. Wales.

Notonomus. (*Chaudoir.*)

Pterostichus *Bonelli.*

accedens *Chaud.* Bull. Mosc. 1865. III. *p.* 92.
Hab. New Holland.
aeneomicans *Chaud.* l. c. *p.* 84.
Hab. New Holland.
amabilis *Casteln.* Not. Aust. Col. 1867, *p.* 129.
Hab. Merimbula, N. S. Wales.
angustipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 109.
Hab. Gayndah, Queensland.
Aubei *Casteln.* Not. Aust. Col. 1867, *p.* 129.
Hab. Hunter River, N. S. Wales.
auricollis *Casteln.* l. c. *p.* 125.
Hab. Mountains of Victoria.
Australasiæ *Dej.* Spec. III. *p.* 277.—*Chaud.* Bull. Mosc. 1865. III. *p.* 87.
Hab. New Holland.

azureomarginatus *Casteln.* Not. Aust. Col. 1867, *p.* 129.
Hab. Lachlan and Hunter Rivers, N. S. Wales.
chalybeus *Dej.* Spec. III. *p.* 234.—*Chaud.* Bull. Mosc. 1865. III. *p.* 90.—*Latr.* Dej Cat. 3 Ed. *p.* 38.
Hab. New Holland.
comes *Casteln.* Not. Aust. Col. 1867, *p.* 121.
Hab. Clyde River, N. S. Wales.
Croesus *Casteln* l. c. *p.* 123.
Hab. Mountains of Victoria.
cyaneocinctus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 108.
Hab. Gayndah, Queensland.
Darlingi *Casteln.* Not. Aust. Col. 1867, *p.* 130.
Hab. Pine Mountain, Queensland.
Diemenensis *Casteln.* l. c. *p.* 124.
Hab. Tasmania.
discoderus *Chaud.* Bull. Mosc. 1865. III. *p.* 87.
Hab. New Holland.
ducalis *Casteln.* Not. Aust. Col. 1867, *p.* 121.
Hab. Illawarra, N. S. Wales.
eques *Casteln.* l. c. *p.* 122.
Hab. Illawarra, N. S. Wales.
Gippsiensis *Casteln.* l. c. *p.* 122.
Hab. Mountains of Gipps Land, and Dividing Range Victoria.
Gippslandicus *Casteln.* l. c. *p.* 125.
Hab. Mountains of Gipps Land, Victoria.
gravis *Chaud.* Bull. Mosc. 1865. III. *p.* 90.
Hab. New Holland.
Hunteriensis *Casteln.* Not. Aust. Col. 1867, *p.* 127.
Hab. Hunter River, N. S. Wales.
impressicollis *Casteln.* l. c. *p.* 126.
Hab. N. S. Wales, and Queensland.
impressipennis *Casteln.* l. c. *p.* 128.
Hab. Clarence River, N. S. Wales.
ingratus *Chaud.* Bull. Mosc. 1865, III. *p.* 87.
Hab. New Holland.
Kingi *Chaud.* l. c. *p.* 86.
Hab. New Holland.
Lapeyrousei *Casteln.* Not. Aust. Col. 1867, *p.* 127.
Hab. Ash Island, Hunter River, N. S. Wales.
Lesueuri *Casteln.* l. c. *p.* 124.
Hab. Illawarra, N. S. Wales.
mediosulcatus *Chaud.* Bull. Mosc. 1865. III. *p.* 88.
Hab. New Holland.
miles *Casteln.* Not. Aust. Col. 1867, *p.* 122.
Hab. Clyde River, N. S. Wales.

molestus *Chaud.* Bull. Mosc. 1865. III. *p.* 89.
Hab. Melbourne.
nitidicollis *Chaud.* l. c. *p.* 88.
Hab. New Holland.
obsoletus *Motsch.* Bull. Mosc. 1865. IV. *p.* 268.
Hab. Melbourne.
opacicollis *Chaud.* Bull. Mosc. 1865. III. *p.* 88.
Hab. New Holland.
opulentus *Casteln.* Not. Aust. Col. 1867, *p.* 124.
Hab. Mountains of Victoria.
Peroni *Casteln.* l. c. *p.* 123.
Hab. Mountains of Victoria.
Philippsi *Casteln.* l. c. *p.* 126.
Hab. Mountains of Victoria.
plutus *Casteln.* l. c. *p.* 123.
Hab. Mountains of Victoria.
politulus *Chaud.* Bull. Mosc. 1865. III. *p.* 86.
Hab. Tasmania.
purpureipennis *Macleay, W*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 107.
Hab. Gayndah, Queensland.
purpureolimbatus *Casteln.* Not. Aust. Col. 1867, *p.* 128.
Hab. Clarence River, N. S. Wales.
regalis *Casteln.* l. c *p.* 121.
Hab. Kurrajong and Illawarra, N. S. Wales.
resplendens *Casteln.* l. c. *p.* 127.
Hab. Merimbula, N. S. Wales.
satrapa *Casteln.* l. c. *p.* 122.
Hab. Gipps Land, Victoria.
semiviolaceus *Casteln.* l. c. *p.* 126.
Hab. Mountains of Victoria.
sphodroides *Dej.* Spec. III. *p.* 236.—*Chaud.* Bull. Mosc. 1865. III. *p.* 91.
Hab. New Holland.
striaticollis *Casteln.* Not. Aust. Col. 1867, *p.* 128.
Hab. Clarence River, N. S. Wales.
subiridescens *Chaud.* Bull. Mosc. 1865. III. *p.* 85.
Hab. Melbourne.
subvilis *Casteln.* Not. Aust. Col. 1867, *p.* 127.
Hab. Mountains of Victoria.
Tasmanicus *Casteln.* l. c. *p.* 124.
Hab. Tasmania.
triplogenioides *Chaud.* Bull. Mosc. III. 1865. *p.* 85.
Hab. New Holland.
variicollis *Chaud.* l. c. *p.* 86.
Hab. Melbourne.
Victoriæ *Casteln.* Not. Aust. Col. 1867, *p.* 124.
Hab. Mountains of Victoria.

vilis *Casteln.* l. c. *p.* 126.
Hab Mountains of Victoria.
violaceomarginatus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 108.
Hab. Gayndah, Queensland.
viridicinctus *Macleay, W.*, l. c. *p.* 108.
Hab. Gayndah, Queensland.
viridilimbatus *Casteln.* Not. Aust. Col. 1867, *p.* 129.
Hab. Brisbane, Queensland.
viridimarginatus *Casteln.* l. c. *p.* 130.
Hab Brisbane, Queensland.
Wilcoxi *Casteln.* l. c. *p.* 125.
Hab. Clarence River, N. S. Wales.

Abax. (*Bonelli.*)

Boisduvali *Casteln.* Not. Aust. Col. 1867, *p.* 136.
Hab. Picton, N. S. Wales.
cyathoderus *Chaud.* Bull. Mosc. 1865, III. *p.* 107.
Hab. New Holland.
lævilaterus *Chaud.* l. c. *p.* 107.
Hab. Moreton Bay.
liopleurus *Chaud.* l. c. *p.* 106.
Hab. Melbourne.
miser *Chaud.* l. c. *p.* 108.
Hab. Moreton Bay.
puellus *Chaud.* l. c. *p.* 108.
Hab. New Holland.
Reichei *Casteln.* Not. Aust. Col. 1867, *p.* 136.
Hab. Kiama, N. S. Wales.

Poecilus. (*Bonelli.*)

atronitens *Macleay W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 110.
Hab. Gayndah, Qneensland.
funebris *Casteln.* Not. Aust. Col. 1867, *p.* 133.
Hab. Mount Gambier.
gagatinus *Casteln.* l. c. *p.* 132.
Hab. Tasmania.
herbaceus *Chaud.* Bull. Mosc. 1865. III. *p.* 112.
Hab. New Holland.
interioris *Casteln.* Not. Aust. Col. 1867, *p.* 132.
Hab. Paroo River, Central Australia.
iridescens *Casteln.* l. c. *p.* 132.
Hab. Clarence River, N. S. Wales; Rockhampton, Queensland.
iridipennis *Casteln.* l. c. *p.* 131.
Hab. N. S. Wales, Victoria, and South Australia.

Kingi *Macleay*. King. Survey. Austral. II. 1827, *p.* 438.
Hab. New Holland.
marginatus *Casteln.* Hist. Nat. I. *p.* 105.
Hab. New Holland.
resplendens *Casteln.* Not. Aust. Col. 1867, *p.* 131.
Hab. Lachlan, Darling, and Paroo Rivers.
rufilabris *Casteln.* l. c. *p.* 133.
Hab. Pine Mountain, Queensland.
semiplicatus *Casteln.* Hist. Nat. I. *p.* 105.
Hab. New Holland.
subgagatinus *Casteln.* Not. Aust. Col. 1867, *p.* 132.
Hab. Pine Mountain, Queensland.
subiridescens *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 110.
Hab. Gayndah, Queensland.

Chlænoidius. (*Chaudoir.*)

planipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 109.
Hab. Gayndah, Queensland.
prolixus *Erichs.* Weigm. Arch. 1842. I. *p.* 127.—*Chaud.* Bull. Mosc. 1865. III. *p.* 110.
Hab. Tasmania.

Argutor. (*Megerle.*)

æneipennis *Chaud.* Bull. Mosc. 1843. III. *p.* 414.
Hab. New Holland.
antipodus *Motsch.* Bull. Mosc. 1865. IV. *p.* 257.
Hab. New Holland.
Australis *Dej.* Spec. III. *p.* 262.
Hab. New Holland.
foveipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 110.
Hab. Gayndah, Queensland.
holomelanus *Germ.* Linn. Ent. III. 1848, *p.* 167.
Hab. South Australia.
ineditus *Casteln.* Not. Aust. Col. 1867, *p.* 139.
Hab. Pine Mountain, Queensland.
nitidipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. *p.* 111.
Hab. Gayndah, Queensland.
Oodiformis *Macleay, W.*, l. c. *p.* 111.
Hab. Gayndah, Queensland.
sollicitus *Erichs.* Weigm. Arch. 1842. I. *p.* 128.
Hab. Tasmania.

Loxodactylus. (*Chaudoir.*)

amæropterus *Chaud.* Bull. Mosc. 1865. III. *p.* 97.
Hab. Melbourne. (?)
carinulatus *Chaud.* l. c. *p.* 96.
Hab. Melbourne.

Omaseus. (*Ziegler.*)

Arnheimensis *Casteln.* Not. Aust. Col. 1867, *p.* 134.
Hab. Arnheim's Land, N. Australia.
centralis *Casteln.* l. c. *p.* 134.
Hab. Darling River.
Clarenciensis *Casteln.* l. c *p.* 133.
Hab. Clarence River, N. S. Wales.
Lachlandiensis *Casteln.* l. c. *p.* 133.
Hab. Lachlan River, N. S. Wales.
Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 109.
Hab. Gayndah, Queensland.
Mitcheli *Casteln.* Not. Aust. Col. 1867, *p.* 130.
Hab. Queensland, N. S. Wales, and Victoria.
occidentalis *Casteln.* l. c. *p.* 134.
Hab. King George's Sound.
rufipalpis *Casteln.* l. c. *p.* 130.
Hab. Mountains of Victoria.
satanus *Casteln.* l. c. *p.* 135.
Hab. King George's Sound.
subcarbonarius *Casteln.* l. c. *p.* 134.
Hab. Victoria, and N. S. Wales.

Delinius. (*Westwood.*)

Essingtoni *Westw.* Proc. Ent. Soc. 1864, *p.* 3.
Hab. Port Essington, N. Australia.

Steropus. (*Megerle.*)

Blagravi *Casteln.* Not. Aust. Col. 1867, *p.* 138.
Hab. Swan River, Western Australia.
Bonvouloiri *Casteln.* l. c. *p.* 137.
Hab. Brisbane, Queensland.
civilis *Germ.* Linn. Ent. III. 1848, *p.* 167.—*Chaud.* Bull. Mosc. 1865. III. *p* 99
Hab. South Australia.
cyaneocinctus *Chaud.* Bull. Mosc. 1865. III. *p.* 97.
Hab. Gayndah, Queensland.
cycloderus *Chaud.* l. c. *p.* 100.
Hab. Melbourne.

discopunctatus *Chaud.* l. c. *p.* 98.
Hab. Melbourne.
elegantulus *Casteln.* Not. Aust. Col. 1867, *p.* 138.
Hab. King George's Sound.
esmeraldipennis *Casteln.* l. c. *p.* 137.
Hab. Adelaide.
Germari *Casteln.* l. c. *p.* 136.
Hab. Adelaide.
iriditinctus *Chaud.* Bull. Mosc. 1865. III. *p.* 100.
Hab Swan River, Western Australia.
Mastersi *Casteln.* Not. Aust. Col. 1867, *p.* 138.
Hab. Port Lincoln, S. Australia.
obesulus *Chaud.* Bull. Mosc. 1865. III. *p.* 99.
Hab. Melbourne.
Olivieri *Casteln.* Not. Aust. Col. 1867, *p.* 137.
Hab. Adelaide and Melbourne.
orbicollis *Motsch.* Bull. Mosc. 1865. IV. *p.* 266.
Hab. New Holland.
ovicollis *Motsch.* l. c. *p.* 265.
Hab. New Holland.
purpuripennis *Motsch.* l. c. *p.* 248.
Hab. New Holland.
Rockhamptonensis *Casteln.* Not. Aust. Col. 1867, *p.* 137.
Hab. Rockhampton, Queensland
saphyreomarginatus *Casteln.* l. c. *p.* 136.
Hab. Melbourne.
saphyripennis *Casteln.* l. c. *p.* 137.
Hab. Adelaide, and Melbourne.
Waterhousei *Casteln.* l. c. *p.* 138.
Hab. Adelaide.

Platysma. (*Bonelli.*)

coracinum *Erichs.* Weigm. Arch. 1842. I. *p.* 128.
chalybeipenne Chaud. Bull. Mosc. 1843. IV. *p.* 768; 1865. III. *p.* 109.
Hab. New Holland.
monochroum *Chaud.* Bull. Mosc. 1865. III. *p.* 110.
Hab. Melbourne.

Amastus. (*Motschulsky.*)

nigricolor *Motsch.* Bull. Mosc. 1865. IV. *p.* 246.
Hab. New Holland.

Homalosoma. (*Boisduval.*)

Atlas *Casteln.* Not. Aust. Col. 1867, *p.* 117.
Hab. Clarence River, N. S, Wales.
carbonicolor *Motsch.* Bull Mosc. 1865. IV. *p.* 236.
Hab. New Holland.

cordatum *Chaud.* Bull. Mosc. 1865. III. *p.* 69.
Hab. Wide Bay, and Gayndah, Queensland.
Cunninghami *Casteln.* Not. Aust. Col. 1867, *p.* 120.
Hab. Rockhampton and Gayndah, Queensland.
curtum *Chaud.* Bull. Mosc. 1865. III. *p.* 78.
Hab. North Australia.
cyaneum *Casteln.* Hist. Nat. I. *p.* 113.—*Chaud.* l. c. *p.* 67.
Hab. New Holland.
cyaneotinctum *Boisd.* Voy. Astrol Col. *p.* 37.—*Chaud.* l. c. *p.* 69.
Hab. New Holland.
dilaticeps *Chaud.* l. c. *p.* 76.
Hab. Eastern Australia.
dingo *Casteln.* Not. Aust. Col. 1867, *p.* 120.
Hab. Mountains of Victoria.
episcopale *Casteln.* l. c. *p.* 118.
Hab. Lane Cove, N. S. Wales.
Hercules *Casteln.* l. c. *p.* 119.
Hab. Moreton Bay, and Wide Bay, Queensland.
lævicolle *Brullé.* Hist. Nat. IV. *p.* 364.
Hab. New Holland.
marginiferum *Chaud.* Bull. Mosc. 1865. III. *p.* 68.
Hab. Wide Bay, and Gayndah, Queensland.
nitidicolle *Casteln.* Not. Aust. Col. 1867, *p.* 120.
Hab. Clarence River, N. S. Wales.
obesum *Casteln.* l. c. *p.* 118.
Hab. Clarence River, N. S. Wales.
Philippi *Newm.* The Entomol. 1842, *p.* 401.
Hab. Victoria.
Renardi *Chaud.* Bull. Mosc. 1865. III. *p.* 71.
Hab. Moreton Bay.
Solandersi *Casteln.* Not. Aust. Col. 1867, *p.* 118.
Hab Clarence River, N. S. Wales.
striatocolle *Brullé.* Hist. Nat. Ins. IV. *p.* 346.
Hab. New Holland.
subvirens *Chaud.* Bull. Mosc. 1865. III. *p.* 72.
Hab. Melbourne. (?)
superbum *Casteln.* Not. Aust. Col. 1867, *p.* 119.
Hab. Hunter River, N. S. Wales.
Vigorsi *Gory.* Fr. 1833. *p.* 233.—*Boisd.* Voy. Astrol. 1835. *p.* 37.
—*Chaud.* Bull. Mosc. 1865. III. *p.* 70.
Hab. New Holland.
violaceum *Casteln.* Etud. Ent. *p.* 76.
Hab. North Australia. (?)
viridescens *Casteln.* Not. Aust. Col. 1867, *p.* 120.
Hab. Clarence River, N. S. Wales.
Wilsoni *Casteln.* l. c. *p.* 119.
Hab. Brisbane, Queensland.
Yarræ *Casteln.* l. c. *p.* 120.
Hab. Victoria.

Neuropates. (*Motschulsky.*)

dyscoloides *Motsch.* Bull. Mosc. 1865. IV. *p.* 263.
Hab. New Holland.
pristonychoides *Motsch.* l, c. *p.* 264.
Hab. New Holland.

Parhypates. (*Motschulsky.*)

profundestriatus *Motsch.* Bull. Mosc. 1865. IV. *p.* 263.
Hab. New Holland.
tenuistriatus *Motsch.* l. c. *p.* 262.
Hab. New Holland.

Tibarisus. (*Castelnau.*)

ater *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 106.
Hab. Gayndah, Queensland.
melas *Casteln.* Not. Aust. Col. 1867, *p.* 116.
Hab. Clarence and Richmond Rivers, N. S. Wales; Brisbane, Wide Bay, & Rockhampton, Queensland.
niger *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 107.
Hab. Gayndah, Queensland.

Morphnos. (*Schaufuss.*)

Prionophorus *Chaud.* Teropha *Casteln.*

crenatipes *Chaud.* Bull. Mosc. 1865, III. *p.* 79.
Hab. Melbourne. (?)
Flindersi *White.* Proc. Zool. Soc. 1859, *p.* 117. t. 58. f. 2.—*Chaud.* Bull. Mosc. 1865. III. *p.* 80.—*Casteln.* Not. Aust. Col. 1867. *p.* 91.
antipodus Schauf. Col. Heft. I. 1867, *p.* 65.
Hab. South and Western Australia.
Sturti *White.* Proc. Zool. Soc. 1859, *p.* 117. t. 58. f. 1.
Hab. South Australia.

Nurus. (*Motschulsky.*)

brevis *Motsch.* Bull. Mosc. 1865. IV. *p.* 236.
Hab. New Holland.

Percus. (*Bonelli.*)

bipunctatus *Casteln.* Not. Aust. Col. 1867, *p.* 135.
Hab. N. S. Wales, Victoria, and S. Australia.
lacustris *Casteln.* l. c. *p.* 136.
Hab. Lake Alexandrina, S. Australia.
montanus *Casteln.* l. c. *p.* 135.
Hab. Mountains of Gipps Land, Victoria.

Cratogaster. (*Blanchard.*)

sulcata *Blanch.* Voy. Pole. Sud. IV. *p.* 33. t. 2. f. 11.
Hab. Northern Territory of South Australia.

Pachidius. (*Chaudoir.*)

sulcatus *Chaud.* Bull. Mosc. 1865. III. *p.* 82.
Hab. Moreton Bay.

Cyrtoderus. (*Hope.*)

Australasiæ *Hope.* Proc. Ent. Soc. 1841, *p.* 47; Ann. Nat. Hist. IX. 1842, *p.* 427.
Hab. New Holland.

Dicrochile. (*Guérin.*)

Stomatocoelus *Macleay, W.*

brevicollis *Chaud.* Bull. Mosc. 1852. I. *p.* 68.
Hab. N. S. Wales, and Victoria.
gigas *Casteln.* Not. Aust. Col. 1867, *p.* 66.
Hab. Clarence River, N. S. Wales; Brisbane, Wide Bay, and Rockhampton Queensland.
Goryi *Boisd.* Voy. Astrol. Col. *p.* 32.
anchomenoides Guér. Ann. Fr. 1846. Bull. *p.* 103.—*Chaud.* Bull. Mosc. 1852. I. *p.* 69.—*Lacord.* Gen. Atl. t. 11. f. 6. a.
licinoides Macleay, W., Trans. Ent. Soc. N. S. Wales, 1863. I. *p.* 116.
Hab. Australia. (Widely distributed.)
minuta *Casteln.* Not. Aust. Col. 1867, *p.* 68.
Hab. Victoria, and Tasmania.
montana *Casteln.* l. c. *p.* 67.
Hab. Yankee Jim Creek, Victoria.
punctatostriata *Casteln.* l. c. *p.* 67.
Hab. Melbourne.
punctipennis *Casteln.* l. c. *p.* 67.
Hab. Brisbane, Queensland.
quadricollis *Casteln.* l. c. *p.* 67.
Hab. Mountains of Victoria.

Siagonyx. (*Macleay, W.*)

amplipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 113.
Hab. Gayndah, Queensland.
Mastersi *Macleay, W.*, l. c. *p.* 113.
Hab. Gayndah, Queensland.

Lestignathus. (*Erichson.*)

cursor *Erichs.* Weigm. Arch. 1842. I. *p.* 134. t. IV. f. 3. a–b.
Hab Tasmania.

Platynus. (*Bonelli.*)

ambiguus *Erichs.* Weigm. Arch. 1842. I. *p.* 130.
Hab. Tasmania.
lophoides *Chaud.* Bull. Mosc. 1854. I. *p.* 135.
Hab. Melbourne.
marginellus *Erichs.* Weigm. Arch. 1842. I. *p.* 130.
Hab. Tasmania, and Victoria.
marginicollis *Macleay W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 112.
Hab. Gayndah, Queensland.
nigroæneus *Newm.* The Entomol. 1842, *p.* 402.
Hab. New Holland.
nitidipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 111.
Hab. Gayndah, Queensland.
planipennis *Macleay, W.*, l. c. *p.* 112.
Hab. Gayndah, Queensland.

Colpodes. (*Macleay.*)

Australis *Erichs.* Weigm. Arch. 1842. I. *p.* 131.
Hab. Tasmania.
dilatatus *Erichs.* l. c. *p.* 132.
Hab. Tasmania.
lugubris *Motsch.* Bull. Mosc. 1864. IV. *p.* 309.
Hab. New Holland.

Trechus. (*Clairville.*)

ater *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 114.
Hab. Gayndah, Queensland.
atriceps *Macleay, W.*, l. c. *p.* 113.
Hab. Gayndah, Queensland.
concolor *Macleay, W.*, l. c. *p.* 114.
Hab. Gayndah, Queensland.
rufilabris *Macleay, W.*, l. c. *p.* 114.
Hab. Gayndah, Queensland.

Illaphanus. (*Macleay, W.*)

Stephensi *Macleay, W*, Trans. Ent. Soc. N. S. Wales, 1864, *p.* 156.
Hab. Wollongong, N. S. Wales.

Tachys. (*Schaum.*)

Australis *Schaum.* Berl. Zeit. 1863, *p.* 90.
Hab. New Holland.

Bembidium. (*Erichson.*)

amplipenne *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 119.
Hab. Gayndah, Queensland.
atriceps *Mccleay, W.*, l. c. *p.* 116.
Hab. Gayndah, Queensland.
bifoveatum *Macleay, W.*, l. c. *p.* 117.
Hab. Gayndah, Queensland.
bipartitum *Macleay, W.*, l. c. *p.* 120.
Hab. Gayndah, Queensland.
bipustulatum *Macleay, W.*, l. c. *p.* 116.
Hab. Gayndah, Queensland.
bistriatum *Macleay, W.*, l. c. *p.* 115.
Hab. Gayndah, Queensland.
brunnipenne *Macleay, W.*, l. c. *p.* 118.
Hab. Gayndah, Queensland.
convexum *Macleay, W.*, l. c. *p.* 115.
Hab. Gayndah, Queensland.
flavipes *Macleay, W.*, l. c. *p.* 119.
Hab. Gayndah, Queensland.
gagatinum *Macleay, W.*, l. c. *p.* 119.
Hab. Gayndah, Queensland.
Jacksoniense *Guér.* Voy. Coq. 1830, *p.* 61. t. 1. f. 17.
Hab. Port. Jackson.
ovatum *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 117.
Hab. Gayndah, Quesnsland.
punctipenne *Macleay, W.*, l. c. *p.* 116.
Hab. Gayndah, Queensland.
rubicundum *Macleay, W.*, l. c. *p.* 118.
Hab. Gayndah, Queensland.
sexstriatum *Macleay, W.*, l. c. *p.* 117.
Hab. Gayndah, Queensland.
striolatum *Macleay, W.*, l. c. *p.* 115.
Hab. Gayndah, Queensland.
subviride *Macleay, W.*, l. c. *p.* 118.
Hab. Gayndah, Queensland.
transversicolle *Macleay, W.*, l. c. *p.* 116.
Hab. Gayndah, Queensland.

DYTISCIDÆ.

Haliplus. (*Latreille.*)

Australis *Clark.* Journ. of Ent. I. 1862, *p.* 400.
Hab. South Australia.
fuscatus *Clark.* l. c. *p.* 401.
Hab. South Australia.
gibbus *Clark.* l. c. *p.* 402.
Hab. Moreton Bay.
testudo *Clark.* l. c. *p.* 400.
Hab. Moreton Bay.

Hydrachna. (*Fabricius.*)

Hygrobia *Latreille.* Pelobius *Schönherr.*

Australasiæ *Clark.* Journ. of Ent. I. 1862, *p.* 402.
Hab. N. S. Wales, Victoria, and South Australia.
nigra *Clark.* l. c. *p.* 403.
Hab. N. S. Wales, and Queensland.

Hyphydrus. (*Illiger.*)

Australis *Clark.* Journ. of Ent. I. 1862, *p.* 405.
Hab. South Australia.
Blanchardi *Clark.* l. c. *p.* 404.
Hab. Victoria.
humeralis *Clark.* l. c. *p.* 403.
Hab. Victoria.
Johnsoni *Clark.* l. c. *p.* 405.
Hab. Victoria.

Hydroporus. (*Clairville.*)

amabilis *Clark.* Journ. of Ent. I. 1862, *p.* 420.
Hab. Moreton Bay.
Bakewelli *Clark.* l. c. *p.* 413.
Hab. Moreton Bay.

basalis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 124.
Hab. Gayndah, Queensland.
bifasciatus *Macleay, W.*. l. c. *p.* 121.
Hab. Gayndah Queensland.
bistrigatus *Clark.* Journ of Ent, I. 1862, *p.* 419.
Hab. Moreton Bay.
Blakei *Clark.* l. c. *p.* 411.
Hab. New Holland.
brunnipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 122.
Hab. Gayndah Queensland.
collaris *Hope.* Proc. Ent. Soc. 1841, *p.* 48.
thoracicus Schaum. White. Cat. *p.* 43.
Hab. Port Essington, N. Australia.
compactus *Clark* Journ. of Ent. I. 1862, *p* 421.
Hab. South Australia.
Darwini *Babingt.* Trans. Ent. Soc. III. 1841, *p.* 13.
Hab. New Holland.
dispar *Germ.* Linn. Ent. III. 1848, *p.* 173.
Hab. South Australia.
femoralis *Bohem.* Res. Eugen. 1858, *p.* 19.
Hab. Sydney.
fossulipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 122.
Hab. Gayndah, Queensland.
foveiceps *Macleay, W.*, l. c. *p.* 122.
Hab. Gayndah, Queensland.
Gardneri *Clark.* Journ of Ent. I. 1862, *p.* 408.
Hab. Victoria.
gemellus *Clark.* l. c. *p.* 421.
Hab. South Australia.
gigas *Bohem.* Res. Eugen. 1858, *p.* 18.
Hab. N. S. Wales and Queensland.
Gilberti *Clark.* Journ. of Ent. I. 1862, *p.* 414.
Hab. Victoria.
gravidus *Clark.* l. c. *p.* 413.
Hab. Port Essington, North Australia.
hamatus *Clark.* l. c. *p.* 407.
Hab. Victoria.
Hansardi *Clark.* l. c. *p.* 417.
Hab. Moreton Bay.
Howitti *Clark.* l. c. *p.* 406.
Hab. Victoria, and South Australia.
insculptilis *Clark.* l. c. *p.* 411.
Hab. South Australia.
interrogationis *Clark.* l. c. *p.* 408.
Hab. South Australia.

luridus *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 124.
Hab. Gayndah, Queensland.
Mastersi *Macleay*, *W.*, l. c. *p.* 123.
Hab. Gayndah, Queensland.
Meadfooti *Clark.* Journ. of Ent. I. 1862, *p.* 419.
Hab. Victoria.
multimaculatus *Clark.* l. c. *p.* 417.
Hab South Australia.
nebulosus *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 123.
Hab. Gayndah, Queensland.
nigroadumbratus *Clark.* Journ. of Ent. I. 1862, *p.* 410.
Hab. South Australia.
penicillatus *Clark.* l. c. *p.* 415.
Hab. Victoria.
politus *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 124.
Hab. Gayndah, Queensland.
Shuckardi *Clark.* Journ. of Ent. I. 1862, *p.* 420.
Hab Moreton Bay.
sinuatocollis *Motsch.* l. c. *p.* 418.
Hab South Australia. (?)
undecimaculatus *Clark.* l. c. *p.* 412.
Hab. New Holland.
Wollastoni *Clark.* l. c. *p.* 416.
Hab. Victoria, and Tasmania.

Necterosoma. (*Macleay*, *W.*)

flavicolle *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 125.
Hab. Gayndah, Queensland.
vittipenne *Macleay*, *W.*, l. c *p.* 125.
Hab. Gayndah, Queensland.

Celina. (*Aubé.*)

Australis *Clark.* Journ of Ent. II. 1863, *p.* 14.
Hab. N. S. Wales, and South Australia.

Batrachomatus. (*Clark.*)

Wingi *Clark.* Journ. of Ent. II. 1863, *p.* 15.
Hab. Gayndah and Rockhampton, Queensland.

Rhantus. (*Lacordaire.*)

pulverosus *Steph.* Ill. Brit. II. *p.* 69. t. 12. f. 2.—*Sturm.* Ins. VIII. *p.* 78. t. 194.—*Knoch.* Dej. Cat. 3 ed. *p.* 62.
Australis Aubé. Spec. *p.* 236.
Hab. New Holland. (Widely distributed.)

Colymbetes. (*Clairville.*)

lanceolatus *Clark.* Journ. of Ent. II. 1863, *p.* 16.
Hab. N. S. Wales, Victoria, S. Australia, & Tasmania.
monostigma *Hope.* Proc. Ent. Soc. 1842, *p.* 47.
Hab. Port Essington, North Australia.
pulcher *Clark.* Journ. of Ent. II. 1863, *p.* 16.
Hab. South Australia.

Agabus. (*Leach.*)

Bakewelli *Clark.* Journ. of Ent. II. 1863, *p.* 19.
Hab. South Australia.
decempunctatus *Fab.* Syst. Ent. *p.* 232.
Hab. New Holland.
lugubris *Blanch.* Voy. Pole. Sud. IV. *p.* 49. t. 4. f. 4.
Hab Tasmania.
Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 126.
Hab. Gayndah, Queensland.
reticulosus *Clark.* Journ of Ent. II. 1863, *p.* 19.
Hab. Victoria.
spilopterus *Germ.* Linn. Ent. III. *p.* 172.
Hab. South Australia.
Tasmaniæ *Clark.* Journ. of Ent. II. 1863, *p.* 18.
Hab. Tasmania.

Copelatus. (*Erichson.*)

acuductus *Clark.* Journ. of Ent. II. 1863, *p.* 21.
Hab. South Australia. (?)
Australiæ *Clark.* l. c. *p.* 20.
Hab. Moreton Bay, and Gayndah, Queensland.
elongatulus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 127.
Hab. Gayndah, Queensland.
irregularis *Macleay, W.*, l. c. *p.* 126.
Hab. Gayndah, Rockhampton, and Port Denison, Queensland.
simplex *Clark.* Journ. of Ent. II. 1863, *p.* 21.
Hab. Tasmania.
Victoriæ *Clark.* l. c. *p.* 22.
Hab. Victoria.

Hyderodes. (*Hope.*)

Shuckardi *Hope.* Coleop. Man. II. *p.* 166. t. 3. f. 5.—*Clark.* Journ. of Ent. II. 1863, *p.* 22.
Hab. Victoria.

Trogus. (*Leach.*)

Cybister *Curtis.*

atratus *Fab.* Syst. El. I. *p.* 259.—*Schaum.* Stett. Zeit. 1847, *p.* 51.
Hab. New Holland.
Gayndahensis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 127.
Hab. Gayndah, Queensland
Goryi *Aubé*, Spec. *p.* 81.
Hab. New Holland.
insularis *Hope.* Proc. Ent. Soc. 1842, *p.* 47.
Hab. Tasmania.
scutellaris *Germ.* Linn. Ent. III. *p.* 171.
Hab. South Australia, and Victoria.

Eunectes. (*Erichson.*)

Australis *Erichs.* Weigm. Arch. 1842. I. *p.* 134.
Erichsoni White. Cat. Hydroc. *p.* 10.
Hab. Tasmania.
punctipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 127.
Hab. Gayndah, Queensland.

Hydaticus. (*Leach.*)

Bakewelli *Clark.* Trans. Ent. Soc. 1864. *p.* 210.
Hab. Moreton Bay.
bihamatus *Aubé.* Spec. *p.* 174.—*Eschsch.* Dej. Cat. 3 Ed. *p.* 61.
Goryi Aubé. Spec. *p.* 175.
scriptus Blanch. Voy. Pole. Sud. IV. *p.* 46. t. 4. f. 1
Hab. N. S. Wales, and Queensland.
Bowringi *Clark.* Trans. Ent. Soc. 1864, *p.* 214. t. 14. f. 3.
Hab. New Holland
consanguineus *Aubé.* Spec. *p.* 160.
Hab. N. S. Wales, and Queensland.
ruficollis *Fab.* Mant. I. *p.* 189.—*Oliv.* Ent. III. 40. *p.* 15. t. 2. f. 10.
Hab. Tasmania.
vittatus *Fab.* Syst. Ent. App. *p.* 825.—*Oliv.* Ent. III. 40. *p.* 20. t. 1. f. 5.—*Aubé.* Spec. *p.* 208.
limbatus Dehaan. Dej. Cat. 3. Ed. *p.* 61.
quadrivittatus Blanch. Voy. Pole. Sud. IV. *p.* 48. t. 4. f. 3.
Hab. Queensland. (Widely distributed.)

GYRINIDÆ.

Enhydrus. (*Castelnau.*)

assimilis *Clark.* Journ. of Ent. II. 1863, *p.* 217.
Hab. New Holland.
Howitti *Clark.* l. c. *p.* 215.
Hab. Moreton Bay.
latior *Clark.* l. c. *p.* 217.
Hab. Moreton Bay.
oblongus *Boisd.* Voy. Astrol. Ent. *p.* 52.—*Aubé.* Spec. *p.* 653.—*Dej.* Cat. 3. Ed *p.* 66
Australis Brullé. Hist. Nat. Ins. V. *p.* 237.
Hab. Moreton Bay, Wide Bay, Gayndah, and Rockhampton, Queensland.
Reichei *Aubé.* Spec. 654.—*Clark.* Journ. of Ent. II. 1863, *p.* 216.
Hab. South Australia, and Victoria.
rivularis *Clark.* l. c. *p.* 218.
Hab. Victoria.

Gyrinus. (*Geoffroy.*)

convexiusculus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 128.
Hab. N. S. Wales, and Queensland.
iridis *Hope.* Ann. Nat. Hist. IX. 1842, *p.* 428; Proc. Ent. Soc. 1842, *p.* 48.
Hab. New Holland.
obliquatus *Aubé.* Spec. *p.* 661.
Hab. S. Australia, Victoria, N. S. Wales, & Queensland.
strigosus *Fab.* Syst. El. I. *p.* 276.—*Suffr.* Stett. Zeit. 1847, *p.* 101.
Hab. New Holland.
venator *Boisd.* Voy. Astrol. II. *p.* 52.—*Aubé.* Spec. *p.* 662.—*Macleay.* Dej. Cat. 3. Ed. *p.* 66.
Hab. New Holland.

Dineutes. (*Macleay.*)

Australis *Fab.* Syst. Ent. *p.* 235.—*Oliv.* Ent. III. 41, *p.* 12. t. 1. f. 4.—*Schaum.* Stett. Zeit. 1847, *p.* 54.
dentatus Suffrian. Stett. Zeit. 1842, *p.* 256.
Hab. New Holland.

Gouldi *Hope*. Ann. Nat. Hist. IX. 1842, *p*. 427; Proc. Ent. Soc. 1842, *p*. 48.
Hab. North Australia.
rufipes *Fab*. Syst. El. I. *p*. 276.
Australis Aubé. Spec. *p*. 785.
Hab. New Holland.

HYDROPHILIDÆ.

Hydrophilus. (*Geoffroy*.)

albipes *Casteln*. Hist. Nat. II. *p*. 51.
Hab. New Holland.
Gayndahensis *Macleay, W*., Trans. Ent. Soc. N. S. Wales, 1871. II. *p*. 129.
Hab. Gayndah, Queensland.
latipalpus *Casteln*. Hist. Nat. II. *p*. 51.
Hab. Victoria, and N. S. Wales.
ruficornis *Klug*. Ins. Madag. *p*. 159.—*Latr*. Dej. Cat. 3 Ed. *p*. 148.
resplendens Eschsch. Dej. Cat. 3 Ed. *p*. 148.
Hab. New Holland.

Sternolophus. (*Solier*.)

nitidulus *Macleay, W*., Trans. Ent. Soc. N. S. Wales, 1871. II. *p*. 129.
Hab. Gayndah, Queensland.

Hydrobius. (*Leach*.)

assimilis *Hope*. Proc. Ent. Soc. 1842, *p*. 48; Ann. Nat. Hist. IX. 1842, *p*. 428.
Hab. New Holland.
marginicollis *Hope*. Proc. Ent. Soc. 1842, *p*. 48; Ann. Nat. Hist. IX. 1842, *p*. 428.

Hydatotrephis. (*Macleay, W*.)

Mastersi *Macleay, W*., Trans. Ent. Soc. N. S. Wales, 1871. II. *p*. 130.
Hab. Gayndah, Queensland.

Philhydrus. (*Solier.*)

elongatulus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 130.
Hab. Gayndah, Queensland.

maculiceps *Macleay, W.*, l. c. *p.* 130.
Hab. Gayndah, Queensland.

marmoratus *Macleay, W.*. l. c. *p.* 130.
Hab. Gayndah, Queensland.

Hydrobaticus. (*Macleay, W.*)

luridus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 131.
Hab. Gayndah, Queensland.

tristis *Macleay, W.*, l. c. *p.* 131.
Hab. Gayndah, Queensland

Hygrotrophus. (*Macleay, W.*)

involutus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 132.
Hab. Gayndah, Queensland.

nutans *Macleay, W.*, l. c. *p.* 132.
Hab. Gayndah, Queensland.

Berosus. (*Leach.*)

Australiæ *Muls.* Opusc. Ent. IX. 1859, *p.* 58.
Hab. New Holland.

Hydrochus. (*Leach.*)

Australis *Motsch.* Schrenck. Reis. 1860, *p.* 104.
Hab. New Holland.

parallelus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 133.
Hab. Gayndah, Queensland.

Hydraena. (*Kugelann.*)

luridipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 133.
Hab. Gayndah, Queensland.

Cyclonotum. (*Erichson.*)

Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p* 133.
Hab. Gayndah, Queensland.

pygmæum *Macleay, W.*, l. c. *p.* 133.
Hab. Gayndah, Queensland.

Cercyon. (*Leach.*)

dorsalis *Erichs.* Wiegm. Arch. 1842. I. *p.* 153.
Hab. Tasmania.

STAPHYLINIDÆ.

Sub-family ALEOCHARIDÆ.

Myrmecocephalus. (*Macleay, W.*)

bicingulatus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 134.
Hab. Gayndah, Queensland.
cingulatus *Macleay, W.*, l. c *p.* 134.
Hab. Gayndah, Queensland.

Tachyusa. (*Erichson.*)

coracina *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 135.
Hab. Gayndah, Queensland.

Myrmedonia. (*Erichson.*)

Australis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 135.
Hab. Gayndah, Queensland.

Homalota. (*Mannerheim*)

flavicollis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 135.
Hab. Gayndah, Queensland.
pallidipennis *Macleay, W.*, l. c. *p.* 135.
Hab. Gayndah, Queensland.

Oxypoda. (*Mannerheim.*)

analis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 135.
Hab. Gayndah, Queensland.
bisulcata *Redtenb.* Reis. Novar. II. 1867, *p.* 27.
Hab. Sydney.

Aleochara. (*Gravenhorst.*)

hæmorrhoidalis *Guér.* Voy. Coquille Ins. II. *p.* 63. t. 1. f. 24.—*Erichs.* Gen. *p.* 176.
Hab. Australia. (Widely distributed.)

Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 136
Hab. Gayndah, Queensland.
speculifera *Erichs.* Wiegm. Arch. 1842. I. *p.* 134.
Hab. Tasmania.

Sub-family TACHYPORIDÆ.

Conurus. (*Stephens.*)

atriceps *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 136.
Hab. Gayndah, Queensland.
Australis *Erichs.* Gen. *p.* 221.
Hab. Tasmania.
elongatulus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 136.
Hab. Gayndah, Queensland.
fumatus *Erichs.* Gen. *p.* 221.
Hab. Tasmania.
rufipalpis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 136.
Hab. Gayndah Queensland.

Tachyporus. (*Gravenhorst.*)

rubricollis *Macleay W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 137.
Hab. Gayndah, Queensland.
tristis *Macleay, W.*, l. c. *p.* 136.
Hab. Gayndah, Queensland.

Sub-family STAPHYLINIDÆ.

Leptacinus. (*Erichson.*)

cyanipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 137.
Hab. Gayndah, Queensland.
luridipennis *Macleay, W.*, l. c. *p.* 137.

Xantholinus. (*Serville.*)

atriceps *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 138.
Hab. Gayndah, Queensland.
cervinipennis *Macleay, W.*, l. c. *p.* 138.
Hab. Gayndah, Queensland.
chalcopterus *Erichs.* Gen. *p.* 312.
Hab. Swan River, Western Australia.
chloropterus *Erichs.* l. c. *p.* 311.
Hab. Tasmania.

cyaneipennis *Macleay, W.*, Trans. Ent Soc. N. S. Wales, 1871. II. *p.* 139.
Hab. Gayndah, Queensland.
dubius *Macleay, W.*, l. c. *p.* 139.
Hab. Gayndah, Queensland.
erythropterus *Erichs.* Gen. *p.* 320.
Hab. New Holland.
phænicopterus *Erichs.* l. c. *p.* 314.
Hab. New Holland.
piceus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 138.
Hab. Gayndah, Queensland.

Philonthus. (*Curtis.*)

Australis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. p. 139.
Hab. Gayndah Queensland.
chalybeipennis *Macleay, W.*, l. c. *p.* 141.
Hab. Gayndah, Queensland.
hæmorrhoidalis *Macleay, W.*, l. c. *p.* 140.
Hab. Gayndah, Queensland.
pacificus *Erichs.* Gen. *p.* 501.
Hab. Tasmania.
pilipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 140.
Hab. Gayndah, Queensland.
politulus *Macleay, W.*, l. c. *p.* 140.
Hab. Gayndah, Queensland.
subcingulatus *Macleay, W.*, l. c. *p.* 141.
Hab. Gayndah, Queensland.
Xantholinoides *Macleay, W.*, l. c. *p.* 141.
Hab. Gayndah, Queensland.

Ocypus. (*Stephens.*)

Australis *Redtenb.* Reis. Novar. II. 1867, *p.* 28.
Hab. Sydney.

Staphylinus. (*Linné.*)

analis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 142.
Hab. Gayndah, Queensland.
luridipennis *Macleay, W.*, l. c. *p.* 142.
Hab. Gayndah, Queensland.

Creophilus. (*Mannerheim.*)

erythrocephalus *Fab.* Syst. Ent. *p.* 265.—*Oliv.* Ent. III. 42. *p.* 12. t. 2. f. 9.—*Erichs.* Gen. *p.* 351.
Hab. New Holland.

lanio *Erichs.* Gen. *p.* 352.
oculatus var. *Grav.* Mon. *p.* 127.
Hab Tasmania.

Sub-family PÆDERIDÆ.

Notobium. (*Solsky.*)

Australicum *Solsky.* Bull. Mosc. 1864. II. *p.* 447.
Hab. Victoria.

Cryptobium. (*Mannerheim.*)

apicale *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 143.
Hab. Gayndah, Queensland.
Mastersi *Macleay, W.*, l. c. *p.* 142.
Hab. Gayndah, Queensland.

Dolicaon. (*Castelnau.*)

elongatulus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 143.
Hab. Gayndah, Queensland.
nigripennis *Macleay, W.*, l. c. *p.* 144.
Hab. Gayndah, Queensland.
quadraticollis *Macleay, W.*, l. c. *p.* 143.
Hab. Gayndah Queensland.

Lathrobium. (*Gravenhorst.*)

piceum *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871, II. *p.* 144.
Hab. Gayndah, Queensland.
politulum *Macleay, W.*, l. c. *p.* 144.
Hab. Gayndah, Queensland.

Lithocharis. (*Lacordaire.*)

tristis *Macleay, W*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 144.
Hab. Gayndah, Queensland.

Scopæus. (*Erichson.*)

rotundicollis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 145.
Hab. Gayndah, Queensland.

Stilicus. *Latreille.*

ovicollis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 145.
Hab. Gayndah, Queensland.

Sunius. (*Stephens.*)

cylindricus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 145.
Hab. Gayndah, Queensland.

Pæderus. (*Fabricius.*)

angulicollis *Macleay, W.*, Trans. Ent. Soc. N. S Wales, 1871. II. *p.* 146.
Hab. Gayndah, Queensland.
Australis *Guér.* Voy Coquille. Zool. II. *p.* 63. t. 1. f. 23.
Hab. New South Wales.
cingulatus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 146.
Hab. Gayndah, Queensland.
cruenticollis *Germ.* Linn. Ent. III. 1848, *p.* 174.
Hab. South Australia.

Sub-family PINOPHILIDÆ.

Pinophilus. (*Gravenhorst.*)

brevis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 147.
Hab. Gayndah, Queensland.
grandiceps *Macleay, W.*, l. c. *p.* 146.
Hab. Gayndah, Queensland.
Mastersi *Macleay, W.*, l. c. *p.* 146.
Hab. Gayndah, Queensland.

Oedichirus. (*Erichson.*)

pæderoides *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 147.
Hab. Gayndah, Queensland.

Pinobius. (*Macleay, W.*)

Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 148.
Hab. Gayndah, Queensland.

Sub-family STENIDÆ.

Stenus. (*Latreille.*)

cupreipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 149.
Hab. Gayndah, Queensland.

Gayndahensis *Macleay*, *W.*, l. c. *p.* 148.
Hab. Gayndah, Queensland.
maculatus *Macleay*, *W.*, l. c. *p.* 148.
Hab. Gayndah, Queensland.
olivaceus *Macleay*, *W.*, l. c *p.* 148.
Hab. Gayndah, Queensland.
puncticollis *Macleay*, *W.*, l. c. *p.* 149.
Hab. Gayndah, Queensland.
similis *Macleay*, *W.*, l. c. *p.* 149.
Hab. Gayndah, Queensland.
viridiæneus *Macleay*, *W.*, l. c *p.* 149.
Hab. Gayndah, Queensland.

Sub-family OXYTELIDÆ.

Megalops. (*Erichson.*)

nodipennis *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 150.
Hab. Gayndah, Queensland.

Bledius. (*Stephens.*)

mandibularis *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 150.
Hab. Gayndah, Queensland.

Oxytelus. (*Gravenhorst.*)

brunnipennis *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 150.
Hab. Gayndah, Queensland.
collaris *Erichs.* Gen. *p.* 789.
Hab. Tasmania.
impressifrons *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 150.
Hab. Gayndah, Queensland.

Sub-family PIESTIDÆ.

Isomalus. (*Erichson.*)

planicollis *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 151.
Hab. Gayndah, Queensland.

Sub-family OMALIDÆ.

Omalium. (*Gravenhorst.*)

Gayndahense *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 151.
Hab. Gayndah; Queensland.

PSELAPHIDÆ.

Narcodes. (*King.*)

varia *King*. Trans. Ent. Soc. N. S. Wales. I. 1863, *p.* 38.
pulchra King. l. c. *p.* 39; l. c. 1865, *p.* 299.
Hab. Parramatta, N. S. Wales.

Ctenistes. (*Reichenbach.*)

Kreusleri *King*. Trans. Ent. Soc. N. S. Wales. I. 1866, *p.* 300.
Hab. Gawler, South Australia.
vernalis *King*. l. c. 1863, *p.* 40; 1864, *p.* 102.
hesperi King. l. c. I. *p.* 40.
Hab. Parramatta, N. S. Wales.

Tmesiphorus. (*Leconte.*)

Kingi *Macleay W.*, Trans. Ent. Soc. N. S. Wales, II. 1871. *p.* 151.
Hab. Gayndah, Queensland.
Macleayi *King*. l. c. I. 1863, *p.* 40; 1864, *p.* 102.
Hab. Illawarra, Parramatta, Lane Cove, and Petersham, N. S. Wales.

Tyrus. (*Aubé.*)

bispinosus *Westw*. Trans. Ent. Soc. III. 1865, *p.* 271. t. XVI. f. 4.
Hab. New Holland.
formosus *King*. Trans. Ent. Soc. N. S. Wales. I. 1863, *p.* 41. t. 5. f. 4. a.
Hab. Parramatta, N. S. Wales.
Howitti *King*. l. c. 1866, *p.* 301.
Hab. Melbourne.
humeralis *Westw*. Trans. Ent. Soc. III. 1856, *p.* 272. t. 16. f. 5.
Hab. Melbourne.
Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, II. 1871. *p.* 152.
Hab. Gayndah, Queensland.
palpalis *King*. l. c. I. 1863, *p.* 42. t. 5. f. 5. a.
Hab. Parramatta, N. S. Wales.

piceus *King*. l. c. 1865, *p*. 301.
Hab. Parramatta, South Creek, and Camperdown, N. S. Wales.
speciosus *King*. l. c. 1864, *p*. 168.
Hab. Clyde River, N. S. Wales.
Victoriæ *King*. l. c. 1864, *p*. 168.
Hab. Melbourne.

Rytus. (*King*.)

corniger *King*. Trans. Ent. Soc. N. S. Wales. I. 1865, *p*. 303.
Hab Clyde River, N. S. Wales.
emarginatus *King*. l. c. *p*. 303.
Hab. Parramatta, N. S. Wales.
punctatus *King*. l. c. 1865, *p*. 303, t. 7. f. 6.
subulatus King. l. c. 1863, *p*. 103.
Hab. Parramatta, South Creek, and Prospect Hill, N. S. Wales.
Victoriæ *King*. l. c. 1865, *p*. 304.
Hab. Melbourne.

Faronus. (*Aubé*.)

punctatus *King*. Trans. Ent. Soc. N. S. Wales. I. 1864, *p*. 168.
Hab. Currajong, N. S. Wales.

Pselaphus. (*Herbst*.)

antipodum *Westw*. Trans. Ent. Soc. III. 1856, *p*. 274. t. 16. f. 8.
Hab. Melbourne.
clavatus *King*. Trans. Ent. Soc. N. S. Wales. I. 1864.
Hab. Clyde River, N. S. Wales; Victoria, and South Australia.
geminatus *Westw*. Trans. Ent. Soc. III. 1856, *p*. 273. t. 16. f. 9.
Hab. Melbourne.
lineatus *King*. Trans. Ent. Soc. N. S. Wales. I. 1862, *p*. 43.
Hab. Parramatta, N. S. Wales; Victoria, and South Australia
punctatus *King*. l. c. 1864. *p*. 169.
Hab. Rockhampton, Queensland.

Tychus. (*Leach*.)

Howitti *King*. Trans. Ent. Soc. N. S. Wales. I. 1864, *p*. 170.
Hab. Melbourne.
nigricollis *King*. l. c. 1863, *p*. 103.
Hab. Parramatta and Sydney, N. S. Wales.
obliquus *King*. l. c. 1864, *p*. 170.
Hab. Parramatta and Blue Mountains, N. S. Wales.

Batrisus. (*Aubé.*)

angulatus *Westw.* Trans. Ent. Soc. III. 1856, *p.* 273. t. 16. f. 6–7.
Hab. Melbourne.
Australis *Erichs.* Wiegm. Arch. 1842. I. *p.* 243.
Hab. Tasmania.
barbatus *King.* Trans. Ent. Soc. N. S. Wales. I. 1862, *p.* 44. t. 5. f. 6. a.
Hab. Parramatta, N. S. Wales.
conspicuus *King.* l. c. 1863 *p.* 171.
Hab. Parramatta, N. S. Wales.
cyclops *King.* l. c. 1865, *p.* 306.
Hab. Ipswich, Queensland.
Edwardsi *King.* l. c. 1864, *p.* 172.
Hab. Victoria.
Elizabethæ *King.* l. c 1863, *p.* 104.
Hab. Elizabeth Bay, Sydney.
gibbosus *King.* l. c. 1865, *p.* 307.
Hab. Parramatta, N. S. Wales.
hamatus *King.* l. c. 1862, *p.* 45. t. 5. f. 6. c.
Hab. Parramatta, and Blue Mountains, N. S. Wales.
nobilis *King.* l. c. 1864, *p.* 173.
Hab. Parramatta, N. S. Wales.
tibialis *King.* l. c. 1864, *p.* 171.
Hab. Maitland, N. S. Wales.

Bryaxis. (*Leach.*)

æquata *King.* Trans. Ent. Soc. N. S. Wales. I. 1865, *p.* 310.
Hab. Elizabeth Bay, Sydney.
Armitagei *King.* l. c. 1863, *p.* 104.
Hab. Parramatta, and Prospect, N. S. Wales.
atra *King.* l. c. 1865, *p.* 309.
Hab. Dandenong Ranges, Victoria.
atriceps *Macleay, W.*, l. c. II. 1871. *p.* 152.
Hab. Gayndah, Queensland.
atriventris *Westw.* Trans. Ent. Soc. III. 1856, *p.* 270. t. 16. f. 3.
Hab. Melbourne.
basalis *King.* Trans. Ent. Soc. N. S. Wales, I. 1864. *p.* 172.
Hab. Clyde River, N. S. Wales.
capitata *King.* l. c. 1865, *p.* 311.
Hab. Parramatta, N. S. Wales.
clavatula *King.* l. c. 1863, *p.* 104. t. 7. f. 12.
Hab. Sydney.
dominorum *King.* l. c. 1864, *p.* 173.
Hab. Clyde River, N. S. Wales.
electrica *King.* l c. 1862, *p.* 48. t. 16. f. 9. b.
Hab. Parramatta, N. S. Wales.

Elizabethæ *King*. l. c. 1863, *p*. 105. t. 7. f. 8–9.
Hab. Elizabeth Bay, Sydney.
exigua *King*. l. c. 1862, *p*. 50.
Hab. Parramatta, N. S. Wales.
geminata *King*. l. c. 1865, *p*. 311.
Hab. Parramatta, N. S. Wales.
hirta *Macleay, W*., l. c. II. 1871, *p*. 152.
Hab. Gayndah, Queensland.
hortensis *King*. l. c. I. 1862, *p*. 47.
Hab. Parramatta, N. S. Wales.
insignis *King*. l. c. 1864, *p*. 172.
Hab. Currajong, N. S. Wales.
lunatica *King*. l. c. 1862, *p*. 48. t. 16. f. 8. b.
Hab. Parramatta, N. S. Wales.
polita *King*. l. c. 1862, *p*. 49; 1865, *p*. 309.
Hab. Parramatta, N. S. Wales.
quadriceps *Westw*. Trans. Ent. Soc. III 1856, *p*. 270. t. 16. f. 2.
Hab. Melbourne.
strigicollis *Westw*. l. c. *p*. 269. t. 16. f. 1.
Hab. Melbourne.
transversa *King*. Trans. Ent. Soc. N. S. Wales. I. 1865, *p*. 311.
Hab. Parramatta, N. S. Wales.
Victoriæ *King*. l. c. 1865, *p*. 310.
Hab. Victoria.

Cyathiger. (*King*.)

punctatus *King*. Trans. Ent. Soc. N. S. Wales. I. 1865, *p*. 174. t. 14.
Hab. Blue Mountains, and Petersham, N. S. Wales.

Bythinus. (*Leach*.)

impressifrons *King*. Trans. Ent. Soc. N. S. Wales, I. 1865, *p*. 173.
Hab. Clyde River, N. S. Wales.
niger *King*. l. c. I. 1866, *p*. 312.
Hab. Victoria.

Euplectus. (*Leach*.)

depressus *King*. Trans. Ent. Soc. N. S. Wales. I. 1866, *p*. 313.
Hab. Currajong, N. S. Wales.
excisus *King*. l. c. I. 1866, *p*. 313.
Hab. Dandenong Ranges, Victoria.
linearis *King*. l. c. I. 1863. *p*. 46. t. 5. f. 7. b.
Hab. Parramatta, N. S. Wales.
Odewahni *King*. l. c. I. 1866, *p*. 314.
Hab. Gawler, South Australia.

sculptus *King*. l. c. I. 1863, *p*. 49.
Hab. Parramatta, N. S. Wales.
subterraneus *King*. l. c. I. 1866, *p*. 314.
Hab. Liberty Plains, N. S. Wales.

Articeros. (*Dalman*.)

angusticollis *Westw*. Trans. Ent. Soc. III. 1856, *p*. 275. t. 17. f. 1.
Hab. Victoria; Parramatta, N. S. Wales.
Bostocki *Pascoe*. Proc. Ent. Soc. Lond. 1866, *p*. 15.
Hab. Swan River, Western Australia.
breviceps *King*. Trans. Ent. Soc. N. S. Wales. II. 1869, *p*. 56.
Hab. Ropes Creek, N. S. Wales.
curvicornis *Westw*. Trans. Ent. Soc. III. 1856, *p*. 275. t. 17. f. 2.
Hab. Victoria.
dilaticornis *Westw*. l. c. *p*. 276. f. 4.
Hab. Victoria.
Duboulayi *Waterh*. Ent. Monthl. Mag. I. 1865, *p*. 149.
Hab. Swan River, Western Australia.
Fortnumi *Hope*. Trans. Ent. Soc. IV. 1845, *p*. 106. t. 7. f. 1.—*Lacord*. Gen. Col. II. *p*. 182.
Hab. South Australia.
Odewahni *Pascoe*. Proc. Ent. Soc. Lond. 1866. *p*. 15.
Hab. South Australia.
regius *King*. Trans. Ent. Soc. N. S Wales, II. 1869, *p*. 55.
Hab. Liverpool, N. S. Wales.
setipes *Westw*. Trans. Ent. Soc. III. 1865, *p*. 276. t. 17. f. 3.
Hab. Victoria; Gawler, South Australia.

PAUSSIDÆ.

Arthropterus. (*Macleay*.)

angusticornis *Macleay, W*., Trans. Ent. Soc. N. S. Wales, II. 1871. *p*. 154.
Hab. Gayndah, Queensland.
brevis *Westw*. Proc. Linn. Soc. II. 1850, *p*. 101; Ann. Nat. Hist. VII. 1851, *p*. 491.
Hab. New South Wales.
denudatus *Westw*. Proc. Linn. Soc. II. 1849, *p*. 56.
Hab. New Holland.

elongatulus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, II. 1871, *p.* 154.
Hab. Gayndah, Queensland.
Kingi *Macleay, W.*, l. c. *p.* 154.
Hab. Gayndah, Queensland.
Macleayi *Donov.* Ins. Nov. Holl. t. 3.—*Westw.* Arcan. Ent. II. *p.* 8. t. 50. f. 4.
Hab. New South Wales.
Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, II. 1871. *p.* 153.
Hab. Gayndah, Queensland.
parallelocerus *Westw.* Proc. Linn. Soc. II. 1850, *p.* 100; Ann. Nat. Hist. VII. 1851, *p.* 491.
Hab. New Holland.
subsulcatus *Westw.* Proc. Linn. Soc. II. 1849, *p.* 56.
Hab. New Holland.
Westwoodi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, II. 1871. *p.* 153.
Hab. Gayndah, Queensland.
Wilsoni *Westw.* Proc. Linn. Soc. II. 1849, *p.* 56.
Hab. South Australia.

Phymatopterus. (*Westwood.*)

Hopei *Westw.* Arcan. Ent. II. *p.* 8. t. 50. f. 5.
Hab. South Australia.
piceus *Westw.* Ent. Mag. V. *p.* 503; Arcan. Ent. II. *p.* 9. t. 50. f. 3.—*Lacord.* Gen. Atl. t. 14. f. 1.
Hab. New South Wales.
Macleayi *Westw.* Trans. Ent. Soc. II. *p.* 95. t. 10. f. 7.
distinctus Thoms. Mus. Scient. 1860. II. *p.* 69.
Hab. New Holland.

SCYDMÆNIDÆ.

Scydmænus. (*Latreille.*)

corticis *King.* Trans. Ent. Soc. N. S. Wales. I. 1864, *p.* 94.
Hab. Parramatta, N. S. Wales.
gulosus *King.* l. c. *p.* 94.
Hab. Sydney, Parramatta, and Camden, N. S. Wales.
Kingi *Macleay, W.*, l. c. II. 1871, *p.* 155.
Hab. Gayndah, Queensland.

neglectus *King*. l. c. I. 1864, *p*. 95.
Hab. Parramatta, N. S. Wales.
Parramattensis *King*. l. c. *p*. 95. t. 7. f. 5.
Hab. Parramatta, N. S. Wales.

Heterognathus. (*King*.)

Armitagei *King*. Trans. Ent. Soc N. S. Wales. I. 1864, *p*. 98.
Hab. Pennant Hills, N. S. Wales.
assimilis *King*. l c. *p*. 97.
Hab. Parramatta, N. S. Wales.
carinatus *King*. l. c. *p*. 97. t. 6. f. D. 1. 2. 4; t. 7. f. 4.
Hab. Parramatta, N. S. Wales.
geniculatus *King*. l. c. *p*. 98.
Hab. South Creek, N. S. Wales.
gracilis *King*. l. c *p*. 97. t. 7. f. 3.
Hab. Parammatta, South Creek, and Brownlow Hill, N. S. Wales.
Macleayi *King*. l. c. *p*. 99.
Hab. Illawarra, N. S. Wales.
princeps *King*. l. c. *p*. 98.
Hab. Parramatta and Lane Cove, N. S. Wales.

Phagonophana. (*King*.)

Kingi *King*. Trans. Ent. Soc. N. S. Wales. I. 1864, *p*. 92. t. 6. f. A. 1–4.
Hab. N. S. Wales, and Queensland.

Scydmænilla. (*King*.)

pusilla *King*. Trans. Ent. Soc. N. S. Wales. I. 1864, *p*. 93. t. 6. f. b. 1–2.
Hab. Parramatta, N. S. Wales.

Psepharobius. (*King*.)

elongatus *King*. Trans. Ent. Soc. N. S. Wales. I. 1864, *p*. 94. t. 6. f. c. 1–2.
Hab. Parramatta, N. S. Wales.

Cephennium. (*Müller et Kunze*.)

inconspicuum *King*. Trans. Ent. Soc. N. S. Wales. I. 1864, *p*. 96. t. 6. f. 1–3.
Hab. Parramatta. N. S. Wales.

SILPHIDÆ.

Ptomaphila. (*Hope.*)

lachrymosa *Schreib.* Trans. Linn. Soc. VI. 1802, *p.* 194. t. 20. f. 5.
Hab. New Holland. (Widely distributed.)
perlata *Sturm.* Cat. 1843, *p.* 87. (indescr.)
Hab. N. S. Wales, and Queensland.

Choleva. (*Latreille.*)

Catops *Paykull.*

Australis *Erichs.* Wiegm. Arch. 1842. I. *p.* 248.—*Murray.* Mon. *p.* 461.
Hab. Tasmania.
obscurus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 155.
Hab. Gayndah, Queensland.

SCAPHIDIDÆ.

Scaphidium. (*Olivier.*)

bimaculatum *Macleay, W.* Trans. Ent. Soc. N. S. Wales. I. 1864. *p.* 119.
Hab. Port Denison, Queensland.
Mastersi *Macleay, W.* l c. II. 1871, *p.* 156.
Hab. Gayndah, Queensland.
punctipenne *Macleay, W* l. c. *p.* 156.
Hab. Gayndah, Queensland.
quadripustulatum *Oliv.* Ent. II. 20. *p.* 4. t. 1. f. 2.—*Fab.* Syst. El. II. *p.* 575.
Hab. Victoria, and Tasmania.

Scaphisoma. (*Leach*)

politum *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 156.
Hab. Gayndah, Queensland.
punctipenne *Macleay, W.* l. c *p.* 156.
Hab. Gayndah, Queensland.

HISTERIDÆ.

Hololepta. (*Paykull.*)

Australis *Mars.* Mon. 1853, *p.* 146. t. 4. f. 4.
Hab. King George's Sound, Western Australia.
flagellata *Kirby.* Trans. Linn. Soc. XII. *p.* 395.
Hab. New Holland.
Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 157.
Hab Gayndah, Queensland..
Sidnensis *Mars.* Mon. 1860, *p.* 587. t. II. f. 1.
Hab. Sydney.

Apobletus. (*Marseul.*)

errans *Mars.* Mon. 1860, *p.* 865. t. 2. nr. 10. f. 11.
Hab. Tasmania.

Platysoma. (*Leach.*)

Bakewelli *Mars.* Abeille. I. 1864, *p.* 309.
Hab. New Holland.
Bonvouloiri *Mars.* Mon. 1861, *p.* 147. t. 3. nr. 11. f. 7.
Hab. New Holland.
contiguum *Mars.* Abeille. I. 1864, *p.* 303.
Hab. New Holland.
convexiusculum *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, II. 1871. *p.* 157.
Hab. Gayndah, Queensland.
Dahdah *Mars.* Mon. 1861, *p.* 148. t. 3. nr. 11. f. 8.
Hab. New Holland.
læve *Mars.* Mon. 1853, *p.* 263. t. 7. f. 8.
Hab. Tasmania.
planiceps *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 157.
Hab. Gayndah, Queensland.
subdepressum *Macleay, W.*, l. c. *p.* 157.
Hab. Gayndah, Queensland.

Saprinus. (*Erichson.*)

ater *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. I. 1864, *p.* 118.
Hab. Port Denison, Queensland.

Australis *Boisd.* Voy. Astrol. Col. 1835, *p.* 148.—*Dej.* Cat. 3. ed. *p.* 141.
tasmanicus Mars. Mon. 1855, *p.* 386. t. 16. f. 27.
Hab. New Holland.

cyanellus *Mars.* Mon. 1855, *p.* 387. t. 16. f. 28.
Hab. New Holland.

cyaneus *Fabr.* Syst. Ent. I. *p.* 52.—*Mars.* Mon. 1855, *p.* 385. t. 16. f. 26. var. *speciosus Boisd.* Voy. Astrol. Col. *p.* 148.—*Dej.* Cat. 3. ed. *p.* 141.
Hab. Swan River, Western Australia.

Gayndahensis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 158.
Hab. Gayndah, Queensland.

irinus *Mars.* Mon. 1862, *p.* 443. t. 12. f. 5.
Hab. New Holland.

lætus *Erichs.* Jahrb. 1834, *p.* 179.—*Mars.* Mon. 1855. *p.* 388. t. 16. f. 29; 1862, *p.* 444. t. 12. f. 6.
cyaneus Payk. Mon. *p.* 56. t. 5. f. 2.
Hab. Tasmania.

Mastersi *Macleay W.*, Trans. Ent. Soc. N. S. Wales, II. 1871. *p.* 158.
Hab. Gayndah, Queensland.

viridicupreus *Blanch.* Voy. Pole. Sud. *p.* 57. t. 4. f. 10.
Hab. Raffles Bay, North Australia.

Gnathoncus. (*Jacquelin Duval.*)

incisus *Erichs.* Wiegm. Arch. 1842. I. *p.* 152.
incisisternus Mars. Mon. 1862, *p.* 497. t. 17. IV. f. 1.
Hab. Tasmania.

Abræus. (*Leach.*)

Australis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 159.
Hab. Gayndah, Queensland.

PHALACRIDÆ.

Litochrus. (*Erichson.*)

brunneus *Erichs.* Wiegm. Arch. 1842. I. *p.* 239.
Hab. Tasmania.

NITIDULIDÆ.

Brachypterus. (*Kugelann*)

testaceus *Bohem.* Res. Eugen. 1858, *p.* 39.
Hab. Sydney.

Brachypeplus. (*Erichson*)

auritus *Murray.* Mon. *p.* 288. t. 34. f. 10.
Hab. Sydney.
basalis *Erichs.* Wiegm. Arch. 1842. I. *p.* 149.
Hab. Tasmania.
binotatus *Murray.* Mon. *p.* 290. t. 34. f. 5.
Hab. Victoria.
blandus *Murray.* Mon. *p.* 291.
Hab. Victoria.
castanipes *Murray.* Mon. *p.* 293.
Hab. Melbourne.
Macleayi *Murray.* Mon. *p.* 292.
Hab. New South Wales.
Murrayi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, II. 1871, *p.* 159.
Hab. Gayndah, Queensland.
planus *Erichs.* Wiegm. Arch. 1842. I. *p.* 149.
Hab. Tasmania.

Carpophilus. (*Stephens.*)

aterrimus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 161.
Hab. Gayndah, Queensland.

Australis *Murray*. Mon. *p*. 376.
Hab. Melbourne.
Bakewelli *Murray*. Mon. *p*. 366.
Hab. Melbourne.
convexiusculus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, II. *p*. 159.
Hab. Gayndah, Queensland.
frivolus *Murray*. Mon. *p*. 392.
Hab. Melbourne.
gentilis *Murray*. Mon. *p*. 392.
Hab. Victoria
luridipennis *Macleay W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p*. 160.
Hab. Gayndah, Queensland.
obscurus *Macleay, W.* l. c. *p*. 160.
Hab. Gayndah, Queensland.
pilipennis *Macleay, W.*, l. c. *p*. 160.
Hab. Gayndah, Queensland.
planatus *Murray*. Mon. *p*. 353.
Hab. Victoria.

Stauroglossicus. (*Murray.*)

terminalis *Murray*. Mon. *p*. 399.
Hab. Victoria.

Nitidula. (*Fabricius.*)

latens *Blanch*. Voy. Pole. Sud. 1853. IV. *p*. 56. t. 4. f. 8.
Hab. New Holland.
concolor *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p*. 162.
Hab. Gayndah, Queensland.

Soronia. (*Erichson.*)

variegata *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p*. 161.
Hab. Gayndah, Queensland.

Thalycra. (*Erichson.*)

Australis *Germ.* Linn. Ent. III. 1848, *p*. 187.
Hab. South Australia.

Pria. (*Stephens.*)

rubicunda *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p*. 161.
Hab. Gayndah, Queensland.

Gaulodes. (*Erichson.*)

costatus *Erichs.* Germ. Zeitschr. IV. *p.* 316.
Hab. New Holland.

Pocadius. (*Erichson.*)

pilistriatus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 162.
Hab. Gayndah, Queensland.

Cychramus. (*Kugelann.*)

niger *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 163.
Hab. Gayndah, Queensland.

Ips. (*Fabricius.*)

politus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 163.
Hab. Gayndah, Queensland.

Paromia. (*Westwood.*)

dorcoides *Westw.* Trans. Ent. Soc. 1850, *p.* 168. t. 13. f. 1.—*Lacord.* Gen. Atl. t. 18. f. 6.
Hab. New Holland.

TROGOSITIDÆ.

Egolia. (*Erichson.*)

variegata *Erichs.* Wiegm. Arch. 1842. I. *p.* 151. t. 5. f. 6.—*Lacord.* Gen. Atl. t. 19. f. 1.
Hab. Tasmania.

Leperina. (*Erichson.*)

adusta *Pascoe.* Journ. of Ent. 1860. I. 2. *p.* 100.
Hab Victoria, and South Australia.

Burnettensis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 164.
Hab. Gayndah, Queensland.

cirrosa *Pascoe.* Journ. of Ent. 1860. I. 2. *p.* 100.
Hab. Moreton Bay and Maryborough, Queensland.

decorata *Erichs.* Wiegm. Arch. 1842. I. *p.* 150.—*Lacord.* Gen. Atl. t. 19. f. 5.
Hab. Tasmania, and Victoria.
fasciculata *Redtenb.* Reis. Novar. II. 1867, *p.* 37. t. 2. f. 3.
Hab. Sydney.
Gayndahensis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 164.
Hab. Gayndah, Queensland.
lacera *Pascoe.* Journ of Ent. 1860, *p.* 101.
Hab. Victoria.
Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 163.
Hab. Gayndah, Queensland.
turbata *Pascoe.* Journ. of Ent. II. 1863, *p.* 29.
Hab. New South Wales.

COLYDIDÆ.

Sparactus. (*Erichson.*)

interruptus *Erichs.* Wiegm. Arch. 1842. I. *p.* 215.
Hab. Tasmania.

Ditoma. (*Herbst.*)

costata *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 165.
Hab. Gayndah, Queensland.
serricollis *Pascoe.* Journ. of Ent. 1860. I. 2. *p.* 101.
Hab. New Holland.

Meryx. (*Latreille.*)

areolata *Pascoe.* Journ. of Ent. I. 1860, *p.* 99. t. 7. f. 4.
Hab. Tasmania.
illota *Pascoe.* l. c. *p.* 99. et. 302.
Hab. New Holland.
rugosa *Latr.* Gen. Crust. III. *p.* 17; IV. t. 11. f. 1.
Hab. Tasmania, Victoria, and N. S. Wales.

Deretaphrus. (*Newman.*)

Bakewelli *Pasc.* Journ of Ent. 1862, *p.* 463.
Hab. New South Wales.

colydoides *Pasc.* l. c. *p.* 46.3
Hab. New South Wales.
Erichsoni *Newm.* Zoologist. 1855. App. *p.* 211.
Hab. South Australia, and Victoria.
fossus *Newm.* The Entomol. *p.* 403.
Hab. New Holland.
ignarus *Pasc.* Journ. of Ent. 1862, *p.* 462.
Hab. New South Wales.
Pascoei *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 165.
Hab. Gayndah, Queensland.
piceus *Germ.* Linn. Ent. III. 1848, *p.* 223.—*Lacord.* Gen. Atl. t. 20. f. 3.
Hab. South Australia.
puteus *Newm.* The Entomol. *p.* 404.
Hab. New Holland.
viduatus *Pasc.* Journ. of Ent. 1862, *p.* 463.
Hab. South Australia.
Wollastoni *Newm.* Zoologist. 1855. App. *p.* 210.
Hab. Moreton Bay.

Bothrideres. (*Erichson.*)

anaglypticus *Germ.* Linn. Ent. III. 1848, *p.* 223.
Hab. South Australia.
equinus *Pasc.* Journ. of Ent. 1862, *p.* 464.
Hab. Melbourne.
illusus *Newm.* The Entomol. 1842. *p.* 404.
Hab. Melbourne.
Kreffti *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 166.
Hab. Gayndah, Queensland.
lobatus *Pasc.* Journ. of Ent. 1862, *p.* 466.
Hab. Sydney.
Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 166.
Hab. Gayndah, Queensland.
merus *Pasc.* Journ. of Ent. 1862, *p.* 466.
Hab. Melbourne.
musivus *Pasc.* l. c. *p.* 465.
Hab. Victoria.
Pascoei *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 166.
Hab. Gayndah, Queensland.
rectangularis *Macleay, W.*, l. c. I. 1864, *p.* 119.
Hab. Port Denison, Queensland.
servus *Pasc.* Journ. of Ent. 1862, *p.* 466.
Hab. Melbourne.

suturalis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 167.
Hab. Gayndah, Queensland.
tæniatus *Pasc.* Journ. of Ent. 1862, *p.* 465.
Hab. Victoria.
versutus *Pasc.* l. c. *p.* 467.
Hab. Melbourne.
vittatus *Newm.* The Entomol. 1842, *p.* 404.
Hab. Melbourne.

Nepharis. (*Castelnau.*)

Hiketes *King.*

alata *Casteln.* Rev. et Mag. de Zoologie. September, 1869, *p.* 356, t. 18. figs. 4 5.
thoracicus King. Trans. Ent. Soc. N. S. Wales. II. November, 1869, *p.* 78.
Hab. King George's Sound.
costatus *King.* Trans. Ent. Soc. N. S. Wales. II. 1869, *p.* 77.
Hab. Liverpool, N. S. Wales.

Penthelispa. (*Pascoe.*)

fuliginosa *Erichs.* Wiegm. Arch. 1842. I. *p.* 215. t. 5. f. 4.
Hab. Tasmania.
obscura *Pascoe.* Journ. of Ent. 1862, *p.* 468.
Hab. Melbourne.
secuta *Pasc.* l. c. *p.* 467.
Hab. Melbourne.

CUCUJIDÆ.

Hectarthrum. (*Newman.*)

cylindricum *Smith.* Col. Brit. Mus. I. *p.* 22.
Hab. N. S. Wales, and Queensland.

Prostomis. (*Latreille.*)

laticeps *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, II. 1871, *p.* 167
Hab. Gayndah, Queensland.

Ipsaphes. (*Pascoe.*)

mœrosus *Pasc.* Journ. of Ent. 1863, *p.* 40. t. 3. f. 9.
Hab. Illawarra, Ropes Creek, Shelley's Flats, and Petersham, N. S. Wales.
nitidulus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, II. 1871, *p.* 168.
Hab. Gayndah, Queensland.

Platisus. (*Erichson.*)

obscurus *Erichs.* Wiegm. Arch. 1842. I. *p.* 216.—*Lacord.* Gen. Atl. t. 21. f. 1.
Hab. Tasmania.

Placonotus. (*Macleay, W.*)

longicornis *Macleay W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 168.
Hab. Gayndah, Queensland.

Dendrophagus. (*Schönherr.*)

Australis *Erichs.* Wiegm. Arch. 1842. I. *p.* 218.
Hab. Tasmania, S. Australia, Victoria, & N. S. Wales.

Brontes. (*Fabricius.*)

Australis *Erichs.* Wiegm. Arch. 1842. I. *p.* 217.
Hab. Tasmania.
denticulus *Smith.* Col. Brit. Mus. I. *p.* 14.
Hab. New Holland.
lucius *Pasc.* Journ. of Ent. I. 1862, *p.* 321.
Hab. New South Wales.
militaris *Erichs.* Wiegm. Arch. 1842. I. *p.* 217.
Hab. Tasmania, Victoria, and N. S. Wales.
nigricans *Pasc.* Journ. of Ent. I. 1862, *p.* 321.
Hab. N. S. Wales, and Queensland.

Silvanus. (*Latreille.*)

brevicornis *Erichs.* Wiegm. Arch. I. 1842. *p.* 218.
Hab. Tasmania.
castaneus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 168.
Hab. Gayndah, Queensland.

Omma. (*Newman.*)

Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, II. 1871, *p.* 169.
Hab. Gayndah, Queensland.
Stanleyi *Newm.* Ann. Nat. Hist. III. *p.* 303.—*Lacord.* Gen. Col. II. *p.* 417.
Hab. S. Australia, N. S. Wales, and Queensland.

CRYPTOPHAGIDÆ.

Cnecosa. (*Pascoe.*)

fulvida *Pasc.* Journ. of Ent. II. 1865. *p.* 446. t. 18. f. 2.
Hab. Sydney.

LATRIDIDÆ.

Latridius. (*Herbst.*)

costatus *Erichs.* Wiegm. Arch. 1842. I. *p.* 242.
Hab. Tasmania.

Corticaria. (*Marsham.*)

polita *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 169.
Hab. Gayndah, Queensland.

MYCETOPHAGIDÆ.

Triphyllus. (*Latreille.*)

fasciatus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 170.
Hab. Gayndah, Queensland.

Diplocoelus. (*Guérin.*)

ovatus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 170.
Hab. Gayndah, Queensland.

DERMESTIDÆ.

Dermestes. (*Linné.*)

cadaverinus *Fabr.* Syst. Ent. *p.* 55.—*Oliv.* Ent. II. 9. *p.* 7. t. 2. f. 9. a–b.
Hab. New Holland. (Introduced.)
felinus *Fabr.* Mant. I. *p* 34.
ater De Geer. Ins. IV. *p.* 223. t. 18. f. 7.
piceus Thunb. Nov. Ins. Spec. I. *p.* 8.
Hab. New Holland.
lardarius *Linné.* Faun. Suec. *p.* 140.—*Curtis.* Brit. Ent. XV. t. 682.—*Erichs.* Nat. Ins. III. *p.* 436.—*Sturm.* Ins. 1847. *p.* 65. t. 349.
Hab. Tasmania. (Introduced.)
murinus *Linné.* Faun. Suec. *p.* 144.—*Erichs.* Nat. Ins. III. *p.* 429.
Hab. Queensland. (Introduced.)
vulpinus *Fabr.* Spec. Ins I. *p.* 64.—*Erichs.* Nat. Ins. III. *p.* 426.
Hab. New Holland. (Introduced.)

Megatoma. (*Herbst.*)

Attaganus Brullé.

apicalis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 170.
Hab. Gayndah, Queensland.
morio *Erichs.* Wiegm. Arch. 1842. I. *p.* 152.
Hab. Tasmania.

Trogoderma. (*Latreille.*)

riguum *Erichs.* Wiegm. Arch. 1842. I. *p.* 152.
Hab. Tasmania.

Cryptorhopalum. (*Guérin.*)

obscurum *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, II. 1871, *p.* 171.
Hab. Gayndah, Queensland.

Anthrenus. (*Geoffroy.*)

Australis *Hope*. Trans. Ent. Soc. IV. 1845, *p.* 105.
Hab Adelaide, S. Australia.
nigricans *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 171.
Hab. Gayndah, Queensland.

Trinodes. (*Latreille.*)

globosus *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 171.
Hab. Gayndah, Queensland.
punctipennis *Macleay*, *W.* l. c. *p.* 171.
Hab. Gayndah, Queensland.

BYRRHIDÆ.

Microchætes. (*Hope.*)

Australis *Boisd.* Voy. Astrol. Col. *p.* 149.—*Dej.* Cat. 3. ed. *p.* 145.
Hab. New Holland.
costatus *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 172.
Hab. Gayndah, Queensland.
fascicularis *Macleay*, *W*, l. c. *p.* 171.
Hab. Gayndah, Queensland.
minor *King*. Trans. Ent. Soc. N. S. Wales. II. 1869, *p.* 73.
Hab. Sydney and Parramatta, N. S. Wales.
scoparius *Erichs.* Wiegm. Arch. 1842. I. *p.* 153.
Hab. N. S. Wales, Victoria, South Australia, Western Australia, and Tasmania.
sphæricus *Hope*. Trans. Ent. Soc. I. 1834, *p.* 13. t. 1. f. 2.
Hab. Swan River, Western Australia.

Pedilophorus. (*Steffahny.*)

Morychus Erichson.

heteromerus *King*. Trans. Ent. Soc. N. S. Wales. II. 1869, *p.* 74.
Hab. Gawler, South Australia.

Byzenia. (*King.*)

formicicola *King*. Trans. Ent. Soc. N. S. Wales. II. 1869, *p.* 74.
Hab. Liverpool, N. S. Wales.

Limnichus. (*Latreille.*)

Australis *Erichs.* Wiegm. Arch. 1842. I. *p.* 153.
Hab. Tasmania.
frontalis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 172.
Hab. Gayndah, Queensland.

GEORYSSIDÆ.

Georyssus. (*Latreille.*)

Australis *King.* Trans. Ent. Soc. N. S. Wales. I. 1864, *p.* 158. t. 14.
Hab. Parramatta, N. S. Wales.
Kingi *Macleay, W.* l. c. II. 1871, *p.* 172.
Hab. Gayndah, Queensland.

PARNIDÆ.

Lutrochus. (*Erichson.*)

Australis *King.* Trans. Ent. Soc. N. S. Wales. I. 1864, *p.* 159. t. 14.
Hab. Parramatta River, N. S. Wales.

Elmis. (*Latreille.*)

metallicus *King.* Trans. Ent. Soc. N. S. Wales, I. 1864. *p.* 160.
Hab. Murray River.
montanus *King.* l. c. *p.* 160.
Hab. Illawarra, N. S. Wales.
novemnotatus *King.* l. c. *p.* 159.
Hab. Parramatta River, N. S. Wales.
politus *King.* l. c. *p.* 160.
Hab. Parramatta River, N. S. Wales.
punctulatus *King.* l. c. *p.* 161.
Hab. Parramatta River, N. S. Wales.

Limnius. (*Müller.*)

quatuormaculatus *King*. Trans. Ent. Soc. N. S. Wales. I. 1864, *p*. 161.
Hab. Parramatta River, N. S. Wales.

HETEROCERIDÆ.

Heterocerus. (*Fabricius.*)

Mastersi *Macleay W.*, Trans. Ent. Soc. N. S. Wales, II. 1871 *p*. 173.
Hab. Gayndah, Queensland.

LUCANIDÆ.

Rhyssonotus. (*Macleay.*)

foveolatus *Thunb*. Mem. Ac. Petr. I. 1806, *p*. 199.
nebulosus Kirby. Trans. Linn. Soc. XII. 1818, *p*. 411. t. 21. f. 4.—*Sturm*. Cat. 1843, *p*. 345. t. 3. f. 9.
Hab. N. S. Wales, and Queensland.
jugularis *Westw*. Trans. Ent. Soc. 3 Ser. I. 1863, *p*. 429. t. 14. f. 1.
Hab. Victoria

Cacostomus. (*Newman.*)

squamosus *Newm*. Mag. Nat. Hist. IV. 1840, *p*. 364.—*Westw*. Trans. Ent. Soc. n. Ser. III. 1855, *p*. 211. t. 11. f. 6–7.
rotundicollis Westw. Ann. Nat. Hist. VIII. 1841, *p*. 124.
Hab. Moreton Bay.

Lamprima. (*Latreille.*)

ænea *Fabr*. Ent. Syst. I. 1. *p*. 2.—*Schreib*. Trans. Linn. Soc. VI. *p*. 185. t. 20. f. 1.—*Burm*. Handb. V. *p*. 414.—*Reiche*. Rev. Zool. 1841. *p*. 50; Ann. Fr. 1853, *p*. 83.
cuprea Latr. Nouv. Dict. Hist. Nat. XVII. *p*. 279.
subrugosa Hope. Cat. Lucan. 1845, *p*. 28.
var. *viridis Erichs*. Wiegm. Arch. 1842. I. *p*. 109.
Hab. Norfolk Island.

aurata *Latr.* Nouv. Dict. Hist. Nat. XVII. *p.* 278.—*Macleay.* Hor. Ent. I. *p.* 100.
ænea Donov. Ins. Nov. Holl. t. 1.—*Guér.* Jc. règn. anim. *p.* 109. t. 27. f. 5.—*Casteln.* Hist. Nat. II. *p.* 169.
fulgida Boisd. Voy. Astrol. Col. *p.* 231.—*Burm.* Handb. V. *p.* 413.—*Dupont.* Dej. Cat. 3. ed. *p.* 193.
Schreibersi Hope. Cat. Lucan. *p.* 3.
Hab. New Holland.

cultridens *Burm.* Handb. V. *p.* 416.
Micardi var. *Reiche.* Ann. Fr. 1853. *p.* 83.
Hab. New Holland.

Kreffti *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 173.
Hab. Gayndah, Queensland.

Latreillei *Macleay.* Hor. Ent. I. *p.* 101.—*Burm.* Handb V. *p.* 411. —*Erichs.* Wiegm. Arch. 1842. I. *p.* 108.
ænea Boisd. Voy. Astrol. Col. *p.* 228.
amplicollis Thoms. Ann. Fr. 1862, *p.* 410.
cœrulea Donov. Ins. Nov. Holl. t. 1.
var. *pygmæa Macleay.* Hor. Ent. I. *p* 101.
var. *Tasmaniæ Hope.* Cat. Lucan. *p.* 27.
Hab. New South Wales.

Micardi *Reiche.* Rev. Zool. 1841, *p.* 51.
purpurascens Hope. Cat. Lucan. 1845, *p.* 28.
varians Burm. Handb. V. *p.* 415.—*Germ.* Linn. Ent. III. 1848, *p.* 195.
Hab. South and Western Australia.

nigricollis *Hope.* Cat. Lucan. 1845, *p.* 28.
Hab. Swan River, Western Australia.

rutilans *Erichs.* Wiegm. Arch. 1842. I. *p.* 170.
Hab. Tasmania.

splendens *Erichs.* l. c. *p.* 108.
Hab. Rockhampton, Queensland.

sumptuosa *Hope.* Cat. Lucan. 1845, *p.* 28.—*Parry.* Cat. *p.* 7.
Hab. Swan River, Western Australia.

Dorcus. (*Macleay.*)

carbonarius *Westw.* Trans. Ent. Soc. 3. Ser. I. 1863, *p.* 515. t. 21. f. 3. a–e.
Hab. New Holland.

pelorides *Westw.* Trans. Ent. Soc. n. Ser. III. 1855, *p.* 220; l. c. 1863. t. 21. f 2.—*Parry.* Cat. *p.* 90. nr. 20.
Hab. Moreton Bay.

Lissotus. (*Westwood.*)

cancroides *Fabr.* Mant. I. *p.* 2.—*Oliv.* Ent. I. 1. *p.* 18. t. 4. f. 11. —*Westw.* Ent. Mag. V. *p.* 267.—*Burm.* Handb. V. *p.* 402.
curvicornis Boisd. Voy. Astrol. Col. *p.* 235.—*Reiche.* Ann. Fr. 1853, *p.* 82.—*Latr.* Dej. Cat. 3 ed. *p.* 194.
Hab. Tasmania.

crenatus *Westw.* Trans. Ent. Soc. n. Ser. III. 1855, *p.* 216. t. 12. f. 3.
Hab. New Holland.

Howittanus *Westw.* Trans. Ent. Soc. 3. Ser. I. 1863, *p.* 513. t. 21. f. 1.—*Parry.* Cat. *p.* 97. nr. 8.
Hab. Victoria.

menalcas *Westw.* l. c. n. Ser. III. 1855, *p.* 214. t. 12. f. 1.—*Parry* Cat. *p.* 63.
Hab. New Holland.

obtusatus *Westw.* Ent. Mag. V. 1838, *p.* 267; Trans. Ent. Soc. n. Ser. III. 1855, *p.* 217.—*Burm.* Handb. V. *p.* 402.
Hab. Tasmania.

subtuberculatus *Westw.* Trans. Ent. Soc. n. Ser. III. 1855, *p.* 215. t. 12. f. 2.
cancroides var. *Parry.* Cat. *p.* 97. forte.

Figulus. (*Macleay.*)

lilliputanus *Westw.* Trans. Ent. Soc. n. Ser. III. 1855, *p.* 219. t. 12. f. 5.
clivinoides Thoms. Ann. Fr. 1862, *p.* 432.
Hab. South Australia, Victoria, N. S. Wales, and Queensland.

regularis *Westw.* Ann. Sc. Nat. 2. Ser. I. 1834, *p.* 120.
Australicus Thoms. Ann. Fr. 1862, *p.* 432.
pacificus Dej. Cat. 3. ed. *p.* 194.
Hab. N. S. Wales, and Queensland.

sulcicollis *Hope* Cat. Lucan. 1845, *p.* 26.
Hab. Port Essington, North Australia.

trilobus *Westw.* Ent. Mag. V. 1838, *p.* 263.
Hab. New Holland.

PASSALINI.

Aulacocyclus. (*Kaup.*)

edentulus *Macleay.* King. Survey. II. *p.* 439.—*Burm.* Handb. V. *p.* 515.
cylindraceus Perch. Mon. *p.* 103. t. 7. f. 8.
furcicornis Boisd. Voy. Astrol. Col. 1835, *p.* 242.—*Fauvel.* Bull. Soc. Normand. VII. 1862, *p* 135.—*d'Urville.* Dej. Cat. 3. ed. *p.* 195.
Hab. Victoria, N. S. Wales, and Queensland.

Kaupi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 173.
Hab. Gayndah, Queensland.
Rosenbergi *Kaup.* Col. Heft. III. 1868, *p.* 7.
Percheroni Kaup. l. c. *p.* 8; Mon. der. Pas. 1871.
Hab. Moreton Bay.
teres *Perch.* Suppl. I. *p.* 39.—*Burm.* Handb. V. *p.* 515.
Hab. Ropes Creek, N. S. Wales.

Tæniocerus. (*Kaup.*)

Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 174.
Hab. Gayndah, Queensland.

Cæulifer. (*Kaup.*)

Macleayi *Kaup.* Mon. der. Pas. 1871.
Hab. New South Wales.

Plesthenes. (*Kaup.*)

quadricornis *Kaup.* Mon. der. Pas. 1871, *p.* 40.
Hab. New Holland.

Eriocnemis. (*Kaup.*)

Lottini *Boisd.* Voy. Astrol. Col. 1835, *p.* 243.
Hab. New Holland.

Mastochilus. (*Kaup.*)

Pharochilus Kaup.

Australasicus *Perch.* Suppl. I. *p.* 6. t. 77. f. 2.
Macleayi Kaup. Col. Heft. III. *p* 20.
Hab. N. S. Wales, and Queensland.
dilatatus *Dalm.* Schönh. Syn. Ins. I. 3 App. *p.* 144.—*Burm.* Handb. V. *p.* 465.
Chevrolati Perch. Mon. *p.* 26. t. 2. f. 4
crenistrius Boisd. Voy. Astrol. Col. 1835, *p.* 244.
Hab. New Holland.
impressicollis *Bohem* Res. Eugen. 1858, *p* 40.
Hab. Sydney. (?)
nitidulus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 174.
Hab. Gayndah, Queensland.
politus *Burm.* Handb. V. *p.* 465
dilatatus Perch Mon. *p* 29. t. 2. f. 6.
Hab. Tasmania.

polyphyllus *Macleay*. King. Survey. 1827. II. *p.* 439.—*Burm.* Handb. V. *p.* 469.
hexaphyllus Boisd. Voy. Astrol. Col. *p.* 241.—*Dej.* Cat. 3. ed. *p.* 194.
sexdentatus Eschsch. Nouv. Mém. Mosc. I. *p.* 23.—*Perch.* Mon. *p.* 28. t. 2. f. 5.
Hab. New South Wales, and Queensland.
puncticollis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 175.
Hab. Gayndah, Queensland.
rugiceps *Hope*. Cat. Lucan. 1845, *p.* 28.
Hab. New Holland.

SCARABÆIDÆ.

COPRINI.

Canthonosoma. (*Macleay, W.*)

Mastersi *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 176.
Hab. Gayndah, Queensland.

Cephalodesmius. (*Westwood.*)

armiger *Westw.* Trans. Ent. Soc. IV. *p.* 177. t. 8. f. 5.—*Lacord.* Gen. Atl. t. 26. f. 5.
Hab. New South Wales.
Castelnaui *Harold.* Col. Heft. III. 1868, *p.* 80.
Hab. Brisbane, Queensland.
laticollis *Pascoe.* Journ. of Ent. II. *p.* 27.
Hab. Queensland.
Macleayi *Harold.* Col. Heft. III. 1868, *p.* 80.
Hab. Rockhampton, Queensland.
quadridens *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 176.
Hab. Moreton Bay, Wide Bay, & Gayndah, Queensland.

Tesserodon. (*Hope.*)

angulatus *Westw.* Trans. Ent. Soc. IV. 1845. *p.* 116. t. 8. f. 2.
Hab. Swan River, Western Australia.
Hollandiæ *Fabr.* Ent. Syst. I. *p.* 65.—*Hope.* Col. Man. I. *p.* 55. t. 3. f. 15.—*Westw.* l. c. *p.* 115.
Novæ Hollandiæ Oliv. Ent. I. 3. *p.* 174. t. 13. f. 117.
Hab. New Holland.

piceus *Hope*. Proc. Ent. Soc. 1841, *p*. 44; Ann. Nat. Hist. 1842. IX. *p*. 424.—*Westw*. Trans. Ent. Soc. IV. 1845, *p*. 116.
Hab. Port Essington, N. Australia.

Menthophilus. (*Castelnau.*)

Aulacium Reiche.

carinatus *Reiche*. Rev. Zool. 1841, *p*. 211; Ann. Fr. 1842. *p*. 68. t. 5. f. 1.
Hollandiæ Boisd. Voy. Astrol. Col. *p*. 152.—*Casteln*. Hist. Nat. II. *p*. 74. t. 4. f. 4.—*Lacord*. Gen. Atl. t. 27. f. 1.
Hab. New Holland.

Aulacopris. (*White.*)

Reichei *White*. Proc. Zool. Soc. 1859, *p*. 118. t. 58. f. 5.
Hab. New South Wales, and Victoria.

Copræcus. (*Reiche.*)

hemisphæricus *Guér*. Jc. Règn. Anim. *p*: 76. t. 21. f. 3.—*Reiche*. Ann. Fr. 1842, *p*. 72. t. 5. f. 2.—*Westw*. Trans. Ent. Soc. IV. 1845, *p*. 114, t. 8. f. 3.
Hab. New Holland.

Temnoplectron. (*Westwood.*)

rotundum *Westw*. Trans. Ent. Soc. IV. *p*. 118. t. 8. f. 1.
Hab. Melville Island.
tibiale *Macleay, W*., Trans. Ent. Soc. N. S. Wales, 1871. II. *p* 177.
Hab. Gayndah, Queensland.

Merodontus. (*Macleay, W.*)

calcaratus *Macleay W*., Trans. Ent. Soc. N. S. Wales. II. 1871, *p*. 178.
Hab. Pine Mountain and Gayndah, Queensland.

Coptodactyla. (*Burmeister.*)

glabricollis *Hope*. Proc. Ent. Soc. 1841, *p*. 44; Ann. Nat. Hist. IX. 1842, *p*. 424.
Hab. Port Essington, North Australia.

Onthophagus. (*Latreille.*)

Adelaidæ *Hope*. Proc. Ent. Soc. 1846, *p*. 146; Trans. Ent. Soc. IV. 1847, *p*. 282.
Hab Adelaide, S. Australia.
anisocerus *Erichs*. Wiegm. Arch. 1842 I. *p*. 155.
cupreoviridis Blanch. Voy. Pole. Sud. Zool. *p*. 100. t. 7. f. 12.
Hab. Tasmania.

asper *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. 1864, I. *p.* 125.
Hab. Port Denison and Cleveland Bay, Queensland.

atrox *Harold.* Col. Heft. II. 1867, *p.* 27.
Hab. Queensland.

auritus *Erichs.* Wiegm. Arch. 1842. I. *p.* 156.—*Latr.* Dej. Cat. 3. ed. *p.* 157.—*Blanch.* Voy. Pole. Sud. Ent. *p.* 98.
cereus Hope. Proc. Ent. Soc. 1846, *p.* 146; Trans. Ent. Soc. IV. 1847, *p.* 282.
umbraculatus Hombr. et Jacquin. Atl. t. 7. f. 8.
micans Sturm. Cat. 1843, *p.* 107.
Hab. Tasmania, S. Australia, Victoria, & N. S. Wales.

Australis *Guér.* Voy. Coquille. 1830. Col. *p.* 78.—*Harold.* Col. Heft. II. 1867, *p.* 35.
capella Boisd. Voy. Astrol. *p.* 153.
Hab. Victoria and Tasmania.

bipustulatus *Fabr.* Syst. Ent. *p.* 30.—*Oliv.* Ent. I. 3. *p.* 174. t. 13. f. 118.—*Harold* Col. Heft. II. 1867, *p.* 34.
Hab. New Holland.

capella *Kirby.* Trans. Linn. Soc. XII. 1818, *p.* 398.—*Harold.* Col. Heft. II. 1867, *p.* 29.
Hab. N. S. Wales, and Queensland.

capitosus *Harold.* Col. Heft. II. 1867, *p* 30.
Hab. Cape York, Queensland.

consentaneus *Harold.* Col. Heft. II. 1867, *p.* 33.
granulatus Macleay, W., Trans. Ent. Soc. N. S. Wales, 1864. I. *p.* 124.
Hab. Port Denison, Queensland.

cuniculus *Macleay, W.* Trans. Ent. Soc. N. S. Wales. 1864, I. *p.* 123; l. c. 1871. II. *p.* 179.—*Harold.* Col. Heft. II. 1867, *p.* 35.
Hab. Northern parts of N. S. Wales, and Queensland.

desectus *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871. *p.* 182.
Hab. N. S. Wales, and Queensland.

discolor *Hope.* Proc. Ent. Soc. 1841, *p.* 44; Ann. Nat. Hist. IX. 1842, *p.* 424.
Hab. Port Essington, North Australia.

divaricatus *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 179.
Hab. Gayndah, Queensland.

Dunningi *Harold.* Col. Heft. V. 1869.
Hab. New Holland.

Erichsoni *Hope.* Proc. Ent. Soc. 1841, *p.* 43; Ann. Nat. Hist. IX. 1842, *p.* 424.
Hab. Port Essington, North Australia.

ferox *Harold.* Col. Heft. II. 1867, *p.* 26.—*Redtenb.* Reis. Novar. II. *p.* 56. t. 2. f. 7.
inæqualis Dej. Cat. 3. ed. *p.* 156.
Hab. Swan River, Western Australia.

fuliginosus *Erichs.* Wiegm. Arch. 1842. I. *p.* 156.
Hab. Tasmania.

furcaticeps *Masters.* *
furcatus Macleay, W., Trans. Ent. Soc. N. S. Wales. I. 1863, *p.* 121.

glabratus *Hope.* Proc. Ent. Soc. 1841, *p.* 44; Ann. Nat. Hist. IX. 1842. *p.* 424.
Hab. Port Essington, North Australia.

granulatus *Bohem.* Res. Eugen. 1858, *p.* 48.
Hab. Victoria, N. S. Wales, and Queensland.

Haagi *Harold.* Col. Heft. II. 1867, *p.* 37.
Hab. New Holland.

incornutus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 181.
Hab. Gayndah, Queensland.

inermis *Macleay, W.*, l. c. *p.* 183.
Hab. Gayndah, Queensland.

laminatus *Macleay, W.* l. c. 1863, I. *p.* 119.
Hab. Port Denison, Queensland.

lucidicollis *Bohem.* Res. Eugen. 1858, *p.* 45.
Hab. New South Wales.

macrocephalus *Kirby.* Trans. Linn. Soc. XII. 1818, *p.* 398.
Hab. New South Wales.

Mastersi *Macleay W.*, Trans. Ent. Soc. N. S. Wales, II. 1871. *p.* 181.
Hab. Gayndah, Queensland.

mutatus *Harold.* Berl. Zeit. 1859, *p.* 224.
hirculus Erichs. Wiegm. Arch. 1842. I. *p.* 157.
Hab. Tasmania, South Australia, and Victoria.

muticus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. I. 1863, *p.* 124.
Hab. Port Denison, Queensland.

nodulifer *Harold.* Col. Heft. II. 1867, *p.* 37.
Hab. Rockhampton, Queensland.

parvus *Blanch.* Voy. Pole. Sud. Col. *p.* 101. t. 7. f. 13.
Hab. Raffles Bay, North Australia.

pentacanthus *Harold.* Col. Heft. II. 1867, *p.* 24.
quadridentatus Hope. Proc. Ent. Soc. 1841, *p.* 43; Ann. Nat. Hist. IX. 1842, *p.* 423.
Hab. Port Essington, North Australia.

---

* I have given this name to the species described by Mr. Macleay as *furcatus*, that name having been appropriated by Fabricius to a well-known European species.

perpilosus *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 181.
Hab. Gayndah, Queensland.

picipennis *Hope*. Proc. Ent. Soc, 1841, *p.* 44; Ann. Nat. Hist IX. 1842, *p.* 424.
Hab. Port. Essington, North Australia.

posticus *Erichs*. Wiegm. Arch. 1842. I. *p.* 154.
flavolineatus Blanch. Voy. Pole. Sud. Ent. *p.* 97. t. 7. f. 7.
Hab. Tasmania, and Victoria.

pronus *Erichs*. Wiegm. Arch. 1842. I. *p.* 154.
Hab. Tasmania.

pugnax *Harold*. Col. Heft. III. 1868, *p.* 83.
Hab. Brisbane, Queensland.

purpureicollis *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales, I. 1863, *p.* 123.
Hab. Port Denison, Queensland.

quadripustulatus *Fab*. Spec. Ins. I. *p.* 31.—*Oliv*. Ent. I. 3. *p.* 175. t. 15. f. 141.—*Montrouz*. Ann. Soc. agr. Lyon. VII. 1857. I. *p.* 22.—*Harold*. Col. Heft. II. *p.* 32.
Hab. Queensland.

quinquetuberculatus *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 182.
Hab. Gayndah, Queensland.

rubicundulus *Macleay*, *W.* l. c *p.* 180.
Hab. Gayndah, Queensland.

rubrimaculatus *Macleay*, *W.* l. c. I. 1863, *p.* 122.
Hab. Port Denison, Queensland.

rufosignatus *Macleay*, *W.* l. c. I. 1863, *p.* 122.
Hab. Port Denison, Queensland.

rugosus *Kirby*. Trans. Linn. Soc. XI. *p.* 398.
Hab. N. S. Wales, Victoria, and South Australia.

tabellicornis *Macleay*, *W.* Trans. Ent. Soc. N. S. Wales. I. 1863, *p.* 120.
Hab Port Denison, Queensland.

Thoreyi *Harold*. Col. Heft. III. 1868, *p.* 83.
Hab. New Holland.

viridiobscurus *Blanch*. Voy. Pole. Sud. Col. *p.* 99. t. 7. f. 11.
Hab. Raffles Bay, North Australia.

Aphodius. (*Illiger*.)

Australasiæ *Bohem*. Res. Eugen. 1858, *p.* 50.
Hab. New South Wales.

Candezei *Harold*. Col. Heft. IV. 1868, *p.* 85.
Hab. South Australia.

erosus *Erichs*. Wiegm. Arch. 1842. I. *p.* 157: Nat. Ins. III. *p.* 880.
Hab. Tasmania.

geminatus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871. *p.* 183.
Hab. Gayndah, Queensland.
granarius *Linné.* Syst. Nat. I. 2. *p.* 547.—*Illig.* Mag. II. *p.* 192. —*Harold.* Berl. Zeit. 1863, *p.* 347.
Adelaidæ Hope. Proc. Ent. Soc. 1846, *p.* 146; Trans. Ent. Soc. IV. *p.* 284.
Hab. Australia. (Widely distributed.)
Howitti *Hope.* Proc. Ent. Soc. 1846, *p.* 147; Trans. Ent. Soc. IV. 1847, *p.* 285.—*Harold.* Berl. Zeit. 1861, *p.* 94.
Australasiæ Blanch. Voy. Pole. Sud. 1853. IV. *p.* 101. t. 7. f. 14.
Hab. Victoria.
lividus *Oliv.* Ent. I. 3. *p.* 86. t. 26. f. 222.
cincticulus Hope. Proc. Ent. Soc. 1846, *p.* 147; Trans. Ent. Soc. IV. 1847, *p.* 284.
spilopterus Germ. Linn. Ent. III. 1848, *p.* 189.
Hab. Australia. (Widely distributed.)
Tasmaniæ *Hope.* Trans. Ent. Soc. IV. 1847, *p.* 285.—*Harold.* Berl. Zeit. 1859, *p.* 217; 1862, *p.* 381.
longitarsus Redtenb. Reis. Novar. II. *p.* 58.
Hab. Tasmania.

Ammœcius. (*Mulsant.*)

crenatipennis *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 184.
Hab. Gayndah, Queensland.
nitidicollis *Macleay, W.* l. c. *p.* 185.
Hab. Gayndah, Queensland.
obscurus *Macleay, W.* l. c. *p.* 184.
Hab. Gayndah, Queensland.
semicornutus *Macleay, W.* l. c. *p.* 184.
Hab. Gayndah, Queensland.

Proctophanes. (*Harold.*)

sculptus *Hope.* Proc. Ent. Soc. 1846, *p.* 147; Trans. Ent. Soc. IV. 1847, *p.* 285.—*Harold.* Berl. Zeit. 1861, *p.* 111.
Hab. Australia. (Widely distributed.)

Phæochrous. (*Castelnau.*)

Silphodes Westwood.

hirtipes *Macleay, W.* Trans. Ent. Soc. N. S. Wales. 1863, I. *p.* 125.
Hab. Port Denison, Queensland.

Cælodes. (*Westwood.*)

bimaculatus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, 1863. I. *p.* 126.
Hab. Port Denison, Queensland.

Stenaspidius. (*Westwood.*)

nigricornis *Westw.* Ann. Nat. Hist. 1849, *p.* 144; Trans. Linn. Soc. XXI. *p.* 17. t 3. f. 14.
Hab. New Holland.

Bolboceras. (*Kirby.*)

Elephastomus Macleay. *Eucanthus Westwood.*

Bainbridgei *Westw.* Mon. *p.* 16. t. 3. f. 3.
Hab. Swan River, Western Australia.
capreolus *Westw.* Mon. *p.* 15. t. 3. f. 8.
Hab. Swan River, Western Australia.
corniculatum *Westw.* Mon. *p.* 17. t. 3. f. 13.
Hab. Swan River, Western Australia.
coronatum *Klug.* Mon. *p.* 42. t. 2. f. 10.
Hab. Western Australia.
frontale *Guér.* Mag. Zool. 1838, *p.* 51.—*Klug.* Mon. *p.* 41. t. 2. f. 7.
latum Bainbridge. Trans. Ent. Soc. III. 1842, *p.* 80.
serricolle Bainbridge. l. c. *p.* 80.
Hab. Swan River, Western Australia.
Gayndahense *Macleay, W.* Trans. Ent. Soc. N. S. Wales. 1871, II. *p.* 185.
Hab. Gayndah, Queensland.
globuliforme *Macleay, W.* l. c. 1863. I. *p.* 127.
Hab. Port Denison, Queensland.
Kirbyi *Westw.* Trans. Linn. Soc. Vol. 21. *p.* 13.
Hab. Tasmania.
neglectum *Hope.* Proc. Ent. Soc. 1841, *p.* 43.—*Westw.* Mon. *p.* 16. t. 3. f. 9.
Hab. Port Essington, North Australia.
proboscidium *Schreibers.* Trans. Linn. Soc 1802, *p.* 189. t. 20. f. 2.—*Macleay.* Hor. Ent. I. *p.* 122.—*Westw.* Mon. *p.* 13. t. 3. f. 1.
Australasiæ Kirby. Trans. Linn. Soc. 1818, *p.* 462. t. 23. f. 5.
Hab. Tasmania, and Victoria.
quadricorne *Klug. p.* 42. t. 2. f. 6.
Hab. Western Australia.
recticorne *Guér.* Mag. Zool. 1838, *p.* 49. t. 232. f. 1.—*Klug.* Mon. *p.* 43. t. 2. f. 8.
hastiferum Bainbridge. Trans. Ent. Soc. 1842. III. *p.* 81.
var. *fissicorne Bainbridge.* l. c. *p.* 82.
Hab. Swan River, Western Australia.
Reichei *Guér.* Mag. Zool. 1838, *p.* 50.—*Westw.* Mon. *p.* 14. t. 3. f. 3.
Kirbyi Hope. Proc. Ent. Soc. 1841, *p.* 43.
Kirbyi Bainbridge. Trans. Ent. Soc. III 1842. *p.* 79.
Hab. Port Essington, North Australia.

Rhinoceros *Macleay, W.* Trans. Ent. Soc. N. S. Wales, 1863. I. *p.* 126.
Hab. Port Denison, Queensland.
rotundatum *Hope.* Proc. Ent. Soc. 1841, *p.* 43.—*Westw.* Mon. *p.* 16. t. 3. f. 11.
Hab. Port Essington, North Australia.
rubescens *Hope.* Proc. Ent. Soc. 1841, *p.* 43.—*Westw.* Mon. *p.* 17. t. 3. f. 12.
Hab. Port Essington, North Australia.
septemtuberculatum *Bainbridge.* Trans. Ent. Soc. 1842, III. *p.* 81. —*Westw.* Mon. *p.* 14. t. 3. f. 6.
excavatum Klug. Mon. *p.* 43. t. 2. f. 9.
Hab. Swan River, Western Australia.
taurus *Westw.* Mon. *p.* 15. t. 3. f. 7.
Hab. Swan River, Western Australia.
trituberculatum *Bainb.* Trans. Ent. Soc. III. 1842, *p.* 82.—*Klug.* Mon. *p.* 44.
Hab. Swan River, Western Australia.

Trox. (*Fabricius.*)

alternans *Macleay.* King. Survey. Austral. II. 1827, *p.* 439.
Hab. New South Wales. (?)
Australasiæ *Erichs.* Wiegm. Arch. 1842. I. *p.* 158.—*Latreille.* Dej. Cat. 3. ed. *p.* 164.
Hab. Tasmania.
salebrosus *Macleay W.*, Trans. Ent. Soc. N. S. Wales, 1871. II. *p.* 186.
Hab. Gayndah, Queensland.
semicostatus *Macleay, W.* l. c. *p.* 186.
Hab. Gayndah, Queensland.
squamosus *Macleay, W*, l. c. *p.* 186.
Hab. Gayndah, Queensland.
subcarinatus *Macleay, W.* l. c. 1863, I. *p.* 128.
Hab. Port Denison, Gayndah, &c., Queensland.

Liparochrus. (*Erichson.*)

fossulatus *Westw.* Trans. Ent. Soc. 1852. *p.* 70.
Hab. South Australia.
geminatus *Westw.* l. c. *p.* 69. t. 9. f. 6.
Hab. South Australia.
sculptilis *Westw.* l. c. *p.* 70. t. 9. f. 7.
Hab. N. S. Wales, and Queensland.

Acanthocerus. (*Macleay.*)

spinicornis *Fabr.* Ent. Syst. I. *p.* 88.—*Macleay.* Hor. Ent. I. *p.* 137.—*Casteln.* Hist. Nat. II. *p.* 109.
Hab. New Holland.

GLAPHYRINI.

Phænognatha. (*Hope.*)

Erichsoni *Hope.* Ann. Nat. Hist. IX. 1842, *p.* 425; Trans. Ent. Soc. IV. 1845. *p.* 113. t. 6. f. 5.—*Burm.* Handb. IV. 2. *p.* 475.
Hab. Rockhampton, Port Denison, and Northern parts of Queensland.

MELOLONTHINI.

Phyllotocus. (*Fischer.*)

apicalis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, I. 1863, *p.* 85.
Hab. Port Denison, Queensland.
assimilis *Macleay, W.* l. c. *p.* 81.
Hab. South Australia, and Tasmania.
Australis *Boisd.* Voy. Astrol. 1835. Col. *p.* 211.—*Dej.* Cat. 3. ed. *p.* 182.
discoidalis Burm. Handb. IV. 2. *p.* 185.
Hab. New South Wales, and Victoria.
bimaculatus *Erichs.* Wiegm. Arch. 1842. I. *p.* 170.
Hab. Tasmania.
erythropterus *Blanch.* Cat. Coll. Ent. 1850, *p.* 97.
Hab. New South Wales, and Victoria.
iridescens *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. I. 1863, *p.* 83.
Hab. New South Wales.
Kingi *Macleay, W.* l. c. *p.* 83.
Hab. New South Wales.
Lottini *Boisd.* Voy. Astrol. Col. *p.* 212.
Hab. Tasmania.
Macleayi *Fischer.* Mém. Mosc. VI. 1823, *p.* 255. t. 22. f. 2. a–c. *Burm.* Handb. IV. 2. *p.* 183.
præustus Boisd. Voy. Austrol. Col. *p.* 210.—*Macleay.* Dej. Cat. 3. ed. *p.* 181.
Hab. New South Wales, and Victoria.
marginalis *Bohem.* Res. Eugen. 1858, *p.* 54.
Hab. New South Wales. (?)
marginipennis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, I. 1863, *p.* 83.
Hab. New South Wales.
marginatus *Macleay, W.* l. c. *p.* 84.
Hab. New South Wales.
mœstus *Boisd.* Voy. Astrol. Col. *p.* 212.—*Dej.* Cat. 3. ed. *p.* 182.
Hab. New South Wales, and Victoria.
navicularis *Blanch.* Cat. Coll. Ent. 1850, *p.* 97.
Hab. New South Wales, and Queensland.
oblongus *Bohem.* Res. Eugen. 1858, *p.* 53.
Hab. New South Wales.

palliatus *Macleay*, *W.* Trans. Ent. Soc. N. S. Wales. I. 1863, *p.* 84.
Hab. New South Wales.
pectoralis *Burm.* Handb. IV. 2. *p.* 185.
Hab. New South Wales.
ruficollis *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales. I. 1863, *p.* 84.
Hab. New South Wales.
rufipennis *Boisd.* Voy. Astrol. Col. *p.* 210.—*Burm.* Handb. IV. 2. *p.* 184.—*Dej.* Cat. 3. ed. *p.* 182.
Hab. Victoria, South Australia, and Tasmania.
scutellaris *Macleay W.*, Trans. Ent. Soc. N. S. Wales, I. 1863, *p.* 85.
Hab. New South Wales.
sericeus *Macleay*, *W.* l. c. II. 1871. *p.* 187.
Hab. Gayndah, Queensland.
ustulatus *Blanch.* Cat. Coll. Ent. 1850, *p.* 97.
Hab. Swan River, Western Australia.
variicollis *Macleay*, *W.* Trans. Ent. Soc. N. S. Wales. II. 1871. *p.* 187.
Hab. Gayndah, Queensland.
velutinus *Bohem.* Res. Eugen. 1858, *p.* 53.
Hab. New South Wales.

Cheiragra. (*Macleay*, *W.*)

aphodioides *Macleay*, *W.* Trans. Ent. Soc. N. S. Wales. I. 1863, *p.* 88.
Hab. New South Wales, near Sydney.
atra *Macleay*, *W.* l. c. *p.* 88.
Hab. Illawarra, N. S. Wales.
lurida *Macleay*, *W.* l. c. *p.* 87.
Hab. Currajong, N. S. Wales.
pallida *Macleay*, *W.* l. c. *p.* 87.
Hab. Parramatta, N. S. Wales.
pusilla *Blanch.* Cat. Coll. Ent. 1850, *p.* 97.
Hab. New South Wales.
pygmæa *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales. I. 1863, *p.* 88.
Hab. New South Wales.
ruficollis *Macleay*, *W.* l. c. *p.* 87.
Hab. New South Wales.

Macrothops. (*Macleay*)

pallidipennis *Macleay*, *W.* Trans. Ent. Soc. N. S. Wales. I. 1863 *p.* 90.
Hab. Victoria River, Northern Australia.
rostrata *Macleay*, *W.* l. c. *p.* 89.
Hab. King George's Sound.

Diphucephala. (*Serville.*)

affinis *Waterh.* Trans. Ent. Soc. I. 1836, *p.* 219.
Hab. New Holland.

aurolimbata *Blanch.* Cat. Coll. Ent. 1850, *p.* 99.
Hab. Brisbane, Maryborough, & Gayndah, Queensland.

aurulenta *Kirby.* Trans. Linn. Soc. XII. 1818, *p.* 400.—*Waterh.* Trans. Ent. Soc. I. 1836, *p.* 222.—*Burm.* Handb. IV. 2. *p.* 116.
foveolata Boisd. Voy. Astrol. 1835. Col. *p.* 203.—*Macleay.* Dej. Cat. 3. ed. *p.* 180.
Hab. New South Wales.

beryllina *Burm.* Handb. IV. 2. *p.* 121.
Hab. Swan River, Western Australia.

castanoptera *Waterh.* Trans. Ent. Soc. I. 1836, *p.* 222.—*Burm.* Handb. IV. 2. *p.* 117.
Hab. Richmond River, N. S. Wales.

Childreni *Waterh.* Trans. Ent. Soc. I. 1836, *p.* 218.—*Burm.* Handb. IV. 2. *p.* 115.
Hab. King George's Sound.

colaspidoides *Gyllenh.* Schönh. Syn. Ins. I. 3. App. *p.* 101.
lineatocollis Boisd. Voy. Astrol. 1835. Col. *p.* 201.—*Dej.* Cat. 3. ed. *p.* 180.
splendens Macleay. King. Surv. 1827, *p.* 440.—*Waterh.* Trans. Ent. Soc. I. 1836, *p.* 220.—*Burm.* Handb. IV. 2. *p.* 120.
Hab. Victoria and Tasmania.

Edwardsi *Waterh.* Trans. Ent. Soc. I. 1836, *p.* 220.—*Burm.* Handb. IV. 2. *p.* 121.
Hab. Swan River, Western Australia.

fulgida *Boisd.* Voy. Astrol. 1835, Col. *p.* 205.—*Dej.* Cat. 3. ed. *p.* 180.
pygmæa Waterh. Trans. Ent. Soc. I. 1836, *p.* 227.—*Burm.* Handb. IV. 2. *p.* 118.
Hab. New Holland.

furcata *Guér.* Voy. Coquille. Zool. II. 1830, *p.* 89; Jc. Règn. anim. t. 24. bis. f. 13.
acanthopus Boisd. Voy. Astrol. 1835. Col. *p.* 202.—*Latreille.* Dej. Cat. 3. ed. *p.* 180.
Hopei Waterh. Trans. Ent. Soc. I. 1836, *p.* 219.—*Burm.* Handb. IV. 2. *p.* 119.
Hab. Swan River, Western Australia.

lineata *Boisd.* Voy. Astrol. 1835. Col. *p.* 202.—*Gory.* Dej Cat. 3. ed. *p.* 180.
pilistriata Waterh. Trans. Ent. Soc. I. 1836, *p.* 221.—*Burm.* Handb. IV. 2, *p.* 115.
Hab. Richmond River, N. S. Wales.

parvula *Waterh.* Trans. Ent. Soc. I. 1836, *p.* 223.—*Burm.* Handb. IV. 2. *p.* 118.
Hab. New South Wales.
pubiventris *Burm.* Handb. IV. 2, *p.* 119.
Hab. New Holland.
pulchella *Waterh.* Trans. Ent. Soc. I. 1836, *p.* 221.
Hab. Victoria.
quadratigera *Blanch.* Cat. Coll. Ent. 1850, *p.* 100.
Hab. New Holland.
rufipes *Waterh.* Trans. Ent. Soc. I. 1836, *p.* 225.
Hab. New South Wales.
rugosa *Boisd.* Voy. Astrol. 1835. Col. *p.* 204.—*Dej.* Cat. 3. ed. *p.* 180.
ænea Sturm. Cat. 1826, *p.* 204.
Spencei Waterh. Trans. Ent. Soc. 1. 1836, *p.* 224.—*Burm.* Handb. IV. 2. *p.* 116.
Hab. New Holland.
sericea *Kirby.* Trans. Linn. Soc. XII. 1818, *p.* 463.—*Waterh.* Trans. Ent. Soc. I. 1836, *p.* 217. t. 22. f. 1.—*Burm.* Handb. IV. 2. *p.* 114.—*Macleay.* Dej. Cat. 3. ed. *p.* 180.
viridis Sturm. Cat. 1826, *p.* 204.
smaragdula *Boisd.* Voy. Astrol. 1835. Col. *p.* 204.—*Macleay.* Dej. Cat. 3. ed. *p.* 180.—*Burm.* Handb. IV. 2. *p.* 117.
var. *pusilla Waterh.* Trans. Ent. Soc. I. 1836, *p.* 226.—*Burm.* Handb. IV. 2. *p.* 117.
Waterhousei *Burm.* Handb. IV. 2. *p.* 122.
Hab. South Australia. (?)

Oenodus. (*Burmeister.*)

decipiens. *Burm.* Handb. IV. 2. *p.* 209.
Hab. New Holland.

Mæchidius. (*Macleay.*)

atratus *Burm.* Handb. IV. 2. *p.* 212.
Hab. New South Wales, and Victoria.
Hopeanus *Westw.* Ann. Nat. Hist. VIII. 1842, *p.* 457; Trans. Ent. Soc. IV. 1845, *p.* 81. t. 5. f. 3.—*Lacord.* Gen. Atl. t. 29. f. 3.
Hab. New South Wales.
mellyanus *Westw.* l. c. *p.* 457; Mon. *p.* 82.—*Burm.* Handb. IV. 2. *p.* 211.
Hab. Victoria, and New South Wales.
obscurus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 188.
Hab. Gayndah, Queensland.
parvulus *Macleay, W.* l. c. *p.* 189.
Hab. Gayndah, Queensland.

Raddonanus *Westw.* Ann. Nat. Hist. VIII. 1842, *p.* 457; Mon. *p.* 82.—*Burm.* Handb. IV. 2. *p.* 212.
Hab. Victoria, and New South Wales.

rufus *Hope.* Ann. Nat. Hist. IX. 1842, *p.* 424.—*Westw.* Mon. *p.* 83. t. 5. f. 4.—*Burm.* Handb. IV. 2. *p.* 212.
Hab. Port Essington, North Australia.

rugosicollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 188.
Hab. Gayndah, Queensland.

sordidus *Boisd.* Voy. Astrol. 1835. Col. *p.* 215.—*Durville.* Dej. Cat. 3. ed. *p.* 164.
Macleayanus Westw. Mon. *p.* 82.—*Burm.* Handb. IV. 2. *p.* 211.
Hab. New Holland.

spurius *Kirby.* Trans. Linn. Soc. XII. 1818, *p.* 462.—*Macleay.* Hor. Ent. I. *p.* 140. t. 2. f. 15.
Kirbyanus Westw. Mon. *p.* 80.
Hab. New South Wales.

variolosus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 188.
Hab. Gayndah, Queensland.

Calonota. (*Hope.*)

Colymbomorpha Blanch. *Pyronata Boisd.*

lineata *Blanch.* Cat. Coll. Ent. 1850, *p.* 98.
hilaris Burm. Handb. IV. 2. *p.* 220.
Hab. King George's Sound, and Swan River, Western Australia.

Xylonychus. (*Blanchard.*)

Eucalypti *Boisd.* Voy. Astrol. 1835. Col. *p.* 186.—*Burm.* Handb. IV. 2. *p.* 223.—*Macleay.* Dej. Cat. 3. ed. *p.* 172.
Hab. N. S. Wales, Victoria, and Tasmania.

lætus *Blanch.* Cat. Coll. Ent. 1850, *p.* 218.
Hab. New Holland.

Metrosideri *Burm.* Handb. IV. 2. *p.* 223.
Hab. New Holland.

nigrescens *Blanch.* Cat. Coll. Ent. 1850, *p.* 218.
Hab. Tasmania.

Orpheus *Fauvel.* Bull. Soc. Linn. Normand. VII. 1862, *p.* 138. t. 9. f. 16–17.
Hab. New Holland.

piliger *Blanch.* Cat. Coll. Ent. 1850, *p.* 218.—*Burm.* Handb. IV. 2. *p.* 224.
Hab. Tasmania.

Liparetrus. (*Guerin.*)

albohirtus *Masters.* *
basalis Macleay, W. Trans. Ent. Soc. N. S. Wales. I. 1863, *p.* 130.
Hab. Port Denison, Queensland.
atratus *Burm.* Handb. IV. 2. *p.* 196.
Hab. Tasmania.
atriceps *Macleay, W.* Trans. Ent. Soc. N. S. Wales, 1863. I. *p.* 128.
Hab. Maryborough and Gayndah, Queensland.
basalis *Blanch.* Cat. Coll. Ent. 1850, *p.* 105.
Hab. Tasmania.
concolor *Erichs.* Wiegm. Arch. 1842. I. *p.* 169.—*Burm.* Handb. IV. 2. *p.* 200.
picipennis Germ. Linn. Ent. III. 1848, *p.* 194.
Hab. Tasmania, and South Australia.
curtulus *Burm.* Handb. IV. 2. *p.* 199.
Hab. New South Wales.
depressus *Blanch.* Cat. Coll. Ent. 1850, *p.* 105.
Hab. New South Wales.
discipennis *Guér.* Voy. Coquille. 1830. Col. *p.* 90. t. 3. f. 10.—*Burm.* Handb. IV. 2. *p.* 195.—*Durville.* Dej. Cat. 3. ed. *p.* 181.
Hab. New South Wales.
discoidalis *Macleay, W.* Trans. Ent. Soc. N. S. Wales. I. 1863, *p.* 129.
Hab. Port Denison, Queensland.
erythropterus *Blanch.* Cat. Coll. Ent. 1850, *p.* 103.
Hab. New South Wales.
erythropygus *Blanch.* l. c. *p.* 105.
Hab. New South Wales.
ferrugineus *Blanch.* l. c. *p.* 105.
Hab. New South Wales.
flavopilosus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 190.
Hab. Gayndah, Queensland.
fulvohirtus *Macleay, W.* l. c. *p.* 189.
Hab. Gayndah, Queensland.
glaber *Macleay, W.* l. c. *p.* 191.
Hab. Gayndah, Queensland.
glabratus *Burm.* Handb. IV. 2. *p.* 200.
Hab. Western Australia.
hirsutus *Burm.* l. c. *p.* 197.
Hab. Western Australia.

* Blanchard described a Tasmanian species as "basalis," a change in the name is therefore necessary.

humilis *Blanch.* Cat. Coll. Ent. 1850, *p.* 105.
Hab. New Holland.
iridipennis *Germ.* Linn. Ent. III. 1848, *p.* 194.—*Burm.* Handb. IV. 2. *p.* 196.
obscurus Hombr. et Jacquin. Voy. Pole. Sud. Zool. t. 8. f. 15.
sylvicola Blanch. Voy. Pole. Sud. Zool. IV. *p.* 127.
Hab. South Australia.
lævis *Blanch.* Cat. Coll. Ent. 1850, *p.* 104.
Hab. Swan River, Western Australia.
marginipennis *Blanch.* l. c. *p.* 103.
Hab. New South Wales.
monticola *Fabr.* Syst. Ent. *p.* 39.—*Oliv.* Ent. I. 5. *p.* 77. t. 6. f. 57. a–b.
Hab. New Holland.
nigricollis *Hope.* Ann. Nat. Hist. IX. 1842, *p.* 225.
Hab. New Holland.
nigrinus *Germ.* Linn. Ent. III. 1848, *p.* 193.—*Burm.* Handb. IV. 2. *p.* 198.
Hab. South Australia.
nudipennis *Germ.* l. c. *p.* 194.—*Burm.* l. c. *p.* 196.
Hab. South Australia.
pallidus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 190.
Hab. Gayndah, Queensland.
parvulus *Macleay, W.* l. c. *p.* 192.
Hab. Gayndah, Queensland.
phœnicopterus *Germ.* Linn. Ent. III. 1848, *p.* 192.—*Burm.* Handb. IV. 2. *p.* 197.
Hab. South Australia.
pilosus *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 190.
Hab. Gayndah, Queensland.
poverus *Blanch.* Cat. Coll. Ent. 1850, *p.* 105.
Hab. New South Wales.
pruinosus *Burm.* Handb. IV. 2. *p.* 195.
Hab. Tasmania.
pygmæus *Burm.* l. c. *p.* 199.
Hab. Western Australia.
rubicundus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. I. 1863, *p.* 129.
Hab. Port Denison, Queensland.
rufipennis *Macleay, W.* l. c. *p.* 128.
Hab. Port Denison, Queensland.
rufiventris *Macleay, W.* l. c. II. 1871, *p.* 191.
Hab. Gayndah, Queensland.
sericeus *Macleay, W.* l. c. *p.* 189.
Hab. Gayndah, Queensland.

striatus *Blanch.* Cat. Coll. Ent. 1850, *p.* 104.
Hab. Swan River, Western Australia.
sylvicola *Fabr.* Syst. Ent. *p.* 39.—*Burm.* Handb. IV. 2. *p.* 198.
convexus Boisd. Voy. Astrol. 1835. Col. *p.* 209.—*Macleay.* Dej. Cat. 3. ed. *p.* 181.
Hab. New South Wales.
tridentatus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 191.
Hab. Maryborough and Gayndah, Queensland.
tristis *Blanch.* Cat. Coll. Ent. 1850, *p.* 104.
Hab. Swan River, Western Australia.
unicolor *Masters.* *
concolor Macleay, W, Trans. Ent. Soc. N. S. Wales. I. 1863, *p* 129.
Hab Port Denison, Queensland.
uniformis *Blanch* Cat. Coll. Ent. 1850, *p.* 104.
Hab. Swan River, Western Australia.
valgoides *Blanch.* l. c. *p.* 105.
Hab. Swan River, Western Australia.
vestitus *Blanch.* l. c. *p.* 103; Voy. Pole. Sud. Zool. IV. *p* 126. t. 8. f. 14.
Hab. Tasmania.
xanthotrichus *Blanch.* Cat. Coll. Ent. 1850, *p.* 103.
Hab. New Holland.

Colobostoma. (*Blanchard.*)

rufipennis *Boisd.* Voy. Astrol. 1835. Col. *p.* 207.—*Dej.* Cat. 3. ed. *p* 181.—*Lacord.* Gen. III. *p.* 202. not. 1.—*Burm.* Handb. IV. 2. *p.* 202.
Hab. New Holland.

Microthopus. (*Burmeister.*)

castanopterus *Burm.* Handb. IV. 2. *p.* 202.
Hab. New Holland.

Automolus. (*Burmeister.*)

angustulus *Burm.* Handb. IV. 2. *p.* 203.
Hab. Tasmania.

Comophorus. (*Blanchard.*)

testaceipennis *Blanch.* Cat. Coll. Ent. 1850, *p.* 106.
Hab. New Holland.

---

* Another change is necessary, "concolor" having been previously applied to a Tasmanian species by Erichson.

Scitala. (*Erichson.*)

Cotidia Kirby. *Sericesthis Dejean.*

senescens *Burm.* Handb. IV. 2. *p.* 233.
Hab. New Holland.

armaticeps *Macleay, W.* Trans. Ent. Soc. N. S Wales. II. 1871, *p.* 192.
Hab. Gayndah, Queensland.

aureorufa *Blanch.* Cat. Coll. Ent. 1850, *p.* 113.
Hab. New South Wales.

chlorotica *Gyllenh.* Schön. Syn. Ins. I. 3. App. *p.* 93.
Hab. New Holland.

glabra *Blanch.* Cat. Coll. Ent. 1850, *p.* 113.
Hab. New South Wales.

nigrolineata *Boisd.* Voy. Astrol. 1835. Col. *p.* 206.—*Macleay.* Dej. Cat. 3. ed. *p.* 181.
languida Erichs. Wiegm. Arch. 1842. I. *p.* 168.—*Burm.* Handb. IV. 2. *p.* 232.
Hab. Tasmania.

pruinosa *Dalm.* Anal. Ent. 1823, *p.* 53.—*Burm.* Handb. IV. 2. *p.* 231.
Australis Boisd. Voy. Astrol. 1835. Col. *p.* 208.
geminata Boisd. l. c. *p.* 206.—*Macleay.* Dej. Cat. 3. ed. *p.* 181.
Hab. New South Wales.

pullata *Boisd.* Voy. Astrol. Col. 1835. *p.* 207.—*Latreille.* Dej. Cat. 3. ed. *p.* 181.
Hab. New Holland.

rorida *Burm.* Handb. IV. 2. *p.* 232.
Hab. New Holland.

rugosiceps *Blanch.* Cat. Coll. Ent. 1850, *p.* 113.
Hab. New South Wales.

rugosula *Harold.* Col. Heft. V. 1869.
pruinosa Blanch. Cat. Coll. Ent. 1850, *p.* 113.
Hab. New South Wales.

sericans *Erichs.* Wiegm. Arch. 1842. I. *p.* 167.—*Burm.* Handb. IV. 2. *p.* 232.
Hab. Tasmania.

suturalis *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871 *p.* 192.
Hab. Gayndah, Queensland.

Homolotropus. (*Macleay, W.*)

luridipennis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 193.
Hab. Gayndah, Queensland.

Colpochila. (*Blanchard.*)

crassiventris *Blanch.* Cat. Coll. Ent. 1850, *p.* 107.
Hab. Swan River, Western Australia.

Gouldi *Hope.* Ann. Nat. Hist. IX. 1842, *p.* 425.
Hab. Swan River, Western Australia.

punctulata *Blanch.* Cat. Coll. Ent. 1850, *p.* 107.
Hab. New South Wales.

Roei *Burm.* Handb. IV. 2. *p.* 227.
Hab. King George's Sound.

Haplonycha. (*Blanchard.*)

Aplonycha Dejean. *Pachygastra Hope.*

Astrolabei *Boisd.* Voy. Astrol. 1835. Col. *p.* 194.
Hab. King George's Sound.

badia *Burm.* Handb. IV. 2. *p.* 228.
Hab. Swan River, Western Australia.

ciliata *Boisd.* Voy. Astrol. 1835. Col. *p.* 195.—*Macleay.* Dej. Cat. 3. ed. *p.* 179.
Hab. New Holland.

crinita *Burm.* Handb. IV. 2. *p.* 229.
Hab. Swan River, Western Australia.

gagatina *Burm.* l. c. *p.* 228.
Hab. New Holland.

gigantea *Burm.* l. c. *p.* 226.
Hab. Western Australia.

iridescens *Blanch.* Cat. Coll. Ent. 1850, *p.* 108.
Hab. New South Wales.

obesa *Boisd.* Voy. Astrol. 1835. Col. *p.* 193. t. 9. f. 6.—*Burm.* Handb. IV. 2. *p.* 228.—*Durville.* Dej. Cat. 3. ed. *p.* 179.
Tasmanica Homb. et Jacquin. Voy. Pole. Sud. Atl. t. 8. f. 8.
Hab. New Holland.

obscuricornis *Blanch.* Cat. Coll. Ent. 1850, *p.* 108.
Hab. New South Wales.

pectoralis *Blanch.* l. c. *p.* 108.
Hab. New Holland.

pinguis *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 193.
Hab. Gayndah, Queensland.

ruficeps *Burm.* Handb. IV. 2. *p.* 229.
Hab. Swan River, Western Australia.

rugosa *Burm.* l. c. *p.* 229.
Hab. New Holland.

scutalis *Blanch.* Cat Coll. Ent. 1850, *p.* 108.
Hab New Holland.

striatella *Blanch.* l. c. *p.* 108.
Hab. New Holland.
Tasmanica *Germ.* Linn. Ent. III. 1848, *p.* 191.—*Burm.* Handb. IV. 2. *p.* 226.
Hab. South Australia.

Heteronyx. (*Guérin.*)

Hostilina Blanch. *Silepa Erichs.*

agrestis *Burm.* Handb. IV. 2. *p.* 234.
Hab. Swan River, Western Australia.
aphodioides *Blanch.* Cat. Coll. Ent. 1850, *p.* 110.
Hab. New South Wales.
Australis *Guér.* Voy. Coquille. 1830. Col. *p.* 85. t. 3. f. 9.
hepaticus Erichs. Wiegm. Arch. 1842. I. *p.* 163.
Hab. Tasmania.
castaneus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1871, *p.* 194.
Hab. Gayndah, Queensland.
concolor *Macleay, W.* l. c. *p.* 196.
Hab. Gayndah, Queensland.
dimidiatus *Erichs.* Wiegm. Arch. 1842 I. *p.* 163.
Hab. Tasmania.
elongatus *Blanch.* Cat. Coll. Ent. 1850, *p.* 109.
Hab. New South Wales.
fumatus *Erichs.* Wiegm. Arch. 1842. I. *p.* 162.
Hab. Tasmania.
glabratus *Erichs.* l. c. *p.* 162.
Hab. Tasmania.
granum *Burm.* Handb. IV. 2, *p.* 237.
Hab. South Australia.
holomelænus *Blanch.* Cat. Coll. Ent. 1850, *p.* 109.
Hab. New South Wales.
holosericeus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 194.
Hab. Gayndah, Queensland.
infuscatus *Macleay, W.* l. c. *p.* 195.
Hab. Gayndah, Queensland.
laticeps *Burm.* Handb. IV. 2. *p.* 237.
Hab. New Holland.
laticollis *Blanch.* Cat. Coll. Ent. 1850, *p.* 109.
Hab. New South Wales.
nigellus *Erichs.* Wiegm. Arch. 1842. I. *p.* 164.
obscurus Le Guillou. Rev. Zool. 1844. I. *p.* 224.
Hab. Tasmania.
nigricans *Burm.* Handb. IV. 2. *p.* 238.
Hab. Swan River, Western Australia.

nigrita *Blanch.* Cat. Coll. Ent. 1850, *p.* 110.
Hab. New South Wales.
obesus *Burm.* Handb. IV. 2. *p.* 236.
Hab. Swan River, Western Australia.
oblongus *Blanch.* Cat. Coll. Ent. 1850, *p.* 110.
Hab. New South Wales.
obscurus *Blanch.* l. c. *p.* 110; Voy. Pole. Sud. IV. Zool. *p.* 120. t. 8. f. 12.
Hab. Raffles Bay, North Australia.
ovatus *Blanch.* Cat. Coll. Ent. 1850, *p.* 110.
Hab. Tasmania.
pallidulus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871. *p.* 195.
Hab. Gayndah, Queensland.
pellucidus *Burm.* Handb. IV. 2. *p.* 236.
Hab. South Australia.
piceus *Blanch.* Cat. Coll. Ent. 1850, *p.* 110.
Hab. New South Wales.
pilosellus *Blanch.* l. c. *p.* 110.
Hab. New South Wales.
pilosus *Blanch.* l. c. *p.* 111; Voy. Pole. Sud. IV. Zool. *p.* 121. t. 8. f. 13.
Hab. Raffles Bay, North Australia.
planatus *Burm.* Handb. IV. 2. *p.* 237.
Hab. South Australia.
præcox *Erichs.* Wiegm. Arch. 1842. I. *p.* 165.—*Blanch.* Cat. Coll. Ent. 1850, *p.* 112.—*Burm.* Handb. IV. 2. *p.* 238.
carpentariæ Macleay. Dej. Cat. 3. ed. *p.* 179.
Hab. Tasmania.
proximus *Burm.* Handb. IV. 2. *p.* 235.
Hab. Swan River, Western Australia.
pubescens *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 194.
Hab. Gayndah, Queensland.
rotundiceps *Blanch.* Cat. Coll. Ent. 1850, *p.* 111.
Hab. New South Wales.
rubescens *Blanch.* l. c. *p.* 111.
Hab. Kangaroo Island.
rubriceps *Blanch.* l. c. *p.* 109.
Hab. New South Wales.
ruficollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 196.
Hab. Gayndah, Queensland.
rufomarginatus *Blanch.* Cat. Coll. Ent. 1850, *p.* 109.
Hab. New South Wales.
rugosipennis *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 196.
Hab. Gayndah, Queensland.

spadiceus *Burm.* Handb. IV. 2, *p.* 238.
Hab. Swan River, Western Australia.
striatipennis *Blanch.* Cat. Coll. Ent. 1850, *p.* 111.
Hab. Tasmania.
subferrugineus *Burm.* Handb. IV. 2. *p.* 235.
Hab. Swan River, Western Australia.
substriatus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1871, *p.* 195.
Hab. Gayndah, Queensland.
tempestivus *Erichs.* Wiegm. Arch. 1842. I. *p.* 164.
Hab. Tasmania.
unguiculatus *Burm.* Handb. IV. 2. *p.* 239.
Hab. New Holland.
unicolor *Blanch.* Cat. Coll. Ent. 1850, *p.* 111.
Hab. Tasmania.

Caulobius. (*Le Guillou.*)

Sericesthis Dejean.

cervinus *Boisd.* Voy. Astrol. 1835, Col. *p.* 208.—*Burm.* Handb. IV. 2. *p.* 207.—*Dej.* Cat. 3. ed. *p.* 181.
Hab. New Holland.
modestus *Blanch.* Cat. Coll. Ent. 1850, *p.* 112.
Hab. New South Wales.
pubescens *Erichs.* Wiegm. Arch. 1842. I. *p.* 164.—*Blanch.* Voy. Pole. Sud. Zool. IV. *p.* 122.
villiger Hombr. et Jacquin. Atl. t. 8. f. 17.
villosus Le Guillou. Rev. Zool. 1844, *p.* 224.
Hab. Tasmania.
rufescens *Blanch.* Cat. Coll. Ent. 1850, *p.* 112; Voy. Pole. Sud. Zool. IV. *p.* 123. t. 8. f. 11.
Hab. Tasmania.

Odontotonyx. (*Macleay, W.*)

brunneipennis *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 197.
Hab. Gayndah, Queensland.

Haplopsis. (*Blanchard.*)

Colpocrania Burm. *Dissocephalus Hope.*

lineoligera *Blanch.* Cat. Coll. Ent. 1850, *p.* 103.
grisea Burm. Handb. IV. 2. *p.* 206.
Hab. Swan River, Western Australia.
pilosa *Burm.* l. c. *p.* 205.
Hab. Swan River, Western Australia.

Eurychelus. (*Blanchard.*)

marmoratus *Blanch.* Cat. Coll. Ent. 1850, *p.* 112.
Hab. New South Wales.

Telura. (*Erichson.*)

vitticollis *Erichs.* Wiegm. Arch. 1842. I. *p.* 169. t. 4. f. 6.—*Burm.* Handb. IV. 2. *p.* 214.
Hab. Tasmania.

Diphyllocera. (*White.*)

Kirbyana *White.* Grey. Journ. II. App. *p.* 461.—*Erichs.* Wiegm. Arch. 1842. II. *p.* 230.
Hab. Western Australia.

Nepytis. (*Erichson.*)

russula *Erichs.* Wiegm. Arch. 1842. I. *p.* 166.—*Burm.* Handb. IV. 2. *p.* 240.
Hab. Tasmania.

Pachytricha. (*Hope.*)

castanea *Hope.* Trans. Ent. Soc. 1843, III. *p.* 282. t. 13. f. 4. a–g. —*Burm.* Handb. IV. 2. *p.* 242.
Hab. Western Australia.

Rhizotrogus. (*Latreille.*)

Tasmanicus *Burm.* Handb. IV. 2. *p.* 375.
Hab. Tasmania.

Rhopæa. (*Erichson.*)

heterodactyla *Germ.* Linn. Ent. III. *p.* 191.—*Burm.* Handb. IV. 2. *p.* 421.
Hab. South Australia, and Victoria.
Verreauxi *Blanch.* Cat. Coll. Ent. 1850, *p.* 160.—*Burm.* Handb. IV. 2. *p.* 421.
Hab. New South Wales.

Holophylla. (*Erichson.*)

furfuracea *Burm.* Handb. IV. 2. *p.* 426.
Hab. New Holland.

Prochelyna. (*Erichson.*)

heterodoxa *Burm.* Handb. IV. 2. *p.* 451.
Hab. South Australia.

RUTELINI.

Anoplognathus. (*Macleay.*)

Calloodes White.

æneus *Waterh.* Ent. Monthl. Mag. 1868. nr. 49. *p.* 8.
Hab. Rockingham Bay, Queensland.

analis *Dalm.* Schönh. Syn. Ins. I. 3. App. *p.* 61.—*Burm.* Handb. IV. 1. *p.* 440.
viriditarsis Leach. Zool. Misc. 1815. II. *p.* 44. t. 75. f. 2.
Hab. N. S. Wales, Victoria, and S. Australia.

Atkinsoni *Waterh.* Ent. Monthl. Mag. 1868. nr. 49. *p.* 9.
Hab. Rockingham Bay, Queensland.

Boisduvali *Boisd.* Voy. Astrol. Col. *p.* 171.
pulchripes Burm. Handb. IV. 1. *p.* 444.
Hab. New Holland.

brunnipennis *Gyllenh.* Schönh. Syn. Ins. I. 3. App. *p.* 62.—*Burm.* Handb. IV. 1. *p.* 446.
castaneipennis Casteln. Hist. Nat. II. *p.* 126.
Hab. New South Wales.

chloropyrus *Drapiez.* Ann. Sc. gén. Phys. Brux. 1819. II. *p.* 44. t. 16. f. 4.
nitidulus Boisd Voy. Astrol. Col. *p.* 176.—*Burm.* Handb. IV. 1. *p.* 444.—*Durville* Dej. Cat. 3. ed. *p.* 171.
Hab. New South Wales.

concolor *Burm.* Handb. IV. 2. *p.* 524.
Hab. New Holland.

Duponti *Boisd.* Voy. Astrol. Col. *p.* 174.
Hab. New Holland.

flavipennis *Boisd.* l. c. *p.* 176.—*Burm.* Handb. IV. 1. *p.* 447.—*Dej.* Cat. 3. ed. *p.* 171.
Hab. Blue Mountains, &c., N. S. Wales.

Grayanus *White.* Ann. Nat. Hist. XV. 1845, *p.* 38.
Hab. Gayndah, Rockhampton, Port Denison, &c., Queensland.

hirsutus *Burm.* Handb. IV. 1. *p.* 447.
orichalcicus Sturm. Cat. 1843, *p.* 118.
Hab. New Holland.

lineatus *Macleay, W.*, Proc. Ent. Soc. N. S. Wales. I. 1863, *p.* 18.
Hab. Gayndah, Rockhampton, and Port Denison, Queensland.

nebulosus *Macleay, W.* l. c *p.* 19.
Hab. Rockhampton, and Port Denison, Queensland.

Olivieri *Dalm.* Schönh. Syn. Ins. I. 3. App. *p.* 60.—*Burm.* Handb. IV. 1. *p.* 441.
impressus Boisd. Voy. Astrol. Col. *p.* 173.—*Macleay.* Dej. Cat. 3. ed. *p.* 171.
Sieberi Sturm. Cat. 1843, *p.* 118.
Hab. New South Wales, and Victoria.

pallidicollis *Blanch.* Cat. Coll. Ent. 1850, *p.* 222.
Hab. New South Wales.
pectoralis *Burm.* Handb. IV. 1. *p.* 443.
Hab. New Holland.
porosus *Dalm.* Schönh. Syn. Ins. I. 3. App. *p.* 63.—*Burm.* Handb. IV. 1. *p.* 445.
inustus Kirby. Trans. Linn. Soc. XII. *p.* 405.
Hab. New South Wales.
reticulatus *Boisd.* Voy. Astrol. Col. *p.* 169.—*Burm.* Handb. IV. 1. *p.* 439.
impressifrons Boisd. l. c. *p.* 170.
Hab. New South Wales, and Victoria.
rhinastus *Blanch.* Cat. Coll. Ent. 1850, *p.* 221.
Hab. New Holland.
rugosus *Kirby.* Trans. Linn. Soc. XII. *p.* 405.—*Burm.* Handb. IV. 1. *p.* 442.
modestus Sturm. Cat. 1843, *p.* 118.
Hab. New South Wales.
suturalis *Boisd.* Voy. Astrol. Col. *p.* 178.—*Burm.* Handb. IV. 1. *p.* 448.
Hab. Tasmania.
velutinus *Boisd.* l. c. *p.* 181.—*Burm.* Handb. IV. 1. *p.* 445.—*Gory.* Dej. Cat. 3. ed. *p.* 171.
Hab. New South Wales.
viridiæneus *Donov.* Ins. N. Holl. 1805. t. 1.—*Leach.* Zool. Misc. II. *p.* 44. t. 75. f. 1.—*Burm.* Handb. IV. 1. *p.* 438.
cæsareus Billberg. Schönh. Syn. Ins. I. 3. App. *p.* 58.
Latreillei Gyllenh. Schönh. Syn. Ins. I. 3. App. *p.* 59.
Hab. New South Wales.

Repsimus. (*Macleay.*)

æneus *Fabr.* Syst. Ent. *p.* 34.—*Macleay.* King. Surv. II, *p.* 440.—*Burm.* Handb. IV. 1. *p.* 449.
Hab. New South Wales.
manicatus *Swartz.* Schönh. Syn. Ins. I. 3. App. *p.* 64.—*Burm.* Handb. IV. 1. *p.* 449.
dytiscoides Macleay. Hor. Ent. I. *p.* 144.—*Fischer.* Mém. Mosc. VI. 1823, *p.* 264. t. 22. f. 8.
bracteatus Drapiez. Ann. Gén. Sc. phys. Brux. I. *p.* 135. t. 7. f. 6.
var. *Browni Macleay.* Hor. Ent. I. *p.* 144.
Hab. New South Wales.
purpureipes *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871. *p.* 197.
Hab. Gayndah, Queensland.
Rayneri *Macleay, W.*, Proc. Ent. Soc. N. S. Wales. I. 1863, *p.* 19.
Hab. Port Denison, Queensland.

Anoplostethus. (*Brullé.*)

Anoplosternus Guérin.

opalinus *Brullé.* Hist. Nat. III. *p.* 376.—*Guér.* Voy. Favor. *p.* 60. *Burm.* Handb. IV. 1. *p.* 464.
Hab. Swan River, Western Australia.
roseus *Blanch.* Cat. Coll. Ent. 1850, *p.* 224.
opalinus Hombr. et Jacquin. Voy. Pole. Sud. t. 8. f. 1.
Hab. Raffles Bay, North Australia.

Epichrysus. (*White.*)

lamprimoides *White.* Journ. disc. App. II. *p.* 460.—*Burm.* Handb. IV. 1. *p.* 465; IV. 2. *p.* 527.—*Lacord.* Gen. Atl. t. 35. f. 2.
Hab. King George's Sound.

Schizognathus. (*Burmeister.*)

Macleayi *Fischer.* Mém. Mosc. 1823. VI. *p.* 263. t. 22. f. 8.—*Boisd.* Voy. Astrol. Col. 1835. *p.* 184.—*Burm.* Handb. IV. 1. *p.* 462.—*Kirby.* Dej. Cat. 3. ed. *p.* 171.
Hab. New Holland.
nigripennis *Blanch.* Cat. Coll. Ent. 1850, *p.* 224.
Hab. New South Wales.
prasinus *Boisd.* Voy. Astrol. Col. *p.* 184.—*Burm.* Handb. IV. 1. *p.* 463 et. IV. 2. *p.* 527.—*Guérin.* Voy. Favor. *p.* 62.—*Dej.* Cat. 3. ed. *p.* 171.
Hab. New South Wales.

Amblyterus. (*Macleay.*)

cicatricosus *Gyllenh.* Schönh. Syn. Ins. I. 3. App. *p.* 113.
geminatus Macleay. Hor. Ent. I. *p.* 142.—*Guér.* Jc. Règn. anim. Ins. t. 24. f. 7.—*Burm.* Handb. IV. 1. *p.* 457. et. IV. 2. *p.* 526.
Hab. New South Wales.

Amblochilus. (*Blanchard.*)

bicolor *Blanch.* Cat. Coll. Ent. 1850, *p.* 225.
Hab. New South Wales.

DYNASTINI.

Heteronychus. (*Burmeister.*)

irregularis *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 199.
Hab. Gayndah, Queensland.
picipes *Macleay, W.* l. c. *p.* 198.
Hab. Gayndah, Queensland.

Pentodon. (*Hope.*)

guba *Kirby*. Trans. Linn. Soc. XII. 1818, *p.* 459. (gen. dub.)
Hab. New Holland.

Isodon. (*Hope.*)

Trissodon Erichson.

Australasiæ *Hope*. Col. Man. I. *p.* 97. t. 3. f. 12.—*Burm.* Handb. V. *p.* 106.
Hab. New South Wales.

curtus *Blanch.* l. c. *p.* 107.
Hab. Western Australia.

lævicollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 198.
Hab. Gayndah, Queensland.

lævigatus *Burm.* Handb. V. *p.* 108.
Hab. Western Australia.

laticollis *Burm.* l. c. *p.* 107.
Hab. Western Australia.

punctıcollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 197.
Hab. Gayndah, Queensland.

Chiroplatys. (*Hope.*)

curtus *Guér.* Voy. Coquille. 1830. Col. *p.* 81.
Ixion Boisd. Voy. Astrol. Col. *p.* 165.—*Latreille* Dej. Cat. 3. ed. *p.* 168.
Hab. New Holland. (?)

juvencus *Burm.* Handb. V. *p.* 110.
Hab. New Holland.

lævipes *Burm.* l. c. *p.* 109.
Hab. New Holland.

latipes *Guér.* Voy. Coq. 1830. Col. *p.* 80. t. 3. f. 1.—*Burm.* Handb. V. *p.* 109.
porcellus Boisd. Voy. Astrol. Col. *p.* 164.—*Reiche.* Ann. Fr. 1859, *p.* 9.—*Durville.* Dej. Cat. 3. ed. *p.* 168.
Hab. Victoria, and New South Wales.

mælius *Erichs.* Wiegm. Arch. 1842. I. *p.* 158.—*Burm.* Handb. IV. *p.* 110.
Hab. Tasmania.

pecuarius *Reiche.* Ann. Fr. 1860, *p.* 332.
Hab. South Australia.

subcostatus *Casteln.* Hist. Nat. II. *p.* 116.
Hab. New Holland.

Pericoptus. (*Burmeister.*)

truncatus *Fabr.* Syst. Ent. I. *p.* 6.—*Oliv.* Ent. I. 3. *p.* 31. t. 11. f. 103.—*Burm.* Handb. V. *p.* 111.—*Lacord.* Gen. Atl. t. 36. f. 4.
Hab. King George's Sound.

Pimelopus. (*Erichson.*)

lævis *Burm.* Handb. V. *p.* 176.
Hab. Western Australia.
nothus *Burm.* l. c. *p.* 176.
Hab. Western Australia.
porcellus *Erichs.* Wiegm. Arch. 1842. I. *p.* 160.—*Burm.* Handb. V. *p.* 175.
Hab. Tasmania.

Corynophyllus. (*Hope.*)

Fortnumi *Hope.* Trans. Ent. Soc. IV. *p.* 112. t. 6. f. 4.; *p.* 280. t. 19. f. 7.
Hab. South Australia.

Dasygnathus. (*Macleay.*)

Australis *Boisd.* Voy. Astrol. Col. *p.* 167.—*Durville.* Dej. Cat. 3. ed. *p.* 168.
Hab. New Holland.
Couloni *Burm.* Handb. V. *p.* 205.
Hab. New Holland.
Dejeani *Macleay.* Hor. Ent. I. *p.* 141. t. 2. f. 17.—*Burm.* Handb. V. *p.* 205.—*Lacord.* Gen. Atl. t. 37. f. 2.
var. *Aristides* Dej. Cat. 3. ed. *p.* 168.
Hab. New Holland.
Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1871, *p.* 199.
Hab. Gayndah, Queensland.

Oryctes. (*Illiger.*)

barbarossa *Fabr.* Syst. Ent. I. *p.* 12.—*Oliv.* Ent. I. 3. *p.* 32. t. 12. f. 109. a–b.
Hab. New Holland.
Müllerianus *White.* Proc. Zool. Soc. 1849, *p.* 118. t. 58. f. 4. (alt. gen.)
Hab. New Holland.
obscurus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 200.
Hab. Gayndah, Queensland.

Scapanes. (*Burmeister.*)

solidus *Burm.* Handb. V. *p.* 207.
Hab. New South Wales, and Queenslend.

Xylotrupes. (*Hope.*)

Australicus *Thoms.* Arcan. Nat. 1859, *p.* 18.
Hab. New South Wales, and Queensland.

Cryptodus. (*Macleay,*)

caviceps *Westw.* Trans. Ent. Soc. 2. Ser. IV. 1856, *p.* 6. t. 1. f. 6.
Hab. Swan River, Western Australia.
incornutus *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 202.
Hab. Gayndah, Queensland.
obscurus *Macleay, W.* l. c. *p.* 201.
Hab. Gayndah, Queensland.
paradoxus *Macleay.* Hor. Ent. I. *p.* 139.
Hab. New South Wales.
passaloides *Germ.* Linn. Ent. III. 1848, *p.* 189.—*Westw.* Trans. Ent. Soc. IV. 1856. *p* 5. t 1. f. 5.
Hab. South Australia.
piceus *Germ.* l. c. *p.* 190.—*Westw.* l. c. *p.* 2. t. 1. f. 2.
Hab. South Australia.
politus *Westw.* l. c. *p.* 4. t. 1. f. 4.
Hab. New Holland.
subcostatus *Macleay, W.* Trans. Ent. Soc. N. S Wales. II. 1871, *p.* 201.
Hab. Gayndah, Queensland.
Tasmanicus *Westw.* Proc. Ent. Soc. 1841, *p.* 34.—Trans. Ent. Soc. IV. 1845, *p.* 21. t. 2. f. 1.—*Lacord.* Gen. Atl. t. 37. f. 4.
anthracinus Erichs. Wiegm. Arch. 1842. I. *p.* 160.
Hab. Tasmania.
variolosus *White.* Grey. Journ. Austral. II. *p.* 459.—*Westw.* Trans. Ent. Soc. IV. 1856, *p.* 2. t. 1. f. 1.
paradoxus Westw. l. c. IV. 1845, *p.* 22. t. 2. f. 1. z.—*Burm.* Handb. V. *p.* 145.
Hab. Western Australia.

Semanopterus. (*Hope.*)

Adelaidæ *Hope.* Trans. Ent. Soc. IV. *p.* 281. t. 19. f. 8.
Hab. South Australia.
convexiusculus *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871. *p.* 201.
Hab. Gayndah, Queensland.
depressiusculus *Macleay, W.* l. c. *p.* 200.
Hab. Gayndah, Queensland.

depressus *Hope*. Trans. Ent. Soc. IV. *p*. 282.
Hab. South Australia.
subæqualis *Hope*. l. c. *p*. 282.
Hab. South Australia.

CETONINI.

Lomaptera. (*Gory et Percheron.*)

Australis *Wallace*. Trans. Ent. Soc. 3. Ser. IV. 1868, *p*. 543.
Hab. Lizard Island, N.E. Coast.

Schizorhina. (*Kirby.*)

Diaphonia Newman. *Clithria Burm.* *Eupoecila Burm.*
Hemipharis Burm.

assimilis *Macleay, W.* Trans. Ent. Soc. N. S. Wales. I. 1862, *p*. 17.
Hab. Port Denison, Queensland.
atripennis *Macleay, W.* l. c. *p*. 13.
Hab. New South Wales, and Queensland.
atropunctata *Kirby*. Trans. Linn. Soc. XII. *p*. 464.—*Burm*. Handb. III. *p*. 534.
quadripunctata Gory et Perch. Mon. *p*. 157. t. 27. f. 1.
Hab. New South Wales, and Queensland.
Australasiæ *Donov*. Epit. Ins. t. 1. f. 1.—*Gory et Perch*. Mon. *p*. 161. t. 28. f. 1.—*Burm*. Handb. III. *p*. 540.
Panzeri Swartz. Schönh. Syn. Ins. I. 3. App. *p*. 50.
Hab. Victoria, N. S. Wales, and Queensland.
Bakewelli *White*. Ann. Nat. Hist. 1859, *p*. 290; Proc. Zool. Soc. 1859, *p*. 119. t. 58. f. 7.
Hab. New South Wales, and Victoria.
Bassi *White*. Ann. Nat. Hist. XX. *p*. 264. c. f; Proc. Zool. Soc. 1856. t. 41. f. 8.
Hab. New South Wales.
Besti *Westw*. Arcan. Ent. I. *p*. 103. t. 28. f. 2.
Hab. Victoria, and New South Wales.
Browni *Kirby*. Trans. Linn. Soc. XII. *p*. 465. t. 23. f. 6.—*Gory et Perch*. Mon. *p*. 158. t. 27. f. 2.
Brunoni Burm. Handb. III. *p*. 532.
Hab. New South Wales, and Queensland.
cincta *Donov*. Epit. Ins. N. Holl.—*Boisd*. Voy. Astrol. Col. *p*. 222.—*Gory et Perch*. Mon. *p*. 168. t. 29. f. 4.
circumcincta Dej. Cat. 3. ed. *p*. 190.
fulvocincta Blanch. Cat. Coll. Ent. *p*. 23.
Hab. New South Wales.

decorticata *Macleay, W.* Trans. Ent. Soc. N. S. Wales, I. 1862, *p.* 17.
Hab. Port Denison, Queensland.

dispar *Newman.* Ann. Nat. Hist. 2. Ser. IV. *p.* 366.—*Burm.* Handb. III. *p.* 798.
Penelope Newm. loc. cit.
Ulysses Newm. loc. cit.

dorsalis *Donov.* Epit. Ins. t. 1. f. 1.—*Burm.* Handb. III. *p.* 536.
Hookeri Swartz. Schönh. Syn. Ins. I. 3. App. *p.* 49.—*Gory et Perch.* Mon. *p.* 172. t. 30. f. 4.
Hab. Victoria, and New South Wales.

ebenina *Butler.* Proc. Zool. Soc. 1865. *p.* 729. f. 1. a.
Hab. New Holland. (?)

eburneoguttata *Blanch.* Cat. Coll. Ent. 1850, *p.* 23.
Hab. Moreton Bay.

eucnemis *Burm.* Handb. III. *p.* 537.
obliquata Westw. Arcan. Ent. I. *p.* 103. t. 28. f. 1.
Hab. Victoria, and New South Wales.

frontalis *Donov.* Epit. Ins. t. 1. f. 2.—*Gory et Perch.* Mon. *p.* 163. t. 28. f. 3.—*Burm.* Handb. III. *p.* 536.
var. *Cunninghami Gory et Perch.* Mon. *p.* 162. t. 28. f. 2.
Hab. New South Wales, and Southern parts of Queensland.

gratiosa *Blanch.* Cat. Coll. Ent. 1850. I *p.* 22.
Hab. Moreton Bay.

gymnopleura *Fischer.* Mém. Mosc. VI. 1823, *p.* 257. t. 22. f. 4.—*Boisd.* Voy. Astrol. Col. *p.* 219.—*Gory et Perch.* Mon. *p.* 165. t. 28. f. 5.—*Macleay.* Dej. Cat. 3. ed. *p.* 189.
var. *concolor Gory et Perch.* Mon. *p.* 165. t. 28. f. 6.—*Kirby.* Dej. Cat. 3. ed. *p.* 189.
var. *tenebricosa Dej.* Cat. 3. ed. *p.* 189.
Hab. New South Wales.

hirticeps *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 203.
Hab. Gayndah, Queensland.

impar *Macleay, W.* l. c. I. 1862. *p.* 14.
Hab. Rockhampton and Gayndah, Queensland.

insularis *Gory et Perch.* Mon. *p.* 160. t. 27. f. 5.—*Burm.* Handb. III. *p.* 532.
Hab. Port Denison, and Northern parts of Australia.

marginipennis *Macleay, W.* Trans. Ent. Soc. N. S. Wales. I. 1862, *p.* 13.
Nortoni Butler. Ann. Nat. Hist. XVI. 1865, *p.* 161; Proc. Zool. Soc. 1865, *p.* 730. f. 3. a.
Hab. New South Wales, and Queensland.

Mastersi *Macleay, W.* l. c. II. 1871, *p.* 202.
Hab. Gayndah, Queensland.

metallescens *White.* Proc. Zool. Soc. 1859, *p.* 119. t. 58. f. 8.
Hab. South Australia.

nigrans *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 203.
Hab. Gayndah, Queensland.

nigriceps *Blanch.* Cat. Coll. Ent. 1850, *p.* 23.
Hab. Western Australia.

notabilis *White* Stokes. Voy. Ins. I. *p.* 506. t. 1. f. 5.
Hab. Western Australia.

ocellata *Macleay, W.* Trans. Ent. Soc. N. S. Wales. I. 1862, *p.* 16.
Hab. Southern parts of Queensland.

ochracea *Westw.* Trans. Ent. Soc 2. Ser. III. *p.* 73. t. 7. f. 8.
Hab. New South Wales, and Queensland.

octopunctata *Burm.* Handb. III. *p.* 540.
Hab. New Holland.

palmata *Schaum.* Trans. Ent. Soc. 1848, *p.* 73. t. 8. f. 4.
Hab. New South Wales.

Philippsi *Schreib.* Trans. Linn. Soc. VI. 1802, *p.* 193. t. 20. f. 4. —*Gory et Perch.* Mon. *p.* 158. t. 27. f. 2.—*Burm.* Handb. III. *p.* 534.
var. *carinata Donov.* Epit. Ins. t. 1.—*Macleay.* Ill. Zool. Afr. III. *p.* 28.
Hab. New South Wales, and Victoria.

pulchra *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1871, *p.* 203.
Hab. Pine Mountain, and Gayndah, Queensland.

punctata *Donov.* Epit. Ins. t. 1.—*Gory et Perch.* Mon. *p.* 164. t. 28. f. 4.—*Burm.* Handb. III. *p.* 541.
Hab. Victoria, New South Wales, and Queensland.

rugosa *Schaum.* Trans. Ent. Soc. V. 1848, *p.* 74. t. 11. f. 6.
Hab. New Holland.

succinea *Hope.* Trans. Ent. Soc. III. 1843, *p.* 281.
Hab. New South Wales, and Queensland.

unicolor *Macleay, W.* Trans. Ent. Soc. N. S. Wales. I. 1862, *p.* 15.
Hab. King George's Sound.

variabilis *Macleay, W.* l. c. *p.* 15.
Hab. Port Denison, Rockhampton, &c., Queensland.

velutina *Macleay, W.* l. c. *p.* 14.
Hab. Port Denison, Queensland.

viridicuprea *Macleay, W.* l. c. II. 1871. *p.* 204.
Hab. Moreton Bay, Wide Bay, & Gayndah, Queensland.

viridisignata *Macleay, W.* l. c. I. 1862, *p.* 15.
Hab. King George's Sound.

xanthopyga *Germ.* Linn. Ent. III. *p.* 195.
Hab. South Australia.

Glycyphana. (*Burmeister.*)

brunnipes *Kirby*. Trans. Linn. Soc. XII. *p*. 465.—*Schaum*. Ann. Fr. 1849, *p*. 263.
conspersa Gory et Perch. Mon. *p*. 287. t. 56. f. 1.—*Burm*. Handb. III. *p*. 353.
obscura Donov. Epit. Ins. (forte.)
viridiobscura Dej. Cat. 2. ed. *p*. 173.
var. *fasciata Fabr*. Syst. Ent. I. *p*. 50.—*Burm*. Handb. III. *p*. 354.
var. *perversa Schaum*. Ann. Fr. 1844, *p*. 371.
var. *stolata Fabr*. Syst. El. II. *p*. 153.
Hab. New South Wales, and Queensland.

Cetonia. (*Fabricius.*)

fasciculata *Macleay, W*. Trans. Ent. Soc. N. S. Wales, I. 1862, *p*. 19.
Hab. Illawarra, New South Wales.

fulgens *Macleay, W*. l. c. *p*. 18.
Hab. Rockhampton, Queensland.

incana *Macleay, W*. l. c. *p*. 19.
Hab. Rockhampton, Queensland.

tibialis *Macleay, W*. l. c. *p*. 18.
Hab. Port Denison, Queensland

Valgus. (*Scriba.*)

castaneipennis *Macleay, W*. Trans. Ent. Soc. N. S. Wales. II. 1871, *p*. 205.
Hab. Gayndah, Queensland.

Lapeyrousei *Gory et Perch*. Mon. *p*. 80. t. 9. f. 1.—*Burm*. Handb. III. *p*. 727.
Hab. New South Wales.

nigrinus *Macleay, W*. Trans. Ent. Soc. N. S. Wales. II. 1871, *p*. 205.
Hab. Gayndah, Queensland.

BUPRESTIDÆ.

Cyria. (*Solier*)

imperialis *Donov.* Epit. Ins. N. Holl. t. 8. f. 3.—*Fabr.* Syst. El. II. *p.* 204.—*Lap. et Gory.* Mon. I. *p* 19. t. 5. f. 20.
var. *Australis Boisd.* Voy. Astrol. II. *p.* 62.—*Lap et Gory.* l. c. *p.* 20. t. 5. f. 21.—*d'Urville.* Dej. Cat. 3. ed. *p.* 85.
var. *gagates Hope.* Bupr. *p.* 1.
Hab. New South Wales, Victoria, South Australia, and Tasmania.

vittigera *Lap. et Gory.* Mon. I. *p.* 21. t. 5. f. 22.—*Saund.* Trans. Ent. Soc. 1868. *p.* 3. t. 1. f. 3.—*Hope.* Bupr. *p.* 1.
Hab. King George's Sound.

Diadoxus. (*Deyrolle, H., i litt.*)

erythrurus *White.* Stokes. Voy. I. *p.* 507. t. 1. f. 7.—*Saund.* Trans. Ent. Soc. 1868. *p.* 4. t. 1 f. 5.
pistacinus Hope. Bupr. *p.* 10.
Hab. South Australia, Victoria, & New South Wales.

scalaris *Lap. et Gory.* Mon. I. *p.* 141. t. 35. f. 193.—*Saund.* l. c. *p.* 4. t. 1. f. 4.
Erichsoni Hope. Bupr. *p.* 10.
Hab. South Australia, and Victoria.

Chalcophora. (*Solier.*)

Chalcotænia Deyr. Chrysodema Lap. et Gory. Paracupta Deyr. Cyphogastra Deyr.

albivittis *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 214.—*Saund.* Trans. Ent. Soc. 1868, *p.* 6. t. 1. f. 7.
Hab. Tasmania, Victoria, and New South Wales.

aurofoveata *E. Saund.* Journ. Linn. Soc. X. *p.* 334. t. 10. f. 6.
Hab. N. West Australia.

farinosa *Fab.* Syst. Ent. *p.* 219.—*Lap. et Gory.* Mon. I. Chrysod. *p.* 21. t. 5. f. 28.
var. (?) *ventricosa Oliv.* Ent. II. gen. 32. *p.* 36. t. 6. f. 63. a–b.
Hab. North Australia.

gigas *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 208.—*Saund.* Trans. Ent. Soc. 1868, *p.* 5. t. 1. f. 6.
Hab. Queensland.

Goryi *Bohem.* Res. Eugen. 1858, *p.* 59.
Hab. New South Wales. (?)

Lamberti *Lap. et Gory.* Mon. I. *p.* 14. t. 4. f. 18.—*Saund.* Trans. Ent. Soc. 1868. *p.* 7. t. 1. f. 8.—*Hope.* Bupr. *p.* 9.
Hab. New South Wales.

pistor *Lap. et Gory.* Mon. I. *p.* 25. t. 6. f. 33.
Hab. Northern parts of Australia.

pyritosa *Bohem.* Res. Eugen. 1858, *p.* 58.
Hab. New South Wales.

venerea *Thoms.* Arch. Ent. I. *p.* 431. t. 16. f. 7.
Hab. North Australia.

Nascio. (*Lap. et Gory.*)

Geronia Dejean.

Parryi *Hope.* Trans. Ent. Soc. IV. 1845, *p.* 103.—*Saund.* Trans. Ent. Soc. 1868, *p.* 9. t. 1. f. 11.
Saundersi Hope. l. c. 1846, *p.* 213.—*White.* Stokes. Voy. I. t. 1. f. 3.
Hab. Tasmania, South Australia, Victoria, and New South Wales.

vetustus *Boisd.* Voy. Astrol. Col. *p.* 85.—*Lap. et Gory.* Mon. I. *p.* 2. t 1. f. 1.
Hab. New South Wales, and Victoria.

viridis *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1872, *p.* 239.
Hab. Maryborough, and Gayndah, Queensland.

Xanthurus *Lap. et Gory.* Mon. II. Agril. *p.* 30. t. 7. f. 38.—*Saund.* Trans. Ent. Soc. 1868, *p.* 8. t. 1. f. 10.—*Hope.* Bupr. *p.* 13.
Hab. New Holland.

Buprestis. (*Linné.*)

aurantiopicta *Lap. et Gory.* Mon. I. *p.* 132.—*Saund.* Trans. Ent. Soc. 1868. *p.* 7. t. 4. f. 6.
Gulielmi White. Proc. Zool. Soc. 1859, *p.* 120. t. 59. f. 2.
decostigma Hope. Bupr. *p.* 7.
Hab. Northern parts of N. S. Wales, and Queensland.

decemnotata *Lap et Gory.* Mon. I. *p.* 133.
aurantiopicta Lap. et Gory. l. c. t. 33. f. 183.
Hab. New Holland.
discoidea *Lap. et Gory.* Mon. I. *p.* 130. t. 33. f. 180.
Hab. New Holland.

Astræus. (*Lap. et Gory.*)

flavopictus *Lap. et Gory.* Mon. I. *p.* 2. t. 1. f. 1.
Hab. New South Wales.
Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 240.
Hab. Gayndah, Queensland.
navarchis *Thoms.* Rev. & Mag. Zool. 1856, *p.* 115. t. 6. f. 2.
Hab. New Holland.
Samouellei *Saund.* Trans. Ent. Soc. 1868, *p.* 10. t. 1. f. 12.—*Hope.* Bupr. *p.* 6.
Hab. New South Wales.

Bubastes. (*Lap. et Gory.*)

sphænoida *Lap. et Gory.* Mon. I. *p.* 2. t. 1. f. 1.
Hab. New Holland.

Eurybia. (*Lap. et Gory.*)

Euryspilus Lacord.

chalcodes *Lap. et Gory.* Mon. II. *p.* 1. t. 1. f. 1.—*Saund.* Trans. Ent. Soc. 1868, *p.* 11. t. 1. f. 13.—*Hope.* Bupr. *p.* 12.
Hab. Swan River, Western Australia.

Briseis. (*Laf.*)

conica *Lap. et Gory.* Mon. I. *p.* 118. t. 30. f. 162.
Hab. New Holland.

Cinyra. (*Lap. et Gory.*)

spilota *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 219.—*Saund.* Trans. Ent. Soc. 1868, *p.* 11. t. 4. f. 32.
Hab. New Holland.

Melobasis. (*Lap. et Gory.*)

Abrobapta Dejean.

apicalis *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1872, *p.* 241.
Hab. Gayndah, Queensland.

azureipennis *Macleay*, *W.* l. c. *p.* 240.
Hab. Gayndah, Rockhampton, Port Denison, &c., Queensland.

chrysochloris *Lap. et Gory*. Mon. I. Bupr. *p.* 122. t. 31. f. 169.—*—Saund.* Trans. Ent. Soc. 1868, *p.* 12. t. 1. f. 22.—*Hope*. Bupr. *p.* 7.
Hab. New Holland.

chrysoptera *Boisd.* Voy. Astrol. Ent. II. *p.* 95.
Hab. New Holland.

costata *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales. II. 1872, *p.* 241.
Hab. Gayndah, Queensland.

cupriceps *Kirby*. Trans. Linn. Soc. XII. *p.* 457.—*Lap. et Gory*. Mon. I. *p.* 119. t. 30. f. 164.
viridinitens Boisd. Voy. Astrol. Col. *p.* 94.—*Dej.* Cat. 3. ed. *p.* 90.
var. *iridescens Lap. et Gory*. l. c. *p.* 121. t. 31. f. 167.—*Hope*. Bupr. *p.* 8.
Hab. New South Wales.

cuprifera *Kirby*. Trans. Linn. Soc. XII. *p.* 457.—*Lap. et Gory*. l. c. *p.* 119. t. 30. f. 163.—*Saund.* l. c. *p.* 13. t. 1. f. 23.
chrysoptera Latr. Dej. Cat. 3. ed. *p.* 90.
Hab. New South Wales.

cyanipennis *Bohem.* Res. Eugen. 1858. *p.* 59.
Hab. New South Wales.

dilatata *Redtenb.* Reis. Novar. Zool. II. *p.* 85.
Hab. New South Wales.

gloriosa *Lap. et Gory*. Mon. I. *p.* 123. t. 31. f. 170.—*Saund.* Trans. Ent. Soc. 1868, *p.* 14. t. 1. f. 15.—*Hope*. Bupr. *p.* 7.
Hab. King George's Sound.

hypocrita *Erichs.* Wiegm. Arch. 1842. I. *p.* 135.
Hab. Tasmania.

Lathami *Lap. et Gory*. Mon. I. *p.* 120. t. 31. f. 166.—*Saund.* Trans. Ent. Soc. 1868, *p.* 17. t. 1. f. 20.—*Hope*. Bupr. *p.* 8.
Hab. New Holland.

metallifera *Saund.* l. c. *p.* 16. t. 1. f. 18.—*Hope*. Bupr. *p.* 8.
Hab. Swan River, Western Australia.

nervosa *Boisd.* Voy. Astrol. Col. *p.* 77. t. 6. f. 8.—*Lap. et Gory*. Mon. I. *p.* 121. t. 31. f. 168.
Hab. Victoria, and Tasmania.

obscura *Macleay*, *W.* Trans. Ent. Soc. N. S. Wales. II. 1872, *p.* 242.
Hab. Gayndah, Queensland.

prisca *Erichs.* Wiegm. Arch. 1842. I. *p.* 135.
Hab. Tasmania.

propinqua *Lap. et Gory.* Mon. I. *p.* 120. t. 30. f 165—*Saund.* Trans. Ent. Soc. 1868, *p.* 15. t. 1. f. 17.—*Hope.* Bupr. *p.* 8.
Hab. New Holland.
purpurascens *Fabr.* Syst. Eleuth. II. *p.* 217.
purpureosignata Lap. et Gory. Mon. I. Apat. *p.* 6. t. 2. f. 9.
Hab. New Holland.
pyritosa *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 214.—*Saund.* Trans. Ent Soc 1868, *p.* 13. t. 1. f. 14.
Hab. Western Australia.
sexplagiata *Lap. et Gory.* Mon. I. *p.* 124. t. 31. f. 172.
Hab. New Holland.
simplex *Germ.* Linn. Ent. III. 1848, *p.* 175.
Hab. South Australia.
splendida *Donov.* Epit. Ins. New Holl. t. 7. f. 4.—*Saund.* Trans. Ent. Soc. 1868, *p.* 14.—*Hope.* Bupr. *p.* 10.
Hab. New Holland.
suaveola *Germ.* Linn. Ent. III. 1848, *p.* 176.
Hab. South Australia.
superba *Lap. et Gory.* Mon. I. *p.* 123. t. 31. f. 171.—*Saund.* Trans. Ent. Soc. 1868, *p.* 14. t. 1. f. 15. a.—*Hope.* Bupr. *p.* 9.
Hab. New Holland.
verna *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 214.—*Saund.* l. c. *p.* 17. t. 1. f. 19.
Hab. South Australia.

Anthaxia. (*Eschscholtz.*)

cupripennis *Chevrol.* Silb. Rev. V. *p.* 77.
Hab. New South Wales.
cupripes *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1872, *p.* 243.
Hab. Gayndah, Queensland.
nigra *Macleay, W.* l. c *p.* 244.
Hab. Gayndah, Queensland.
obscura *Macleay, W.* l. c. *p.* 243.
Hab. Gayndah, Queensland.
purpureicollis *Macleay, W.* l. c. *p.* 243.
Hab. Gayndah, Queensland.

Anilara. (*Deyrolle.*)

Adelaidæ *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 216.—*Saund.* Trans. Ent. Soc. 1868, *p.* 19. t. 4. f. 10.
Hab. South Australia.

Neocuris. (*Deyrolle.*)

Fortnumi *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 216.—*Saund.* Trans. Ent. Soc. 1868, *p.* 19. t. 4. f. 10.
Hab. South Australia.

gracilis *Macleay*, *W.* Trans. Ent. Soc. N. S. Wales. II. 1872, *p.* 242.
Hab. Gayndah, Queensland.
Guerini *Hope*. Trans. Ent. Soc. IV. 1845, *p.* 103.—*Saund.* Trans. Ent. Soc. 1868, *p.* 20. t. 4. f. 11.
Hab. South Australia.
Mastersi *Macleay*, *W.* Trans. Ent. Soc. N. S. Wales. II. 1872, *p.* 242.
Hab. Gayndah, Queensland.

Curis. (*Lap. et Gory.*)

aurifera *Lap. et Gory*. Mon. II. *p.* 49. t. 11. f. 59.—*Saund.* Trans. Ent. Soc. 1868, *p.* 21. t. 4. f. 8.—*Hope*. Bupr. *p.* 9.
caloptera Macleay. Dej. Cat. 3. ed. *p.* 89.
aurovittata Bohem. Res. Eugen. 1858, *p.* 60.
Hab. New South Wales, Victoria, & South Australia.
caloptera *Boisd.* Voy. Astrol. Col. *p.* 93.—*Lap. et Gory*. Mon. II. *p.* 48. t. 11. f. 58.—*Saund.* Trans. Ent. Soc. 1868, *p.* 21. t. 4. f. 7.
dives Hope. Bupr. *p.* 9.
Hab. New South Wales, and Victoria.
Peroni *Lap. et Gory*. Mon. II. *p.* 48. t. 11. f. 57.
Hab. Kangaroo Island, South Australia.
Spencei *Mannerh*. Bull. Mosc. 1837. VIII. *p.* 68.
Hab. New Holland.
splendens *Macleay*, *W.* Trans. Ent. Soc. N. S Wales. II. 1872, *p.* 245.
Hab. Gayndah, Queensland.

Notograptus. (*Macleay*, *W.*)

hieroglyphicus *Macleay*, *W.* Trans. Ent. Soc. N. S. Wales. II. 1872. *p.* 245.
Hab. Gayndah, Queensland.
sulcipennis *Macleay*, *W.* l. c. *p.* 244.
Hab. Gayndah, Queensland.

Castalia. (*Lap. et Gory.*)

bimaculata *Linn.* Syst. Nat. I. 2. *p.* 662 —*Oliv.* Ent. II. 32. *p.* 88. t. 12. f. 140.—*Saund.* Trans Ent. Soc. 1868, *p.* 22. t. 1. f. 24 var. *impustulata Gory*. Mon. IV. *p.* 189 t. 32. f. 184.
Hab. New Holland.
bipustulata *Boisd.* Voy. Astrol. Col. *p.* 83.—*Lap. et Gory*. Mon. II. *p.* 3. t. 1. f. 2.—*d'Urville*. Dej. Cat. 3. ed. *p.* 89.
bimaculata Lap. et Gory. Mon. II. *p.* 2. t. 1. f. 1.
Hab. North Australia.
pacifica *Boisd.* Voy. Astrol. Ent. II. *p.* 83.
Hab. North Australia.

Metaxymorpha. (*Parry.*)

Grayi *Parry*. Trans. Ent. Soc. V. *p.* 82. t. 11. f. 7.
Hab. New Holland.

Calodema. (*Lap. et Gory.*)

regalis *Lap. et Gory*. Mon. II. *p.* 71. t. 16. f. 88.—*Saund.* Trans. Ent. Soc. 1868, *p.* 22. t. 4. f. 9.
Kirbyi Hope. Col. Man. III. 1840. *p.* 173. t. 1.—*Lacord.* Gen. Atl. t. 40. f. 1.
Hab. New South Wales, and Queensland.

Polycesta. (*Solier.*)

Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1872, *p.* 248.
Hab. Gayndah, Queensland.

Acherusia. (*Lap. et Gory.*)

Childreni *Lap. et Gory*. Mon. I. *p.* 2. t. 1. f. 1.
Hab. New Holland.

Xyroscelis. (*Laf. MSS.*)

crocata *Lap. et Gory*. Mon. II. Amorph. *p.* 13. t. 3. f. 16.—*Saund.* Trans. Ent. Soc. 1868, *p.* 53. t. 4. f. 15.
melanosticta Hope. Trans. Ent. Soc. IV. 1846, *p.* 217.
nodosa Hope. loc. cit.

Sphenoptera. (*Solier.*)

Australis *Lap. et Gory*. Mon. II. *p.* 34. t. 9. f. 52.
Hab. New Holland.

Chrysobothris. (*Eschscholtz.*)

atrata *Lap. et Gory*. Mon. II. *p.* 58. t. 19. f. 79.—*Saund.* Trans. Ent. Soc. 1868, *p.* 18. t. 4. f. 13.—*Hope*. Bupr. *p.* 10.
Hab. New Holland. (Widely distributed.)
Australasiæ *Hope*. Trans. Ent. Soc. IV. 1846, *p.* 216.—*Saund.* Trans. Ent. Soc. 1868, *p.* 54. t. 4. f. 14.
Hab. Swan River, Western Australia.
elongatula *Macleay, W.* Trans. Ent. Soc. N. S. Wales. II. 1872, *p.* 247.
Hab. Gayndah, Queensland.
Kreffti *Macleay, W.* l. c. *p.* 247.
Hab. Gayndah, Queensland.
Mastersi *Macleay, W.* l. c. *p.* 247.
Hab. Gayndah, Queensland.
Perroni *Lap. et Gory*. Mon. II. *p.* 11. t. 2. f. 15.
Hab. New Holland.

Stigmodera. (*Eschscholtz.*)

Castiarina Lap. et Gory. Polychroma Dej. Themognatha Solier.

abdominalis *Saund.* Journ. Linn. Soc. IX. 1868, *p.* 467. t. 9. f. 17.
Hab. New South Wales.

acuticeps *Saund.* Ins. Saund. III. 1. 1869, *p.* 19. t. 2. f. 29.
Hab. Swan River, Western Australia.

æneicornis *Saund.* Journ. Linn. Soc. 1868, *p.* 472. t. 10. f. 28.
Hab. New South Wales.

affinis *Saund.* l. c. *p.* 461. t. 9. f. 4.
limbata Lap. et Gory. Mon. II. *p.* 36.
Hab. New South Wales.

amabilis *Lap. et Gory.* Mon. II. *p.* 19. t. 4. f. 18.—*Saund.* Trans. Ent. Soc. 1868, *p.* 35. t. 3. f. 1.—*Hope.* Bupr. *p.* 3.
Hab. King George's Sound.

amphichroa *Boisd.* Voy. Astrol. Col. *p.* 20.—*Saund.* l. c. *p.* 45. t. 3. f. 20.
sexspilota Lap. et Gory. Mon. II. *p.* 35. t. 8. f. 40.—*Hope.* Bupr. *p.* 4.
Hab. South Australia.

amplipennis *Saund.* Journ. Linn. Soc. 1868, *p.* 480. t. 10. f. 44.
Hab. Ropes Creek, &c., New South Wales.

analis *Saund.* Ins. Saund. III. 1. 1869, *p.* 7. t. 1. f. 10.
Hab. Moreton Bay.

anchoralis *Lap. et Gory.* Mon. II. *p.* 26. t. 5. f. 26.—*Saund.* Trans. Ent. Soc. 1868, *p.* 39. t. 8.—*Hope.* Bupr. *p.* 5.
Hab. King George's Sound.

Andersoni *Lap. et Gory.* l. c. *p.* 25. t. 5. f. 25.—*Saund.* l. c. *p.* 42. t. 3. f. 12.—*Hope.* Bupr. *p.* 5.
Hab. New South Wales, and Victoria.

assimilis *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 212.—*Saund.* l. c. *p.* 47. t. 3. f. 26.
Hab. Victoria.

atricollis *Saund.* Ins. Saund. III. 1. 1869, *p.* 22. t. 2. f. 33.
Hab. New Holland.

audax *Saund.* l. c. *p.* 5. t. 1. f. 7.
Hab. New Holland.

auricollis *Thoms.* Arch. Ent. I. *p.* 114.
Hab. New Holland.

Australasiæ *Lap. et Gory.* Mon. II. *p.* 32. t. 7. f. 35.—*Saund.* Trans. Ent. Soc. 1868, *p.* 37. t. 3. f. 4.
simulata Hope. Bupr. *p.* 3.
Hab. New South Wales, Victoria, South Australia, and Tasmania.

Bakewelli *White.* Ann. Nat. Hist. 1859, *p.* 290; Proc. Zool. Soc. 1859, *p.* 119. t. 59. f. 4.
Hab. South Australia.

balteata *Saund.* Ins. Saund. III. 1. 1869, *p.* 16. t. 2. f. 23.
Hab. New Holland.

bella *Saund.*
cruentata Lap. et Gory. Mon. I. *p.* 29. t. 6. f. 31.
Hab. New South Wales.

bicincta *Boisd.* Voy. Astrol. Coll. *p.* 89.—*Gory.* Mon. IV. *p.* 131. t. 23. f. 129.—*Dej.* Cat. 3. ed. *p.* 89.—*Saund.* Trans. Ent. Soc. 1868, *p.* 44. t. 3. f. 14.
bicingulata Lap. et Gory. Mon. II. *p.* 30. t. 6. f. 32.—*Hope.* Bupr. *p.* 5.
Dejéani Gory. Mon. IV. i. errat.
Hab. New South Wales, and Victoria.

bifasciata *Saund.* Journ. Linn. Soc. IX. 1868, *p.* 463. t. 9. f. 8.
Hab. Swan River, Western Australia.

biguttata *Macleay, W.* Trans. Ent. Soc. N. S. Wales. I. 1862, *p.* 24.
Hab. Port Denison, Queensland.

bimaculata *Saund.* Journ. Linn. Soc. 1868, *p.* 481. t. 10. f. 48.
Hab. N. W. Australia.

binotata *Saund.*
bimaculata Saund. Ins. Saund. III. 1. 1869, *p.* 7. t. 1. f. 9.
Hab. North Australia.

Bonvouloiri *Saund.* Journ. Linn. Soc. 1868, *p.* 460. t. 9. f. 2.
Hab. North Australia.

Bremei *Hope.* Trans. Ent. Soc. IV. 1845, *p.* 102.—*Saund.* Trans. Ent. Soc. 1868, *p.* 52. t. 4. f. 3.
Hab. New South Wales, and Victoria.

Burchelli *Lap. et Gory.* Mon. II. *p.* 33. t. 7. f. 37.—*Saund.* Trans. Ent. Soc. 1868. *p.* 38. t. 3. f. 6.
lanuginosa Hope. Trans. Ent. Soc. IV. 1846, *p.* 215.
var. *perplexa Hope* l. c. *p.* 211.
Hab. Western Australia.

cancellata *Donov.* Epit. Ins. New Holl. t. 7. f. 2.—*Saund.* Trans. Ent. Soc. 1868, *p.* 25. t. 2. f. 1.
Dejeaniana Boisd. Voy. Astrol. Col. *p.* 63.
Dejeani Hope. Bupr. *p.* 7.
Hab. Western Australia.

carinata *Macleay, W.* Trans. Ent. Soc. N. S. Wales. I. 1862, *p.* 26.
Hab. Port Denison, Queensland.

carminea *Saund.* Journ. Linn. Soc. 1868, *p.* 474. t. 10. f. 32.
Hab. New South Wales.

Castelnaudi *Saund.* Ins. Saund. III. 1. 1869, *p.* 9. t. 1. f. 13.
Hab. South Australia.

Chevrolati *Gêhin.* Bull. Soc. Mosel. 1855, *p.* 10. t. 1. f. 1.
imperatrix White. Proc. Zool. Soc 1859, *p.* 120. t. 59. f. 5; Ann. Nat. Hist. 1859, *p.* 290.
Hab. New Holland.

cinnamomea *Macleay, W.* Trans. Ent. Soc. N. S Wales. I. 1862, *p.* 25.
Hab. Port Denison, Queensland.

coccinata *Hope.* Trans. Ent. Soc. IV. 1845, *p.* 102.—*Saund.* Trans. Ent Soc. 1868, *p.* 51. t. 4. f. 2.
Hab. South Australia.

cœlestis *Thoms.* Arch. Ent. I. *p.* 113.
Hab. South Australia.

cœruleipes *Saund.* Ins. Saund. III. 1. 1869, *p.* 13. t. 2. f. 19.
Hab. South Australia.

cœruleiventris *Saund.* l. c. *p* 20. t. 2. f. 30.
Hab. South Australia.

congener *Saund.* l. c. *p.* 1. t. 1. f. 2.
Hab. New Holland.

consanguinea *Saund.* Trans. Ent. Soc. 1868, *p.* 49. t. 4. f. 1.
crocicolor Hope. Bupr. *p.* 6.
Hab. Swan River, Western Australia.

conspicillata *White.* Ann. Nat. Hist. XII. 1843, *p.* 344.
signaticollis Hope. Trans. Ent. Soc. IV. 1846, *p.* 209.—*Saund.* Trans. Ent. Soc. 1868, *p.* 30. t. 2. f. 16.
Hab. South Australia.

costalis *Saund.* Ins. Saund. III. 1. 1869, *p.* 14. t. 2. f. 21.
Hab. New Holland.

costata *Saund.* Journ. Linn. Soc. 1868, *p.* 470. t. 10. f. 24.
Hab. New South Wales.

costipennis *Saund.* Ins. Saund. III. 1. 1868, *p.* 13. t. 2. f. 18.
Hab. New South Wales.

crenata *Donov.* Epit. Ins. N. Holl. t. 7. f. 3.—*Saund.* Trans. Ent. Soc. 1868. *p.* 41.
Hab. New South Wales, and Victoria.

crocicolor *Lap. et Gory.* Mon. II. *p.* 44. t. 10. f. 53.
Hab. New Holland.

cruentata *Kirby.* Trans. Linn. Soc. XII. *p.* 455. t. 23. f. 1.—*Saund.* Trans. Ent. Soc. 1868, *p.* 44. t. 3. f. 17.—*Hope.* Bupr. *p.* 6.
Hab. New South Wales.

cruenta *Lap. et Gory.* Mon. II. *p.* 29. t. 6. f. 30.—*Saund.* Trans. Ent. Soc. 1868, *p.* 34. t. 2. f. 21.—*Hope.* Bupr. *p.* 4.
Hab. New South Wales.

crux *Saund.* Journ. Linn. Soc. IX. 1868, *p.* 473. t. 10. f. 29.
Hab. New Holland.

cupreoflava *Saund.* Ins. Saund. III. 1. 1869, *p.* 10. t. 1. f. 14.
Hab. New Holland.

cupricauda *Saund* l. c. *p.* 475. t. 10. f. 34.
Hab. New South Wales.

cupricollis *Saund.* Journ. Linn Soc. IX. 1868, *p.* 470. t. 10. f. 23.
Hab. New South Wales.

cyanicollis *Boisd.* Voy. Astrol. Col. *p.* 91.—*Lap. et Gory.* Mon. II. *p.* 34. t. 7. f. 38.—*Macleay.* Dej. Cat. 3. ed. *p.* 89.
media Hope. Trans. Ent. Soc. IV. 1847, *p.* 284.
rubrocincta Géhin Bull. Soc. Mosel. 1855, *p.* 13. t. 1. f. 5.
subtrifasciata Lap. et Gory. l. c. *p.* 41. t. 9. f. 48.—*Hope.* Bupr. *p.* 4.
Hab. New South Wales, Victoria, & South Australia.

cyanipes *Saund.* Journ. Linn. Soc. 1868, *p.* 468. t. 9. f. 20.
Hab. South Australia.

cyanura *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 211.—*Saund.* Trans. Ent. Soc. 1868, *p.* 31. t. 2. f. 17.
conspicillata var. *White.* Ann. Nat. Hist. XII. *p.* 344.
Hab. Western Australia.

cylindracea *Saund.* Journ. Linn. Soc. 1868, *p.* 476. t. 10. f. 35.
Hab. New South Wales.

decemmaculata *Kirby.* Trans. Linn. Soc. XII. *p.* 456. t. 23. f. 3. —*Lap. et Gory.* Mon. II. *p.* 36. t. 8. f. 41.
Hab. New South Wales.

decipiens *Westw.* Mag. Zool. Bot. I. 1837, *p.* 253. t. 7. f. 2.
capucina Thoms. Rev. & Mag. Zool. 1856, *p.* 116. t. 6. f. 3.
tricarinata Macleay, W. Trans. Ent. Soc. N. S. Wales. I. 1862, *p.* 29
Hab. Port Curtis, Rockhampton, &c., Queensland.

delectabilis *Hope.* Trans. Ent. Soc. IV. 1847, *p.* 284.—*Saund.* Trans. Ent. Soc. 1868, *p.* 40. t. 3. f. 9.
Hab. Victoria, and South Australia.

distincta *Saund.* Journ. Linn. Soc. 1868, *p.* 473. t. 10. f. 30.
Hab. Southern parts of Queensland.

distinguenda *Saund.* Ins. Saund. III. 1. 1869, *p.* 9. t. 1. f. 12.
Hab. New Holland.

Donovani *Lap. et Gory.* Mon. I. *p.* 17. t. 4. f. 15.
Hab. Western Australia.

Duponti *Boisd.* Voy. Astrol. Ent. II. *p.* 60.
Hab. New Holland.

elegantula *White.* Stokes. Journ. I. *p.* 507.
Hab. New Holland.

elongata *Saund.* Journ. Linn. Soc. 1868, *p.* 408. t. 10. f. 46.
Hab. Swan River, Western Australia.

elongatula *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 247.
Hab. Gayndah, Queensland.

erythromelas *Boisd.* Voy. Astrol. Col. *p.* 75. t. 6. f. 7.—*Lap. et Gory.* Mon. I. Bupr. *p.* 125. t. 31. f. 173.—*Saund.* Trans. Ent Soc. 1868, *p.* 36. t. 3. f. 2.
Hab. Tasmania.

erythroptera *Boisd.* l. c. *p.* 88.—*Gory.* Mon. IV. *p.* 128. t. 22, f. 126.—*Dej.* Cat. 3. ed. *p.* 89.
Hab. New South Wales.

excisicollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, I. 1862. *p.* 31.
Hab. Port Denison, Queensland.

flava *Saund.* Ins. Saund. III. 1. 1869, *p.* 17. t. 2. f. 25.
Hab. South Australia.

flavicollis *Saund.* l. c. *p.* 3. t. 1 f. 4.
Hab. Gawler, South Australia

flavocincta *Lap. et Gory.* Mon. II. *p.* 6. t. 1. f. 2.—*Saund.* Trans. Ent. Soc. 1868. *p.* 26. t. 2. f. 5.—*Hope.* Bupr. *p.* 1.
Hab. South and Western Australia.

flavomarginata *Gem. et Harold.* Cat. Col. *p.* 1400.
cruentata Murr. An. Soc. Fr. 1852, *p.* 253. t. 4. f. 1.
Hab. South Australia.

flavopicta *Boisd.* Voy. Astrol. Col. *p.* 92.—*Lap. et Gory.* Mon. II. *p.* 44. t. 10. f. 52.—*Dej.* Cat. 3. ed. *p.* 89.
bicolor Lap. et Gory. l. c. *p.* 39. t. 8. f. 45.
colorata Hope. Trans. Ent. Soc. IV. 1847, *p.* 283.
Hab. South Australia.

flavosignata *Macleay, W.* Trans. Ent. Soc. N. S. Wales. I. 1862, *p.* 30.
Hab. Rockhampton, Queensland.

flavovaria *Saund.*
flavopicta Lap. et Gory. Mon. I. *p.* 44. t. 10. f. 52.
Hab. New Holland.

Fortnumi *Hope.* Trans. Ent. Soc. IV. 1845, *p.* 102.—*Saund.* Trans. Ent. Soc. 1868, *p.* 27. t. 2. f. 9.
Hab. South Australia, and Queensland.

fulviventris *Macleay, W.* Trans. Ent. Soc. N. S. Wales. I. 1862, *p.* 22.
Hab. Port Denison, Queensland.

fusca *Saund.*
Parryi Hope. Trans. Ent. Soc. IV. *p.* 210.—*Saund.* Trans. Ent. Soc. 1868, *p.* 25. t. 2. f. 4.
Hab. South Australia.

gibbicollis *Saund.* Journ. Linn. Soc. 1868, *p.* 470. t. 10. f. 22.
Hab. South Australia.

Goryi *Lap. et Gory.* Mon. II. *p.* 7. t. 1. f. 3.—*Saund.* Trans. Ent. Soc. 1868, *p.* 23. t. 1. f. 26.—*Hope.* Bupr. *p.* 1.
Curtisi Hope. Bupr. *p.* 2.
Hab. New South Wales.

grandis *Donov.* Epit. Ins. N. Holl. t. 8. f. 1.—*Lap. et Gory.* Mon. II. *p.* 6. t. 1. f. 1.
Hab. Sydney.

grata *Saund.* Ins. Saund. III. 1. 1869, *p.* 11. t. 1. f. 15.
Hab. South Australia.

gratiosa *Chevrol.* Rev. Zool. 1843, *p.* 201.—*Saund.* Trans. Ent. Soc. 1868, *p* 25. t. 2. f. 3.
smaragdina Hope. Trans. Ent. Soc. IV. 1847, *p.* 283.
Hab. Western Australia.

gravis *Harold.* Col. Heft. V. 1869.
obscuripennis Saund. Journ. Linn. Soc. 1868, *p.* 475. t. 10. f. 33.
Hab. Swan River, Western Australia.

hæmatica *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 210.—*Saund.* Trans. Ent. Soc. 1868. *p.* 29. t. 2. f. 14.
Hab. Swan River, Western Australia.

Haroldi *Saund.*
viridiventris Saund. Ins. Saund. III. 1. 1869, *p.* 20. t. 2. f. 31.
Hab. New South Wales.

heros *Gèhin.* Bull. Soc. Mosel. 1855, *p.* 7. t. 1. f. 3.
Hab. Western Australia.

hilaris *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 213.—*Saund.* Trans. Ent. Soc. 1868, *p.* 52. t. 4. f. 4.
Hab. Victoria.

Hoffmannseggi *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 211.—*Saund.* l. c. 1868, *p.* 36. t. 3. f. 3.
Hab. Swan River, Western Australia.

Hopei *Saund.* l. c. 1868, *p.* 39. t. 3. f. 7.
Burchelli Hope. Bupr. *p.* 3.
Hab. New Holland.

ignota *Saund.* Ins. Saund. III. 1. 1869, *p.* 12. t. 2. f. 17.
Hab. Victoria.

impressicollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales. I. 1862, *p.* 32.
Hab. N. S. Wales, and Queensland.

inconspicua *Saund.* Journ. Linn. Soc. 1868, *p.* 476. t. 10. f. 37.
Hab. New Holland.

indistincta *Saund.* Ins. Saund. III. 1. 1869, *p.* 11. t. 2. f. 16.
Hab. New South Wales.

Jacquinoti *Boisd.* Voy. Astrol. Col. *p.* 67. t. 7. f. 2.—*Lap. et Gory.* Mon. II. *p.* 9. t. 2. f. 5.
Hab. Sydney.

Jansoni *Saund.* Journ. Linn. Soc. 1868, *p.* 462. t. 9. f. 6.
Hab. New Holland.

Jekeli *Saund.* l. c. *p.* 467. t. 9. f. 10.
Hab. South and Western Australia.

jospilota *Lap. et Gory.* Mon. II. *p.* 35. t. 7. f. 39.—*Saund.* Trans. Ent. Soc. 1868, *p.* 41. t. 3. f. 10.—*Hope.* Bupr. *p.* 6.
Hab. New South Wales.

jucunda *Saund.* Journ. Linn. Soc. 1868, *p.* 481. t. 10. f. 47.
Hab. New Holland.

Kirbyi *Guér.* Voy. Coq. *p.* 65.—*Lap. et Gory.* Mon. II. *p.* 33. t. 7. f. 36.
vivida Hope. Bupr. *p.* 5.
Hab. New South Wales, Victoria, and S. Australia.

Klugi *Lap. et Gory.* l. c. *p.* 27. t. 6. f. 28.—*Saund.* Trans. Ent. Soc. 1868, *p.* 34. t. 2. f. 22.—*Hope.* Bupr. *p.* 4.
Hab. New South Wales.

Kreffti *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. II. 1872, *p.* 247.
Hab. Gayndah, Queensland.

lævicollis *Saund.* Journ. Linn. Soc. 1868, *p.* 466. t. 9. f. 14.
Hab. New Holland.

latithorax *Thoms.* Arch. Ent. I. *p.* 112.
Hab. New Holland.

Lessoni *Gory.* Mon. IV. *p.* 127. t. 22. f. 125.
acutithorax Thoms. Arch. Ent. I. *p.* 113.
Hab. Western Australia.

liliputana *Thoms.* Arch. Ent. I. *p.* 114.
Hab. New Holland.

limbata *Donov.* Epit. Ins. N. Holl. t. 8. f. 4.—*Saund.* Trans. Ent. Soc. 1868, *p.* 27. t. 2. f. 7.—*Hope.* Bupr. *p.* 2.
Hab. New South Wales.

lobicollis *Saund.* Journ. Linn. Soc. 1868, *p.* 462 t. 9. f. 5.
Hab. Moreton Bay.

longicollis *Saund.* Ins. Saund. III. 1. 1869, *p.* 21. t. 2. f. 32.
Hab. N. W. Australia.

luteipennis *Gory.* Mon IV. *p.* 130. t. 22. f. 128.
Hab. New South Wales.

luteocincta *Saund.* Journ. Linn. Soc. 1868, *p.* 478. t. 10. f. 41.
Hab. Ropes Creek, N. S. Wales.

macularia *Donov.* Epit. Ins. N. Holl. t. 8. f. 2.—*Lap. et Gory.* Mon. II. *p.* 8. t. 1. f. 4.
cicatricosa Dalm. Anal. Ent. 1823, *p.* 53.
Hab. New South Wales, and Victoria.

maculipennis *Saund.* Journ. Linn. Soc. 1868, *p.* 480. t. 10. f. 45.
Hab. New South Wales.

maculiventris *Macleay, W.* Trans. Ent. Soc. N. S. Wales. I. 1862, *p.* 32.
Hab. Rockhampton, Queensland.

marginicollis *Saund.* Journ. Linn. Soc. 1868, *p.* 469. t. 10. f. 21.
Hab. New South Wales.

Martini *Saund.* Ins. Saund. III. 1. 1869, *p.* 2. t. 1. f. 3.
Hab. N. W. Australia.

Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales II. 1872, *p.* 246.
Hab. Gayndah, Queensland.

mimus *Saund.* Journ. Linn. Soc. 1868, *p.* 479. t. 10. f. 42.
Hab. Ropes Creek, N. S. Wales.

Mitchelli *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 209.—*Saund.* Trans. Ent. Soc. 1868, *p.* 28. t. 2. f. 10.
Stricklandi Hope. l. c. *p.* 220.
Daphnis Thoms. Arch. Ent. I. *p.* 112.
Hab. New South Wales, Victoria, S. Australia, and W. Australia.

Mniszechi *Saund.* Journ. Linn. Soc. 1868, *p.* 460. t. 9. f. 1.
Hab. South Australia, and Western Australia.

moribunda *Saund.* Ins. Saund. III. 1. 1869. *p.* 18. t. 2. f. 27.
Hab. New Holland.

Murrayi *Gem. and Har.* Cat. Col. *p.* 1401.
trifasciata Murray. Ann. Fr. 1852. *p.* 254. t. 4. f. 2.
Hab. King George's Sound.

mustelamajor *Thoms.* Arch. Ent. I. *p.* 115.
gibbosa Macleay, W. Trans. Ent. Soc. N. S. Wales. I. 1862, *p.* 26.
Hab. Queensland, New South Wales, S. Australia, and W. Australia.

nasuta *Saund.* Ins. Saund. III. 1. 1869, *p.* 15. t. 2. f. 22.
Hab. New Holland.

nigriventris *Macleay, W.* Trans. Ent. Soc. N S. Wales. I. 1862, *p.* 27.
Hab. Port Denison, Queensland.

obscura *Saund.* Ins. Saund. III. 1. 1869, *p.* 26. t. 2. f. 39.
Hab. South Australia.

obscuripennis *Mannerh.* Bull. Mosc. 1837. VIII. *p.* 32.
Hab New Holland.

ocelligera *Gory.* Mon. IV. *p.* 133. t. 23. f. 132.
Hab. Tasmania.

ochreiventris *Saund.* Ins. Saund. III. 1. 1869, *p.* 8. t. 1. f. 11.
Hab. New Holland.

octomaculata *Saund.* Journ. Linn. Soc. 1868, *p.* 472. t. 10. f. 27.
Hab. South Australia.

octospilota *Lap. et Gory.* Mon. II. *p.* 28. t. 6. f. 29.—*Saund.* Trans. Ent. Soc. 1868, *p.* 46. t. 3. f. 23.
femorata Lap et Gory. Mon. I. *p.* 37. t. 8. f. 42.
Adelaidæ Hope. Trans. Ent. Soc. IV. 1846, *p.* 212.
Hab. N. S. Wales, Victoria, and S. Australia.

pallidiventris *Lap. et Gory.* Mon. II. *p.* 42. t. 9. f. 50.
Hab. Swan River, Western Australia.

parallela *Saund.* Ins. Saund. III. 1. 1869, *p.* 16. t. 2. f. 24.
Hab. South Australia.

parva *Saund.* l. c. *p.* 26, t. 2, f. 40.
Hab. South Australia.

parvicollis *Saund.* l. c. *p.* 1, t. 1, f. 1.
Hab. South Australia.

Pascoei *Saund.* Journ. Linn. Soc. 1868, *p.* 463, t. 9, f. 9.
Hab. New Holland.

Pertyi *Lap. et Gory.* Mon. II. *p.* 23, t. 5, f. 22.—*Saund.* Trans. Ent. Soc. 1868, *p.* 50, t. 4, f. 1, a.—*Hope.* Bupr. *p.* 5.
Hab. New South Wales, and Victoria.

phæorrhea *Kirby.* Trans. Linn. Soc. XII. *p.* 456, t. 23, f. 2.—*Saund.* Trans. Ent. Soc. 1868, *p.* 43, t. 3, f. 13.—*Hope.* Bupr. *p.* 6.
Hab. Western Australia.

picta *Lap. et Gory.* Mon. II. *p.* 46, t. 10, f. 55.—*Saund.* Trans. Ent. Soc. 1868, *p.* 46, t. 3, f. 25.
purpurea Hope. Trans. Ent. Soc. IV. 1846, *p.* 213.
Hab. Swan River, Western Australia.

pictipennis *Saund.* Journ. Linn. Soc. 1868, *p.* 471, t. 10, f. 25.
Hab. Swan River, Western Australia.

piliventris *Saund.* l. c. *p.* 474, t. 10, f. 31.
Hab. Queensland.

plagiata *Gory.* Mon. IV. *p.* 132.—*Saund.* Trans. Ent. Soc. 1868, *p.* 42, t. 3. f. 11.
crenata Lap. et Gory. Mon. II. *p.* 39, t. 9, f. 46.
sexplagiata Gory. Mon. IV. t. 23, f. 130.
bicruciata Hope. Bupr. *p.* 4.
Hopei Bohem. Res. Eugen. 1858, *p.* 61.
similata Bohem. l. c. *p.* 62.
Hab. New South Wales, Victoria, and S. Australia.

producta *Saund.* Journ. Linn. Soc. 1868, *p.* 482, t. 10, f. 50.
Hab. Western Australia.

pulchra *Saund.* Ins. Saund. III. 1, 1869, *p.* 22, t. 2, f. 34.
Hab. N. W. Australia.

punctatostriata *Saund.* Journ. Linn. Soc. 1868, *p.* 466. t. 9, f. 15.
Hab. Swan River, Western Australia.

punctatosulcata *Saund.* Ins. Saund. III. 1, 1869, *p.* 24, t. 2, f. 37.
Hab. New Holland.

punctatissima *Saund.* l. c. *p.* 24, t. 2, f. 36.
Hab. New Holland.

punctiventris *Saund.* l. c. *p.* 17, t. 2, f. 26.
Hab. Gawler, South Australia.

quadrifasciata *Saund.* Journ. Linn. Soc. 1868, *p.* 477, t. 10, f. 39.
Hab. New Holland.

quadriguttata *Macleay, W.*, Trans. Ent. Soc. N. S. Wales. I. 1862, *p.* 28.
Hab. Port Denison, Queensland.

quadrispilota *Saund.* Ins. Saund. III. 1, 1869, *p.* 5, t. 1. f. 6.
Hab. South Australia.
recta *Saund.* l. c. *p.* 23, t. 2. f. 35.
Hab. South Australia.
rectifasciata *Saund.* Journ. Linn. Soc. 1868, *p.* 472, t. 10, f. 26.
Hab. New Holland.
Reichei *Lap. et Gory.* Mon. II. *p.* 13, t. 3, f. 10.
funerea White. Ann. Nat. Hist. 1843, *p.* 344.
Hab. Western Australia.
robusta *Saund.* Ins. Saund. III. 1, 1869, *p.* 6, t. 1, f. 8.
Hab. South Australia.
Roei *Saund.* Trans. Ent. Soc. 1868, *p.* 24. t. 2, f. 2.—*Hope.* Bupr. *p.* 2.
cancellata Boisd. Voy. Astrol. II. *p.* 62.—*Lap. et Gory.* Mon. II. *p.* 10, t. 2, f. 6.
Hab. Western Australia.
rotundata *Saund.* l. c. *p.* 19, t. 2, f. 28.
Hab. South Australia.
rufipennis *Kirby.* Trans. Linn. Soc. XII. *p.* 456.—*Lap. et Gory.* Mon. II. *p.* 21, t. 4, f. 21.
var. *crocipennis Lap. et Gory.* l. c. f. 20.—*Hope.* Bupr. *p.* 6.
Hab. New South Wales, Victoria, South Australia, West Australia, and Tasmania.
rufipes *Macleay, W.* Trans. Ent. Soc. N. S. Wales. I. 1862, *p.* 23.
Hab Port Denison, Maryborough, Gayndah, &c., Queensland.
rugosipennis *Thoms.* Arch. Ent. I. *p.* 111.
Hab. New Holland.
sagittaria *Lap. et Gory.* Mon. II. *p.* 31, t. 7, f. 34.
Hab. Swan River, Western Australia.
sanguinea *Saund.* Ins. Saund. III. 1, 1869, *p.* 4, t. 1, f. 5.
Hab. New Holland.
sanguineocincta *Saund.* Journ. Linn. Soc. 1868, *p.* 461, t. 9, f. 3.
Hab. North Australia.
sanguinipennis *Lap. et Gory.* Mon. II. *p.* 16, t. 3, f. 13.—*Saund.* Trans. Ent. Soc. 1868, *p.* 29, t. 2, f. 13.—*Hope.* Bupr. *p.* 2.
Hab. Victoria.
sanguiniventris *Saund.* Journ. Linn. Soc. 1868, *p.* 465, t. 9, f. 12.
Hab. South Australia.
sanguinolenta *Lap. et Gory.* Mon. II. *p.* 45. t. 10. f. 54.
Hab. Swan River, Western Australia.
sanguinosa *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 210.—*Saund.* Journ. Linn. Soc. 1868, *p.* 24, t. 1, f. 27.
Hab. South Australia.
scalaris *Boisd.* Voy. Astrol. Col. *p.* 89.—*Dej.* Cat. 3 ed. *p.* 89.
crucigera Lap. et Gory. Mon. II. *p.* 40, t. 9, f. 47.—*Hope.* Bupr. *p.* 4.
Hab. South Australia.

secularis *Thoms.* Arch. Ent. I. *p.* 111.
Hab. New Holland.

semicincta *Lap. et Gory.* Mon. II. *p.* 19, t. 4, f. 17.—*Saund.* Trans. Ent. Soc. 1868, *p.* 33, t. 2. f. 19.—*Hope.* Bupr. *p.* 3.
Hab. New South Wales.

semisuturalis *Saund.* Journ. Linn. Soc. 1868, *p.* 468, t. 10, f. 19.
Hab. Victoria.

sexguttata *Macleay, W.* Trans. Ent. Soc. N. S. Wales. I. 1862, *p.* 29.
puella Saund. Ins. Saund. III. 1. 1869, *p.* 25, t. 1, f. 38.
Hab. N. S. Wales, and Queensland.

sexmaculata *Saund.* Journ. Linn. Soc. 1868, *p.* 465, t. 9, f. 13.
Hab. New South Wales.

Sieboldi *Lap. et Gory.* Mon. II. *p.* 38, t. 8, f. 44.—*Saund.* Trans. Ent. Soc. 1868, *p.* 45, t. 3, f. 21.—*Hope.* Bupr. *p.* 4.
Hab. King George's Sound.

similis *Saund.* Journ. Linn. Soc. 1868, *p.* 463, t. 9. f. 7.
Hab. Queensland.

simulata *Lap. et Gory.* Mon. II. *p.* 26, t. 5, f. 27.—*Saund.* Trans. Ent. Soc. 1868, *p.* 37, t. 3, f. 5.
Helenæ Hope. Trans. Ent. Soc. IV. 1846, *p.* 215.
Hab. New Holland.

Spencei *Lap. et Gory.* Mon. II. *p.* 13, t. 3, f. 9.—*Saund.* Trans. Ent. Soc. 1868. *p.* 30, t. 2, f. 15.—*Hope.* Bupr. *p.* 2.
egregia Bohem. Res. Eugen. 1858. *p.* 60.
Hab. New South Wales.

spilota *Lap. et Gory.* Mon. II. *p.* 24, t. 5, f. 24.—*Saund.* Trans. Ent. Soc. 1868, *p.* 48, t. 3. f. 28.—*Hope.* Bupr. *p.* 5.
septemmaculata (?) Mannerh. Bull. Mosc. 1837, VIII. *p.* 98.
Hab. New South Wales.

Spinolæ *Gory.* Mon. IV. *p.* 129, t. 22, f. 127.
Hab. New South Wales.

splendida *Géhin.* Bull. Soc. Mosel. 1855, *p.* 64 t. 2, f. 5.
Hab. New Holland.

Stevensi *Géhin.* Bull. Soc. Mosel. 1855, *p.* 8, t. 1, f. 2.
Hab. New Holland.

straminea *Macleay, W.* Trans. Ent. Soc N. S Wales. I. 1862, *p.* 25.
Hab. Port Denison, Queensland.

strigata *Macleay, W.* l. c. *p.* 27.
Hab. Port Denison, Queensland.

sub-bifasciata *Saund.* Journ. Linn. Soc. 1868, *p.* 479, t. 10, f. 43.
Hab. New Holland.

testacea *Saund.* Ins. Saund. III. 1 1869, *p.* 14, t. 2, f. 20.
Hab. New Holland.

Thomsoni *Saund.* Journ. Linn. Soc. 1868, *p.* 477. t. 10, f. 38.
Hab. New Holland.

thoracica *Saund.* l. c. *p.* 464, t. 9, f. 11.
Hab. New South Wales.

tricolor *Kirby.* Trans. Linn. Soc. XII. *p.* 455.—*Saund.* Trans. Ent. Soc. 1868, *p.* 64.
curta Saund. Journ. Linn. Soc. IX. 1868, *p.* 467, t. 9, f. 16.
Hab. New South Wales.

trifasciata *Lap. et Gory.* Mon. II. *p.* 38, t. 8, f. 43.—*Saund.* Trans. Ent. Soc. 1868, *p* 47, t. 3, f. 27.
apicalis Lap. et Gory. l. c. *p.* 43, t. 9, f. 51.—*Hope.* Bupr. *p.* 3.
Hab. Swan River, Western Australia.

triguttata *Macleay, W.* Trans. Ent. Soc. N. S. Wales. I. 1862, *p.* 28.
Hab. Port Denison, Queensland.

trimaculata *Saund.* Journ. Linn. Soc. 1868, *p.* 482, t. 10, f. 49.
Hab. N. W. Australia.

undulata *Donov.* Epit. Ins. N. Holl. t. 7, f. 5.—*Lap. et Gory.* Mon. II. *p.* 24, t. 5, f. 23.—*Saund.* Trans. Ent. Soc. 1868, *p.* 34, t. 2, f. 20.
Laportei Bohem. Res. Eugen. 1858, *p.* 61.
Hab. New South Wales, and Victoria.

variabilis *Donov.* Epit. Ins. N. Holl. 1805, t. 7, f. 1.—*Swartz.* Schönh. Syn. Ins. App. 1817, *p.* 118, t. 6, f. 6.—*Lap. et Gory.* Mon. II. *p.* 11, t. 2, f. 7–8.
var. *Kingi Macleay.* King. Surv. II. 1827, *p.* 441.
var. *nigripennis Lap. et Gory.* l. c. *p.* 15, t. 3, f. 12.—*Hope.* Bupr. *p.* 2.
var. *unifasciata Lap. et Gory.* l. c. *p.* 20, t. 4, f. 19.—*Hope.* Bupr. *p.* 7.
Hab. Australia. (Widely distributed.)

vegeta *Hope.* Trans. Ent. Soc. IV. 1847, *p.* 283.—*Saund.* Trans. Ent. Soc. 1868, *p.* 45, t. 3, f. 19.
Hab. South Australia.

versicolor *Lap. et Gory.* Mon. II. *p.* 42, t. 9, f. 49.
decemguttata Gory. Mon. IV. *p.* 132, t. 23, f. 131.
Hab. Swan River, Western Australia.

vertebralis *Boisd.* Voy. Astrol. Col. *p.* 66.
suturalis Donov. Epit. Ins. N. Holl. t. 8, f. 5.—*Lap. et Gory.* Mon. II. *p.* 18, t. 4, f. 16.
Hab. New South Wales, and Victoria.

Vescoi *Géhin.* Bull. Soc. Mosel. 1855, *p.* 6. t. 2. f. 1.
Hab. New Holland.

vicina *Saund.* Trans. Ent. Soc. 1868, *p.* 43, t. 3, f. 15.—*Hope.* Bupr. *p.* 5.
bicincta Lap. et Gory. Mon. II. *p.* 31, t. 6, f. 33.
Hab. New South Wales.

violacea *Macleay, W.* Trans. Ent. Soc. N. S. Wales. I. 1862, *p.* 23.
Hab. Port Denison, and Gayndah, Queensland.

virginea *Erichs.* Wiegm. Arch. 1842, I. *p.* 135.
Hab. Tasmania.

viridis *Lap. et Gory.* Mon. II. *p.* 46, t. 10, f. 56.
Hab. King's Island, Bass's Straits.

viridiventris *Macleay, W.* Trans. Ent. Soc. N. S. Wales, I. 1862, *p.* 27.
Hab. Port Denison, Queensland.

vittata *Saund.* Journ. Linn. Soc. 1868, *p.* 478, t. 10, f. 40.
Hab. South and Western Australia.

vitticollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, I. 1862, *p.* 30.
Hab. New South Wales, and Queensland.

Westwoodi *Saund.* Journ. Linn. Soc. 1868, *p.* 464, t. 9, f. 10.
Hab. North Australia.

Wilsoni *Saund.* l. c. *p.* 476, t. 10, f. 36.
Hab. New Holland.

xanthopilosa *Hope.* Trans. Ent. Soc. IV. 1847, *p.* 283.—*Saund.* Trans. Ent. Soc. 1868, *p.* 49, t. 3, f. 30.
parallela White. Proc. Zool. Soc. 1859, *p.* 119, t. 59, f. 3.
Hab. New South Wales, Victoria, and S. Australia.

Yarrelli *Lap. et Gory,* Mon. II. *p.* 14, t. 3. f. 11.—*Saund.* Trans. Ent. Soc. 1868, *p.* 32, t. 2, f. 18.—*Hope.* Bupr. *p.* 3.
elegans Géhin. Bull. Soc. Mosel. 1855, *p.* 12, t. 1, f. 4.
flavipennis Géhin. l. c. *p.* 11, t. 2, f. 3.
Hab. South and Western Australia.

Ethon. (*Lap. et Gory.*)

Diphucrania Dejean. (Pars.)

affinis *Lap. et Gory.* Mon. II. *p.* 4, t. 1, f. 5.—*Saund.* Trans. Ent. Soc. 1868, *p.* 56, t. 4, f. 18.
aurifluus Hope. Bupr. *p.* 12.—*Saund.* l. c. V. 1847, *p.* 27, t. 2, f. 5–9.
proximus Bohem. Res. Eugen. 1858, *p.* 63.
var. *purpurascens Hope.* Bupr. *p.* 12.
Hab. New South Wales.

corpulentus *Bohem.* Res. Eugen. 1858, *p.* 62.
fissiceps Boisd. Voy. Astrol. Col. II. *p.* 96.—*Lap. et Gory.* Mon. II. *p.* 4. t. 1. f. 4.
Hab. South Australia.

fissiceps *Kirby*. Trans. Linn. Soc. XII. *p*. 458, t. 23, f. 4.—*Macleay*. Dej. Cat. 3 ed. *p*. 92.
viridis Lap. et Gory. Mon. II. *p*. 6, t. 1, f. 8.
Hab. New South Wales, and Queensland.

latipennis *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 250.
Hab. Gayndah, Rockhampton, Port Denison, &c., Queensland.

Reichei *Chev*. Silb. Rev. V. *p*. 82.
Hab. New Holland.

Roei *Saund*. Trans. Ent. Soc. 1868, *p*. 54, t. 4. f. 16.—*Hope*. Bupr. *p*. 12.
Hab. New Holland.

subfasciatus *Saund*. Trans. Ent. Soc. 1868, *p*. 55, t. 4, f. 17.—*Hope*. Bupr. *p*. 11.
Hab. New Holland.

Cisseis. (*Lap. et Gory*.)

Diphucrania Dejean. (Pars.)

acuducta *Kirby*. Faun. Bar. Am. IV. 1837, *p*. 162.—*Saund*. Trans. Ent. Soc. 1868, *p*. 60, t. 4, f. 27.
marmoreus Lap et Gory. Mon. II. *p*. 3, t. 1, f. 3.
ænea Hope. Bupr. *p*. 12.
lata Hope. Bupr. *p*. 11.
Hab. New South Wales.

albosparsa *Lap. et Gory*. Mon. II. *p*. 3, t. 1, f. 2.
Hab. Rockhampton, Queensland.

bicolor *Lap. et Gory*. l. c. *p*. 3, t. 1, f. 2.
Hab. New South Wales.

chalcopteris *Germ*. Linn Ent. III. *p*. 177.
Hab. South Australia.

cruciata *Fab*. Syst. Ent. *p*. 222.—*Oliv*. Ent. II. gen. 32, *p*. 105. t. 7, f. 74.
Hab. Queensland.

cupreicollis *Hope*. Trans. Ent. Soc. IV. 1846, *p*. 219.—*Saund*. Trans. Ent. Soc. 1868, *p*. 58, t. 4, f. 23.
æneicollis Hope. l. c. *p*. 220.
Hab. New South Wales.

cupripennis *Guér*. Voy. Coq. Ins. *p*. 65.—*Lap. et Gory*. Mon. II. *p*. 5, t. 1, f. 6.—*Chev*. Silb. Rev. Ent. V. *p*. 77.
Hab. New South Wales.

dimidiata *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 250.
Hab. Gayndah, Queensland.

duodecimmaculata *Fab.* Syst. Eluth. II. *p.* 191.
duodecimguttata Guer. Voy. de la Coq. Zool. *p.* 65.—*Boisd.* Voy. Astrol. Ent. II. *p.* 93.—*Lap. et Gory.* Mon. II. *p.* 2, t. 1, f. 1.—*Saund.* Trans. Ent. Soc. 1868, *p.* 57, t. 4, f. 22.
xanthosticta Hope. Bupr. *p.* 11.
quatuordecimnotata Hope. Trans. Ent. Soc. IV. 1846, *p.* 218.
Hab. New South Wales.

Gouldi *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 220.—*Saund.* Trans. Ent. Soc. 1868, *p.* 58, t. 4, f. 24.
Hab. Port Essington, N. Australia.

impressicollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 251.
Hab. Gayndah, Queensland.

irrorata *Lap. et Gory.* Mon. II. *p.* 4, t. 1. f. 4.
Hab. New Holland.

lapidosa *Macleay.* King. Survey. Austral. II. 1827, *p.* 441.—*Saund.* Trans. Ent. Soc. 1868, *p.* 64.
Hab. New Holland.

leucosticta *Kirby.* Trans. Linn. Soc. XII, *p.* 382.—*Lap. et Gory.* Mon. II. Eth. *p.* 2, t. 1, f. 1.
stellulata Dalm. Anal. Ent. 1823, *p.* 54.
Hab. New South Wales, Victoria, and S. Australia.

maculata *Lap. et Gory.* Mon. II. *p.* 5, t. 1, f. 7.
Hab. New Holland.

notulata *Germ.* Linn. Ent. III. *p.* 178.
Hab. South Australia.

nubeculosa *Germ.* l. c. *p.* 176.
Hab. South Australia.

pulchella *Kirby.* Trans. Linn. Soc. XII. 1818, *p.* 380.
Hab. New Holland.

roseocuprea *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 219.—*Saund.* Trans. Ent. Soc. 1868, *p.* 61, t. 4, f. 28.
Hab. New Holland.

scabiosa *Boisd.* Voy. Astrol. Col. II. *p.* 96.—*Lap. et Gory.* Mon. II. *p.* 5, t. 1, f. 6.
Hab. New Holland.

signaticollis *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 219.—*Saund.* Trans. Ent. Soc. 1868, *p.* 57, t. 4, f. 21.
Hab. Port Essington, N. Australia.

similis *Saund.* l. c. *p.* 59, t. 4, f. 25.
irrorata Hope. Bupr. *p.* 8.
Hab. New Holland.

stigmata *Lap. et Gory.* Mon. II. *p.* 3, t. 1, f. 3.
Hab. King George's Sound.

suturalis *Saund.* Trans. Ent. Soc. 1868, *p.* 60, t. 4, f. 26.—*Hope.* Bupr. *p.* 12.
Hab. New Holland.

viridi-aurea *Macleay, W.* Trans. Ent Soc. N. S. Wales, II. 1872, *p.* 251.
Hab. Gayndah, Queensland.

Corœbus. (*Lap et Gory.*)

chrysopygius *Germ.* Linn. Ent. III. *p.* 178.
Hab. South Australia.

marmoratus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1871, *p.* 251.
Hab. Gayndah, Queensland.

Westwoodi *Lap. et Gory.* Mon. II. *p.* 15, t. 4, f. 24.
Hab. Tasmania.

Discoderes. (*Chevrolat.*)

Tasmanicus *Germ.* Linn. Ent. III. *p.* 179.
Hab. Tasmania.

Agrilus. (*Stephens.*)

aurovittatus *Hope.* Trans. Ent. Soc. IV. 1846, *p.* 218.—*Saund.* Trans. Ent. Soc. 1868, *p.* 63, t. 4, f. 30.
Hab. New Holland.

Australasiæ *Lap. et Gory.* Mon. II. *p.* 21, t. 5, f. 25.
Hab. New South Wales.

deauratus *Macleay, W,* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 252.
Hab. Gayndah, Queensland.

hypoleucus *Lap. et Gory.* Mon. II. *p.* 37, t. 8, f. 48.—*Saund.* Trans Ent. Soc. 1868, *p.* 62, t. 4, f. 29.—*Hope.* Bupr. *p.* 13.
assimilis Hope. Trans. Ent. Soc. IV. 1846, *p.* 217.
purpuratus Hope l. c. *p.* 217.
Hab. New South Wales.

Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 252.
Hab. Gayndah, Queensland.

pistacinus *Hope* Trans. Ent. Soc. IV. 1846, p. 218.—*Saund.* Trans. Ent. Soc. 1868, *p.* 63, t. 4 f. 31.
canaliculatus Germ. Linn. Ent. III. *p.* 180. (*Aphanisticus.*)
Hab. South Australia.

TRIXAGIDÆ.

Trixagus. *Kugelann.*

Throscus Latreille.

elongatus *Bonv.* Mon. *p.* 26, t. 1, f. 9.
Hab. New Holland.

EUCNEMIDÆ.

Arisus. (*Bonvouloir.*)

depressus *Bonv.* Mon. Ann. Fr. 1870.
Hab. Victoria.

Dromœolus. (*Kiesenwetter.*)

Australasiæ *Bonv.* Mon. t. 10, f. 3.
Hab. Moreton Bay.
dignoscendens *Bonv.* Mon.
Hab. Victoria.

Anabolus. (*Bonvouloir.*)

mirus *Bonv.* Mon. Ann. Fr. 1870.
Hab. New Holland.

Phœnocerus. (*Bonvouloir.*)

subclavatus *Bonv.* Mon. t. 13, f. 1.
Hab. Tasmania.

Fornax. (*Castelnau.*)

additus *Bonv.* Mon. Ann. Fr. 1870.
Hab. New Holland.

Galbodema. (*Castelnau.*)

Mannerheimi *Casteln.* Silb. Rev. III. *p.* 176.—*Guér.* Ann. Fr. 1843, *p.* 189, t. 6, f. 55-59.—*Bonv.* Mon. t. 22, f. 1.
Hab. Tasmania.
ruficeps *Bonv.* Mon. Ann. Fr. 1870.
Hab. New Holland.

Orodotes. (*Bonvouloir.*)

Jansoni *Bonv.* Mon. Ann. Fr. 1870.
Hab. New South Wales.

Lycaon. (*Bonvouloir.*)

antennarius *Bonv.* Mon. Ann. Fr. 1870.
Hab. Victoria.
expulsus *Bonv.* Mon. t. 35, f. 4.
Hab. Victoria.
Kraatzi *Bonv.* Mon.
Hab. New Holland.
nanus *Bonv.* Mon.
Hab. Moreton Bay.
nigricans *Bonv.* Mon. t. 34, f. 9.
Hab. Victoria.
novus *Bonv.* Mon. t. 35, f. 2.
Hab. Moreton Bay.

ELATERIDÆ.

Agrypnus. (*Eschscholtz.*)

latior *Macleay, W.* Trans. Ent Soc. N. S. Wales, II. 1872, *p.* 250.
Hab Gayndah, Queensland.
Mastersi *Macleay, W.* l. c. *p.* 249.
Hab. Gayndah, Queensland.
resectus *Cand.* Mon. I. *p.* 45.
Hab. New Holland.

Lacon. (*Castelnau.*)

alternans *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 251.
Hab. Gayndah, Queensland.

assus *Cand.* Mon. I. *p.* 145.
Hab. New South Wales, and Queensland.
caliginosus *Guér.* Voy. Coquille. Ins. *p.* 68, t. 2, f. 7.—*Boisd.* Voy. Astrol. Col. *p.* 98, et *p.* 105.—*Cand.* Mon. I. *p.* 144.—*Dej.* Cat. 3 ed. *p.* 99.
Hab. Victoria.
carinulatus *Cand.* Mon. I. *p.* 152.
Hab. New Holland.
costipennis *Germ.* Linn. Ent. III. 1848, *p.* 181.
Hab. South Australia.
divaricatus *Cand.* Mém. Belg. XVII. 1865, *p.* 12.
Hab. New Holland.
Gayndahensis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1871, *p.* 250.
Hab. Gayndah, Queensland.
geminatus *Cand.* Mon. I. *p.* 149, t. 2, f. 5.
Hab. New South Wales.
granulatus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1871, *p.* 251.
Hab. Gayndah, Queensland.
guttatus *Cand.* Mon. I. *p.* 151.
Hab. Victoria.
humilis *Erichs.* Wiegm. Arch. 1842, I. *p.* 136.—*Cand.* Mon. I. *p.* 148.
Hab. Tasmania.
laticollis *Cand.* Mon. I. *p.* 146, t. 2, f. 12.
Hab. New Holland.
maculatus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 251.
Hab. Gayndah, Queensland.
mamillatus *Cand.* Mon. I. *p.* 144, t. 2, f. 4.
Hab. New South Wales, and Queensland.
Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 252.
Hab. Gayndah, Queensland.
pictipennis *Cand.* Mon. I. *p.* 150.
Hab. Tasmania, and Victoria.
ursulus *Cand.* l. c. *p.* 147.
Hab. New South Wales.
variabilis *Cand.* l. c. *p.* 148.
Hab. Victoria, and New South Wales.
Victoriæ *Cand.* Mém. Belg. XVII. 1865, *p.* 12.
Hab. Victoria.

Myrmodes. (*Candèze.*)

akidiformis *Cand.* Mon. I. *p.* 169, t. 2, f. 16.
Hab. Raffles Bay, N. Australia.

Aphileus. (*Candèze.*)

Dorcostoma Newman.

lucanoides *Cand.* Mon. I. *p.* 184, t. 3, f. 5.
Jansoni Newm. Trans. Ent. Soc. IV. 1857, *p.* 52.
var. *depressus Cand.* l. c. *p.* 185.
Hab. New South Wales, and Queensland.

Alaus. (*Eschscholtz.*)

funebris *Cand.* Mon I. *p.* 233.
Hab. New Holland.
funereus *Cand.* Mém. Belg. XVII. 1865, *p.* 17.
Hab. New Holland.
Gibboni *Newm.* Trans. Ent. Soc. IV. 1857, *p.* 51.
Hab. Moreton Bay.
gigas *Cand.* Mon. I. *p.* 234.
Hab. Richmond River, N. S. Wales.
Macleayi *Cand.* Mon. I. *p.* 235.
Hab. New South Wales.
prosectus *Cand.* Mon. I. *p.* 236.
Hab. New South Wales, and Queensland.
suboculatus *Cand.* Mon. I. *p.* 229.
Hab. New Holland.

Tetralobus. (*Serville.*)

Australasiæ *Gory.* Ann. Fr. 1837, *p.* 513, t. 14, f. 1.—*Cand.* Mon. I. *p.* 381.
Hab. New Holland.
cylindriformis *Cand.* Mém. Belg. XVII. 1865, *p.* 20.
Hab. New Holland.
Fortnumi *Hope.* Proc. Zool. Soc. 1842, *p.* 74.
Hab. South Australia.
Manglesi *Hope.* Proc. Zool. Soc. 1842, *p.* 75.
Hab. New Holland.
Murrayi *Cand.* Mon. I. *p.* 382, t. 7, f. 11.
Hab. Victoria.

Glypheus. (*Candèze.*)

villosulus *Cand.* Mon. II. *p.* 169, t. 3, f. 17.
Hab. New South Wales.

Glyphochilus. (*Candèze.*)

Atelopus Erichson.

furvus *Erichs.* Wiegm. Arch. 1842, I. *p.* 142.—*Cand.* Mon. II. *p.* 523.
Hab. Tasmania.

leptus *Cand.* Mon. II. *p.* 182.
Hab. Swan River, Western Australia.
lucidus *Erich.* Wiegm. Arch. 1842, I. *p.* 143.
Hab. Tasmania.
Tasmanicus *Cand.* Mon. II. *p.* 181, t. 4, f. 1.
Hab. Tasmania.

Monocrepidius. (*Eschscholtz.*)

acuminatus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 252.
Hab. Gayndah, Queensland.
albidus *Macleay, W.*, l. c. *p.* 255.
Hab. Gayndah, Queensland.
aphiloides *Cand.* Mon. II. *p.* 237.
Hab. Victoria.
atratus *Macleay, W.* Trans. Ent. Soc. N. S Wales, II. 1872, *p.* 253.
Hab. Gayndah, Queensland.
Australasiæ *Boisd.* Voy. Astrol. Col. 1835, *p.* 104.—*Cand.* Mon. II. *p.* 230.—*Dej.* Cat. 3 ed. *p.* 98.
Hab. New South Wales, and Victoria.
basalis *Gyll.* Schönh. Syn. Ins. App. *p.* 130.
Hab. New Holland.
breviceps *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 252.
Hab. Gayndah, Queensland.
brevipennis *Cand.* Mon. II. *p.* 239.
Hab. Moreton Bay.
Brucki *Cand.* l. c. *p.* 236.
Hab. New South Wales, and Victoria.
Candèzei *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 256.
Hab. Gayndah, Queensland.
carinatus *Cand.* Mon. II. *p.* 238.
Hab. Swan River, Western Australia.
castaneipennis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 256.
Hab. Gayndah, Queensland.
cerdo *Erichs.* Wiegm. Arch. 1842, I. *p.* 137.—*Cand.* Mon. II. *p.* 232.
Hab. Tasmania.
Cordieri *Le Guillou.* Rev. Zool. 1844, *p.* 221.—*Cand.* Mon. II. *p.* 242.
Hab. Tasmania.
coxalis *Cand.* Mon. II. *p.* 243.
Hab. Tasmania.

elongatulus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 256.
Hab. Gayndah, Queensland.
erubescens *Cand.* Mon. II. *p.* 231.
Hab. Victoria.
Eveillardi *Le Guillou.* Rev. Zool. 1844, *p.* 221.—*Cand.* Mon. II. p. 235.
Hab. New South Wales.
fabrilis *Erichs.* Wiegm. Arch. 1842, I. *p.* 137.—*Cand.* Mon. II. *p.* 241.
Hab. Tasmania.
fictus *Cand.* Mon. II. *p*, 241.
Hab. New Holland.
fulvipennis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 254.
Hab. Gayndah, Queensland.
fuscicornis *Erichs.* Wiegm. Arch. 1842, I, *p.* 138.
Hab. Tasmania.
Jekeli *Cand.* Mon. II. *p.* 244, t. 4. f. 14.
Hab. New Holland.
Leluti *Le Guillou.* Rev. Zool. 1844, *p.* 220.—*Cand.* Mon. II. *p.* 228.
cinereus Blanch. Voy. Pole. Sud. IV. *p.* 84, t. 6, f. 6.
Hab. Raffles Bay, N. Australia.
Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 252.
Hab. Gayndah, Queensland.
Menevillei *Cand.* Mon. II. *p.* 233.
Hab. Western Australia.
minor *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 253.
Hab. Gayndah, Queensland.
miser *Cand.* Mon. II. *p.* 239.
Hab. New Holland.
nebulosus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 254.
Hab. Gayndah, Queensland.
punctatostriatus *Cand.* Mon. II. *p.* 236.
Hab. New Holland.
rubicundus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 253.
Hab. Gayndah, Queensland.
rutilicornis *Erichs.* Wiegm. Arch. 1842, I. *p.* 138.—*Cand.* Mon. II. *p.* 242.
Hab. Tasmania.
scapularis *Guér.* Voy. Coquill. 1830, *p.* 69.—*Boisd.* Voy. Astrol. Col. *p.* 104.
Hab. New South Wales.

scutellatus *Cand.* Mon. II. *p.* 240.
Hab. New South Wales.
striatus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 252.
Hab. Gayndah, Queensland.
subflavus *Macleay, W.* l. c. *p.* 255.
Hab. Gayndah, Queensland.
subgeminatus *Macleay, W.* l. c. *p.* 255.
Hab. Gayndah, Queensland.
sulcicollis *Eschsch.* Thon. Arch. II. 1. *p.* 31.
Hab. New Holland.
submaculatus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 255.
Hab. Gayndah, Queensland.
submarmoratus *Macleay, W.* l. c. *p.* 254.
Hab. Gayndah, Queensland.
tabidus *Erichs.* Wiegm. Arch. 1842, I. *p.* 137.—*Cand.* Mon. II. *p.* 234.
Hab. Tasmania.
undatus *Cand.* Mon. II. *p.* 229.
Hab. North Australia.
viduus *Cand.* l. c. *p.* 243.
Hab. Tasmania.

Elastrus. (*Candèze.*)

flavipes *Macleay W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 257.
Hab. Gayndah, Queensland.

Elater. (*Linné.*)

Australis *Cand.* Mon. II. *p.* 483.
Hab. New Holland.
Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 257.
Hab. Gayndah, Queensland.
perplexus *Cand.* Mon. II. *p.* 482.
Hab. Victoria.

Megapenthes. (*Kiesenwetter*)

apicatus *Cand.* Mém. Belg. XVII. 1865, *p.* 31.
Hab. Swan River, Western Australia.
automolus *Cand.* Mon. II. *p.* 495.
Hab. New South Wales, Victoria, South Australia, and West Australia.

dolens *Cand.* l. c. *p.* 495.
Hab. Swan River, Western Australia.
rufipes *Cand.* Mém Belg. XVII. 1865, *p.* 31.
Hab. South Australia.

Melanoxanthus. (*Eschscholtz.*)

Australis *Cand.* Mon. II. *p.* 520.
Hab. New Holland.

Cryptohypnus. (*Eschscholtz.*)

variegatus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 257.
Hab. Gayndah, Queensland.

Cardiophorus. (*Eschscholtz.*)

Mastersi *Macleay, W.* Trans. Ent, Soc. N. S. Wales, II. 1872, *p.* 258.
Hab. Gayndah, Queensland.
venustus *Cand.* Mon. III. *p.* 143, t. 2, f. 15.
Hab. New Holland.

Horistonotus. (*Candèze.*)

Australis *Cand.* Mon. III. *p.* 269, t. 4, f. 11.
Hab. New South Wales.
divisus *Cand.* Mém. Belg. XVII. 1865, *p.* 45.
Hab. New Holland.
elisus *Cand.* l. c. *p.* 44.
Hab. New Holland.
humilis *Cand.* l. c, *p.* 45.
Hab. Tasmania.
lenis *Cand.* l. c. *p.* 44.
Hab. New Holland.
xanthomus *Cand.* l. c. *p.* 45.
Hab. New Holland.

Corymbites. (*Latreille.*)

compsorhabdus *Cand.* Mon. IV. *p.* 175.
Hab. Moreton Bay.
nigrinus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 258.
Hab. Gayndah, Queensland.
rufipennis *Macleay, W.* l. c. *p.* 258.
Hab. Gayndah, Queensland.

Tasmanicus *Cand.* Mon. IV. *p.* 113.
Hab. Tasmania.
xanthopterus *Cand.* l. c. *p.* 175.
Hab. Victoria.

Chrosis. (*Candèze.*)

barbata *Cand.* Mém. Belg. XVII. 1865, *p.* 54.
Hab. New Holland.
exarata *Cand.* Mon. IV. *p.* 186.
Hab. New Holland.
illita *Cand.* l. c. *p.* 187, t. 2, f. 7.
Hab. Victoria.
trisulcata *Erichs.* Wiegm. Arch. 1842, I. *p.* 139.—*Cand.* Mon. IV. *p.* 186, t. 2, f. 10.
Hab. Tasmania.

Hapatesus. (*Candèze.*)

hirtus *Cand.* Mon IV. *p.* 188, t. 2, f. 8.
Hab. New South Wales, Victoria, and South Australia.

Crepidomenus. (*Erichson.*)

Adelaidæ *Cand.* Mon. IV. *p.* 199.
Hab. South Australia.
Australis *Boisd.* Voy. Astrol. Col. *p.* 108.—*Cand.* Mon. IV. *p.* 196.—*d'Urville.* Dej. Cat. 3 ed. *p.* 107.
Hab. New Holland.
decoratus *Erichs.* Wiegm. Arch. 1842, I. *p.* 141.—*Cand.* Mon. IV. *p.* 193.
Hab. Tasmania, Victoria, and South Australia.
filiformis *Cand.* Mon. IV. *p.* 199, t 2, f. 14.
Hab. Victoria.
fulgidus *Erichs.* Wiegm. Arch. 1842, I. *p.* 140.—*Cand.* Mon. IV. *p.* 192, t. 2, f. 13.
Hab. Tasmania.
hirtus *Cand.* Mon. IV. *p.* 195.
Hab. South Australia.
luteipes *Bohem.* Res. Eugen. 1858, *p.* 70.—*Cand.* Mon. IV. *p.* 195.
Hab. New South Wales.
metallescens *Cand.* Mon. IV. *p.* 197.
Hab New Holland.
seniculus *Cand.* Mon. IV. *p,* 198.
Hab. New South Wales.
tæniatus *Erichs.* Wiegm. Arch. 1842, I. *p.* 141.—*Cand.* Mon. IV. *p.* 194.
Hab. Tasmania.

testaceus *Cand.* Mon. IV. *p.* 198.
Hab. New Holland.
Victoriæ *Cand.* Mon. IV. *p.* 197.
Hab. Victoria

Ophidius. (*Candèze.*)

brevicornis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 259.
Hab. Richmond River, N. S. Wales; Gayndah and Wide Bay, Queensland.
dracunculus *Cand.* Mon. IV. *p.* 205, t. 2, f. 12.
Hab. New South Wales.
elegans *Cand.* l. c, *p.* 204.
Hab. New South Wales.
histrio *Boisd.* Voy. Astrol. Col *p.* 105.—*Cand.* l. c. *p.* 204, t. 2, f. 11.—*Dej.* Cat. 3 ed. *p.* 99.
Hab. New South Wales.

Ludius. (*Latreille.*)

atripennis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 259.
Hab. Gayndah, Queensland.
exutus *Cand.* Mon. IV. *p.* 304.
Hab. Victoria.
lineatus *Cand.* l. c. *p.* 304.
Hab. Queensland.

Anilicus. (*Candèze.*)

attenuatus *Cand.* Mon. IV. *p.* 330, t. 4, f. 14.
Hab. Victoria.
loricatus *Cand.* l. c. *p.* 331.
Hab. King George's Sound.
nigroterminatus *Macleay.* King. Survey. II. 1827, *p.* 441.
Hab. New Holland.
quadriguttatus *Erichs.* Wiegm. Arch. 1842, I, *p.* 139.
Hab. Tasmania.
semiflavus *Germ.* Zeitschr. V. *p.* 163.—*Cand.* Mon. IV. *p.* 329. *anticus Dej.* Cat. 3. ed. *p.* 106.
Hab. Tasmania, S. Australia, Victoria, N. S. Wales, and Queensland.

Agriotes. (*Eschscholtz.*)

quadripunctatus *Blanch.* Voy. Pole. Sud. IV. *p.* 91, t. 6, f. 13.
Hab. Raffles Bay, North Australia

Acroniopus. (*Erichson.*)

Atelopus Erichson. (pars.)

ater *Cand.* Mon. IV. *p.* 438.
Hab. New South Wales.
fuliginosus *Cand.* l. c. *p.* 437, t. 5, f. 10.
Hab. New Holland.
humilis *Erichs.* Wiegm. Arch. 1842, I. *p.* 143.—*Cand.* Mon. IV. *p.* 438.
Hab. Tasmania.
infimus *Erichs.* l. c. *p.* 143.—*Cand.* l. c. *p.* 439.
Hab. Tasmania.
pubescens *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 260.
Hab. Gayndah, Queensland.
rufipennis *Macleay, W.* l. c. *p.* 259.
Hab Gayndah, Queensland.
Sydneyanus *Boisd.* Voy. Astrol. Col. 1835, *p*, 109.
Hab. Sydney.

Ascesis. (*Candèze.*)

Australis *Cand.* Mon. IV. *p.* 441, t. 5, f. 12.
Hab. New South Wales.
Mastersi *Macleay, W.* Trans. Ent, Soc. N. S. Wales, II. 1872, *p.* 260.
Hab. Gayndah, Queensland.

Dicteniophorus. (*Candèze.*)

apicalis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 261.
Hab. Gayndah, Queensland.
badiipennis *Cand.* Mon. IV. *p.* 443.
Hab. New Holland.
fusiformis *Cand.* l. c. *p.* 444.
Hab. North Australia.
melanoderus *Cand.* l. c. *p.* 444.
Hab. Victoria.
ramifer *Eschsch.* Thon. Arch. II. 1. *p.* 34.—*Blanch.* Voy. Pole. Sud. IV. *p* 87, t. 6. f. 9.—*Cand.* Mon. IV. *p.* 442.
Hunteri Boisd. Voy. Astrol. Col. *p.* 107, t. 6, f. 10.—*Macleay.* Dej. Cat. 3. ed. *p.* 106.
Hab. New South Wales.
vittatus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 261.
Hab. Gayndah, Queensland.
vitticollis *Macleay, W.* l. c. *p.* 260.
Hab. Gayndah, Queensland.

Macromalocera. (*Hope.*)

ceramboides *Hope.* Trans. Ent. Soc. I. *p.* 14, t. 1. f. 3.
Hab. New Holland.

cænosa *Hope.* Trans. Ent. Soc. I. 1834, *p.* 14.—*Cand.* Mon. IV. *p.* 501.
Hab. New Holland.

Hemiopsida. (*Macleay, W.*)

Mastersi *Macleay, W.* Trans. Ent. Soc. N. S Wales, II. 1872, *p.* 261.
Hab. Gayndah, Queensland.

Stichotomus. (*Candèze.*)

corrigiolatus *Germ.* Linn. Ent. III. *p.* 181.—*Cand.* Mon. IV. *p.* 507.
Hab. South Australia.

CEBRIONIDÆ.

Cebrio. (*Olivier.*)

rubripennis *Guér.* Voy. Coquille. Ent. *p.* 70.—*Boisd.* Voy. Astrol II. *p.* 112.
Hab. New South Wales.

RHIPIDOCERIDÆ.

Callirrhipis. (*Latreille.*)

ruficornis *Gray,* Griff. Anim. Kingd. Ins. I. *p.* 336, t. 39, f. 2.—*Casteln.* Mon. *p.* 248.
Hab. New Holland.

Ennometes. (*Pascoe.*)

Lacordairei *Pascoe.* Journ. of Ent. II. *p.* 445, t. 19, f. 2.
Hab. Moreton Bay.

Rhipidocera. (*Latreille.*)

Rhipicera Latr.

attenuata *Westw.* Proc. Ent. Soc. 1842, *p.* 64; Ann. Nat. Hist. XI. *p.* 66.—*Guér.* Spec. et jc. fasc. 1, nr. 1, *p.* 6.
Hab. Swan River, Western Australia.

Druryi *Westw. Drury.* Ill. ed. 2, *p*, 72, t. 48, f. 7.
mystacina Drury. Ins. III. *p.* 279, t. 48, f. 7.—*Guér.* Spec. et jc. nr. 1. *p.* 6.
Hab. New Holland.

mystacina *Fab.* Syst. Ent. *p.* 70.—*Herbst.* Käf. V. *p.* 45, t. 46, f. 13.—*Casteln.* Mon. *p.* 235, t. 2, f. 3, a–c.—*Guér.* Spec. et. jc. fasc. 1, nr. 1, *p.* 5.
Hab. Victoria, and New South Wales.

pumilio *Westw.* Proc. Ent. Soc. 1842, *p.* 64; Ann. Nat. Hist. XI. 1843, *p.* 66.—*Guér.* Spec. et. jc. nr. 1, *p.* 7.
Hab. Swan River, Western Australia.

Reichei *Guér.* Spec. et jc. fasc. 1, nr. 1, *p.* 5, f. 4.
Hab. Swan River, Western Australia.

tessellata *Westw.* Trans. Ent. Soc. ser. 2. II. *p.* 236, t. 12, f. 1, a–d.
Hab. New South Wales.

vestita *Casteln.* Hist. Nat. I. *p.* 256.
Hab. New Holland.

vetusta *Gory. Guér.* jc. règn. anim. *p.* 44.—*Guér.* Spec. et jc. fasc. 1, nr. 1, *p.* 7, f. 14–17.
brunnea Westw. Proc. Ent. Soc. 1842, *p.* 64; Ann. Nat Hist. XI. 1843, *p.* 66.
Hab. New Holland.

Psacus. (*Pascoe.*)

attagenoides *Pascoe.* Journ. of Ent. II. *p.* 446, t. 18, f. 4.
Hab. South Australia.

Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 313.
Hab. Gayndah, Queensland.

DASCILLIDÆ.

Dascillus. (*Latreille.*)

brevicornis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 313.
Hab. Gayndah, Queensland.

Helodes. (*Latreille.*)

Australis *Erichs.* Wiegm. Arch. 1842, I. *p.* 144.
Hab. Tasmania.

MALACODERMIDÆ.

Lycus. (*Fabricius.*)

serraticornis *Fabr.* Syst. Ent. *p.* 203.—*Oliv.* Ent. II. 29, *p.* 12, t. 1, f. 14.—*Boisd.* Voy. Astrol. II. *p.* 124.
Hab. New Holland.

Metriorrhynchus. (*Guérin*).

Porrostoma Castelnau.

atratus *Fabr.* Syst. El. II. *p.* 113.—*Lacord.* Gen. Col. IV., *p.* 297, nota 2.
Hab. New Holland.

discoideus *Erichs.* Wiegm. Arch. 1842, I. *p.* 145.
Hab. Tasmania.

erythropterus *Erichs.* l. c. *p.* 144.
Hab. Tasmania.

femoralis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 262.
Hab. Gayndah, Queensland.

lateralis *Redtenb.* Reis. Novar. II. *p.* 100.
Hab. New South Wales.

marginatus *Erichs.* Wiegm, Arch. 1842. I. *p.* 145.
Hab. Tasmania.

marginicollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 263.
Hab. Gayndah, Queensland.

nigripes *Macleay, W.* l. c. *p.* 262.
Hab. Gayndah, Queensland.

ochraceus *Dalm.* Schönh. Syn. Ins. III. App. *p.* 31, t. 5, f. 11.—*Boisd.* Voy, Astrol. II. *p.* 122.
Hab. New Holland.

rhipidius *Macleay.* King Survey. II. 1827. App. *p.* 442.—*Lacord.* Gen. Col. IV. *p.* 297, not. 1.
septemcavus Macleay, l. c. *p.* 442.
Hab. New South Wales, and Queensland.

rufipennis *Fabr.* Syst. El. II. *p.* 114.—*Erichs.* Wiegm. Arch. 1842, I. *p.* 145.—*Blanch.* Voy. Pol. Sud. IV. *p.* 75, t. 5, f. 12.
nigrirostris Macleay. Dej. Cat. 3 ed. p. 111.
Hab. Tasmania.

Calopteron. (*Guérin.*)

Australis *Boisd.* Voy. Astrol. II. *p.* 119.—Dej. Cat. 3 ed. *p.* 112.
Hab. New Holland.

Goryi *Lequillou.* Rev. Zool. 1844, *p.* 222.
Hab. Tasmania.

Calochromus. (*Guérin.*)

Guerinii *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 263.
Hab. Gayndah, Queensland.

Eros. (*Newman.*)

scutellaris *Erichs.* Wiegm. Arch. 1842, I. *p.* 146.
Bremei Lequillou Rev. Zool. 1844, *p.* 221.
Hab. Tasmania.

Luciola. (*Castelnau.*)

Australis *Fabr.* Syst. Ent. *p.* 201.—*Boisd.* Voy. Astrol. II. *p.* 125.
Guérini Casteln. Essai. *p.* 151. nota.
nigripennis Latr. Dej. Cat. 3 ed. *p.* 116.
Hab. New Holland.

Dejeani *Gemming.* Col. Heft. VI. 1870.
apicalis Boisd. Voy. Astrol. II. *p.* 127.—Dej. Cat. 3 ed. *p.* 116.
Hab. New Holland.

flavicollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 163.
Hab. Gayndah, Queensland.

striata *Fab.* Syst. El. II. *p.* 103.—*Boisd.* Voy. Astrol. II. *p.* 129.—*Germ.* Linn. Ent. III. 1848, p. 184.
Hab. South Australia.

Telephorus. (*Schäffer.*)

Australis *Boisd.* Voy. Astrol. II. *p.* 133 —Dej. Cat. 3 ed. *p.* 120
Hab. New Holland.

flavipennis *Macleay, W.* Trans. Ent Soc. N. S. Wales, II. 1872, *p.* 264.

imperialis *Redtenb.* Reis. Novar. II. *p.* 103, t. 4, f. 1.
Hab. New South Wales.

Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 264.
Hab. Gayndah, Moreton Bay, Wide Bay, &c., Queensland.
nobilitatus *Erichs.* Wiegm. Arch. 1842, I. *p.* 146.
Hab. Tasmania.
pulchellus *Macleay*, King. Survey. App. *p.* 442.—*Casteln.* Hist. Nat. I. *p.* 272.
Hab. Australia. (Widely distributed.)
pusio *Gemming.* Col. Heft. VI. 1870.
pusillus Bohem. Res. Eugen. 1858, *p.* 80.
Hab. New South Wales.
ruficollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 264.
Hab. Gayndah, Queensland.
sticticus *Gemming.* Col. Heft. VI. 1870.
pictus Casteln. Hist. Nat. I. *p.* 275.
Hab. New Holland.
tricolor *Casteln.* Hist. Nat. I. *p.* 275.
Hab. New Holland.

Heteromastix. (*Boheman.*)

bicolor *Bohem.* Res. Eugen. *p.* 81, t. 1, f. 3.
Hab. New South Wales.

Ichthyurus. (*Westwood.*)

depressicollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 264.
Hab. Gayndah, Queensland.

Heliotis. (*Castelnau.*)

Hopei *Casteln.* Silb. Rev. IV. *p.* 18; Hist. Nat. I. *p.* 257.
Hab. Swan River, Western Australia.

Hapalochrus. (*Erichson.*)

cinctus *Redtenb.* Reis. Novar. II. *p.* 106.
Hab. New South Wales.

Laius. (*Guérin.*)

bellulus *Guér.* Voy. Coquille. *p.* 78.—*Boisd.* Voy. Astrol. II. *p.* 135.—*Germ.* Linn. Ent. III. 1848, *p.* 182.
Hab. S. Australia, Victoria, N. S. Wales, & Queensland.
Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 265.
Hab. Gayndah, Queensland.

trisignatus *Germ.* Linn. Ent. III. *p.* 182.
Hab. South Australia.

Malachius. (*Fabricius.*)

luridicollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 265.
Hab. Gayndah, Queensland.

Attalus. (*Erichson.*)

abdominalis *Erichs.* Wiegm. Arch. 1842, I. *p.* 147.
Hab. Tasmania.

Carphurus. (*Erichson.*)

apicalis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 266.
Hab. Gayndah, Queensland.
azureipennis *Macleay, W.* l. c. *p.* 266.
Hab. Gayndah, Queensland.
brevipennis *Germ.* Linn. Ent. III. 1848, *p.* 183.
Hab. South Australia.
cervicalis *Germ.* l. c. *p.* 183.
Hab. South Australia.
cyaneipennis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 265.
Hab. Gayndah, Queensland.
elongatus *Macleay, W.* l. c. *p.* 266.
Hab. Gayndah, Queensland.
pallidipennis *Macleay, W.* l. c. *p.* 267.
Hab. Gayndah, Queensland.

Balanophorus. (*Macleay, W.*)

Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 267.
Hab. Gayndah, Queensland.

Helcogaster. (*Boheman.*)

brachyptera *Bohem.* Res. Eugen. 1858, *p* 82.
Hab. New South Wales.
cyanoptera *Bohem.* l. c. t. 1, f. 4.
Hab. New South Wales.
impressifrons *Bohem.* l. c. *p.* 83.
Hab. New South Wales.

Agasma. (*Newman.*)

semicrudum *Newm.* The Zoolog. App. *p.* 116.
Hab. New South Wales, and Queensland.

CLERIDÆ.

Cylidrus. (*Latreille.*)

basalis *Macleay W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 268.
Hab. Gayndah, Queensland.
centralis *Pascoe.* Journ of Ent. I. 1860, *p.* 44.
Hab. Moreton Bay.
nigrinus *White.* Clerid. IV. 1849, *p.* 48.
Hab. Tasmania.

Tillus. (*Olivier.*)

carus *Newman.* Entom. 1840, *p.* 15.
Hab. South Australia.
dux *Westw.* Proc. Zool. Soc. 1852, *p.* 46, t. 24, f. 11.
Hab Swan River, Western Australia.
hilaris *Westw.* White. Clerid. IV. *p.* 48; Proc. Zool. Soc. 1852, *p.* 50, t. 26, f. 12.
Hab. Tasmania.

Opilo. (*Latreille.*)

Eupocus Illiger *Opilus Schönh.*

apicalis *White.* Clerid. IV. 1849, *p.* 56.
Hab. New Holland.
congruus *Newm.* The Entomol. 1842, *p.* 365.
var. *femoralis Westw.* White. Clerid. IV. *p.* 55.
Hab. Australia. (Widely distributed.)
ephippiger *White.* Clerid. IV. *p.* 57.
Hab. New Holland.
ephippium *Boisd.* Voy. Astrol. II *p.* 139, t. 6, f. 15.
Hab. Victoria.
incertus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 269.
Hab. Gayndah, Queensland.
mœrens *Westw.* White. Clerid. IV. *p.* 57; Proc. Zool. Soc. 1852, *p.* 50, t. 26. f. 10.
Hab. South Australia.

sexnotatus *Westw.* White. Clerid. IV. *p.* 57; Proc. Zool. Soc. 1852, *p.* 51, t. 26, f. 7.
var. *pulcher White.* Clerid. IV. *p.* 58.—*Westw.* Proc. Zool. Soc. *p.* 51.
Hab. Tasmania.

Natalis. (*Castelnau.*)

cribricollis *Spin.* Mon. I. *p.* 203, t. 16, f. 4.
Hab. New South Wales, and Queensland.
Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 269.
Hab. Gayndah, Queensland.
porcata *Fab.* Mant. Ins. I. *p.* 127.—*Kluj.* Mon. *p.* 318.—*Spin.* Mon. I. *p.* 201, t. 16, f. 2
heros Sturm. Cat. 1843, *p.* 82.
Hab. Tasmania, S. Australia, W. Australia, Victoria, N. S. Wales, & Queensland.
titana *Thoms.* Mus. Scient. II. 1860, *p.* 56.
Hab. Richmond River, N. S. Wales; Wide Bay, Queensland.

Thanasimus. (*Latreille.*)

accinctus *Newm.* The Entomol. 1842, *p.* 364.
var. *medianus Westw.* White. Clerid. IV. *p.* 55.
var. *viduus Westw.* l. c.
Hab. Tasmania.
acerbus *Newm.* The Entomol. *p.* 364.
Hab. Victoria.
confusus *Newm.* l. c. *p.* 364.
Hab. Victoria.
cursorius *Westw.* Proc. Ent. Soc. 1852, *p.* 53, t. 25, f. 5.
Hab. South Australia.
eximius *White.* Clerid. IV. 1849, *p.* 63.—*Westw.* Proc. Zool. Soc. 1852 *p.* 54, t. 27, f. 12.
Hab. New South Wales, and Queensland.
sculptus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 271.
Hab. Gayndah, Maryborough, Rockhampton, and Port Denison, Queensland.

Clerus. (*Geoffroy.*)

apicalis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 271.
Hab. Gayndah, Queensland.
crassus *Newm.* The Entomol. *p.* 15.—*Klug.* Mon. *p.* 387.
Hab. New Holland.

cruciatus *Macleay*. King. Survey. II. *p.* 442.—*Klug*. Mon. *p.* 386.
Hab. New Holland.
delicatulus *Bohem*. Res. Eugen. 1858, *p.* 84.
Hab. New South Wales.
guttulus *White*. Clerid. IV. 1849, *p.* 59.
Hab. New Holland.
Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 271.
Hab. Gayndah, Queensland.
novemguttatus *Westw*. Proc. Ent. Soc. 1852, *p.* 49.
Hab. New South Wales, and Queensland.
sepulcralis *Westw*. Proc. Zool. Soc. 1852, *p.* 52, t. 25, f. 9.
Hab. New South Wales, and Queensland.
ventralis *Westw*. Proc. Ent. Soc. 1852, *p.* 51.
Hab. New South Wales.

Aulicus. (*Spinola.*)

foveicollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 272.
Hab. Gayndah, Queensland.
instabilis *Newm*. The Entomol. *p.* 15.—*Klug*. Mon. *p.* 341.—*Spin*. Mon. I. *p.* 331, t. 28, f. 1.
var. *castanipes Westw*. White. Clerid. IV. *p.* 60.
var. *episcopalis Spinola*. (olim.)
var. *tibialis Westw*. l. c. *p.* 60.
Hab. Australia. (Widely distributed.)
lemoides *Pascoe*. Journ. of Ent. I. 1860, *p.* 47.
Hab. New South Wales.
rufipes *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 272.
Hab. Gayndah, Queensland.
viridissimus *Pasc*. Journ. of Ent. I. 1860, *p.* 47.
Hab. New South Wales, and Queensland.

Tarsostenus. (*Spinola.*)

Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 273.
Hab. Gayndah, Queensland.
pulcher *Macleay, W.* l. c. *p.* 272.
Hab. Gayndah, Queensland.

Trogodendron. (*Guérin.*)

fasciculatum *Schreib*. Trans. Linn. Soc. 1802, VI, *p.* 195, t. 20, f. 6.—*Klug*. Mon. *p.* 326.—*Spin*. Mon. I. *p.* 212, t. 18. f. 1.
var. *honestum Newm*. The Entomol. *p.* 16.—*Lacord*. Gen. Col. IV. *p.* 454.
Hab. New Holland. (Widely distributed.)

Scrobiger. (*Spinola.*)

Xanthoceros Newm. (pars.)

albocinctus *Pasc.* Journ. of Ent. I. 1860, *p.* 46.
Hab. Moreton Bay, Gayndah, &c., Queensland.
idoneus *Newm.* The Entomol. 1842, *p.* 363.
Hab. Victoria.
splendidus *Newm.* l. c. 1840, *p.* 15.
Reichei Spin. Mon. I. *p.* 232, t. 14, f. 1.
Hab. New Holland. (Widely distributed.)

Olesterus. (*Spinola.*)

Australis *Spin.* Mon. I. *p.* 229, t. 20, f. 2.
Hab. Swan River, Western Australia.

Eburiphora. (*Spinola.*)

patricia *Klug.* Mon. *p.* 325.
Hab. Tasmania.

Zenithicola. (*Spinola.*)

Australis *Boisd.* Voy. Astrol. Col. *p.* 142.—*Spin.* Mon. I. *p.* 286, t. 28, f. 2.—Dej. Cat. 3 ed. *p.* 127.—*Lacord.* Gen. Atl. t. 46, f. 3.
Hab. New South Wales.
fulgens *Chevrol.* Ann. Fr. 1843, *p.* 41.
Hab. New South Wales.
obesus *White.* Stoke's Voy. app. t. 1, f. 9.
var. *obesulus White.* Clerid. IV. *p.* 26.
Hab. New South Wales, and Queensland.

Eleale. (*Newman.*)

Chalciclerus Spin. Xanthoceros Newm. Xylotretus Guér.
apicalis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 274.
Hab. Gayndah, Queensland.
aspera *Newm.* The Entomol. 1841, *p.* 36.
rugosa Newm. l. c. 1842, *p.* 364.
herbacea Hombr. et Jacq. Atl. t. 5, f. 1.
unicolor Spin. Mon. I. *p.* 279, t. 21, f. 5.—*Blanch.* Voy. Pole. Sud. IV. *p.* 63.
Hab. New Holland.
chrysidea *Westw.* Proc. Zool. Soc. 1852, *p.* 50.
var. *æruginosa Westw.* l. c. *p.* 51.
var. *atricornis Westw.* l. c. *p.* 51.
Hab. King George's Sound.

elongatula *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 274.
Hab. Gayndah, Queensland.
excavata *Westw.* Proc. Zool. Soc. 1852, *p.* 46, t. 24, f. 10.
Hab. New Holland.
fasciata *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 273.
Hab. Gayndah, Queensland.
flavicornis *Bohem.* Res. Eugen. 1858, *p.* 85.
Hab. New South Wales.
intricata *Klug.* Mon. *p.* 307.—*Spin.* Mon. II. *p.* 141, t. 15, f. 5.
Hab. Tasmania.
lepida *Pascoe.* Journ. of Ent. I. 1860, *p.* 45.
Hab. Moreton Bay, Maryborough, Gayndah, &c., Queensland.
obscura *Newm.* The Entomol. *p.* 16.—*Klug.* Mon. *p.* 388.
Hab. New Holland.
pulchra *Newm.* l. c. *p.* 16.—*Klug.* Mon. *p.* 388.
bimaculata Spin. Mon. I. *p.* 281, t. 20, f. 1.
Hab. South Australia.
Reichei *Spin.* Mon. I. *p.* 155, t. 7, f. 3.
Hab. Swan River, Western Australia.
scrobiculata *Spin.* Mon. I. *p.* 156.
foveolata Spin. l. c. t. 15, f. 4.
Hab. New Holland.
sellata *Pascoe.* Journ. of Ent. I. 1860, *p.* 45.
Hab. Moreton Bay.
simplex *Newm.* The Entomol. *p.* 16.—*Klug.* Mon. *p.* 388.
leucaspis Germ. Linn. Ent. III. *p.* 186.
Hab. South Australia.
simulans *Pascoe.* Journ. of Ent. I. 1860, *p.* 45.
Hab. Moreton Bay.
viridicollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 274.
Hab. Gayndah, Queensland.
viridis *Guér.* Jc. règn. anim. *p.* 52.—*Spin.* Mon. I. *p.* 153, t. 6, f. 2.
Hab. New Holland.

Stigmatium. (*Gray.*)

Gilberti *White.* Clerid. IV. 1859, *p.* 53.
Hab. New South Wales, and Queensland.
lævius *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 270.
Hab. Gayndah, Queensland.
Mastersi *Macleay, W.* l. c. *p.* 269.
Hab. Gayndah, Queensland.

speculare *White.* Clerid. IV. *p.* 54.
Hab. New Holland.

ventrale *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 270.
Hab. Gayndah, Queensland.

Omadius. (*Castelnau.*)

olivaceus *Westw.* Proc. Zool. Soc. 1852, *p.* 44, t. 26, f. 3.
Hab. Prince of Wales' Island, North Australia.

prasinus *Westw.* l. c. *p.* 53, t. 26, f. 2.
Hab. Northern parts of New South Wales, and Queensland.

Lemidia. (*Spinola.*)

Hoploclerus White.

biaculeata *Westw.* White. Clerid. IV. 1849, *p.* 61; Proc. Zool. Soc. 1852, *p.* 52, t. 25, f. 1—*Lacord.* Gen. Col. IV. *p.* 471, nota.
Hab. New Holland.

carissima *Pascoe.* Journ. of Ent. I. 1860, *p.* 48.
Hab. South Australia.

conferta *Newm.* The Entomol. 1842, *p.* 365.—*Lacord.* Gen. Col. IV. *p.* 471, nota.

exilis *Westw.* Proc. Zool. Soc. 1852, *p.* 48, t. 27, f. 4.
Hab. South Australia.

festiva *Westw.* l. c. *p.* 47, t. 25, f. 3.
Hab. New Holland.

flavolineata *Westw.* White. Clerid. IV. 1849, *p.* 62; Proc. Zool. Soc. 1852, *p.* 48, t 27, f. 1.
Hab. South Australia.

flavovaria *Westw.* l. c. *p.* 62; l. c. *p.* 49, t. 27, f. 3.
Hab. King George's Sound.

hilaris *Newm.* Zoologist. 1843, *p.* 119.
corallipennis Westw. Proc. Zool. Soc. 1852, *p.* 47, t. 25, f. 2.
Hab. New South Wales, and Queensland.

inanis *Germ.* Linn. Ent III. 1848, *p.* 187.
Hab. South Australia.

Malthinus *Newm.* The Entomol. *p.* 37.—*Klug.* Mon. *p.* 389.
Hab. Tasmania.

nitens *Newm.* l. c. *p.* 36.—*Klug.* Mon. *p.* 311, t. 2. f. 8.—*Spin.* Mon. II. *p.* 34, t. 38, f. 1.
Hab. Tasmania.

pectoralis *Westw.* White. Clerid. IV. *p.* 61; Proc. Zool. Soc. 1852, *p.* 49, t. 27, f. 6.
Hab. New South Wales.

picta *White*. Clerid. IV. *p*. 62.
Hab. New Holland.

Tasmanica *White*. l. c. *p*. 62.
Hab. Tasmania.

V-reversum *Westw*. Proc. Zool. Soc. 1852, *p*. 48, t. 27, f. 5.
Hab. South Australia.

Hydnocera. (*Newman*.)

bella *Westw*. Proc. Zool. Soc. 1852, *p*. 47, t. 27, f. 2.
Hab. South Australia.

Allelidea. (*Waterhouse*.)

brevipennis *Pascoe*. Journ. of Ent. I. 1860. *p*. 48, t. 2, f. 9.
Hab. Victoria.

ctenostomoides *Waterh*. Trans. Ent. Soc. II. *p*. 194, t. 17, f. 1, a–f.
Hab. Gayndah, Queensland.

Tenerus. (*Castelnau*.)

abbreviatus *White*. Clerid. IV. 1849, *p*. 52.
Hab. Victoria, and New South Wales.

ruficollis *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 275.
Hab. Gayndah, Queensland.

telephoroides *Pascoe*. Journ. of Ent. I. 1860. *p*. 49.
Hab. Moreton Bay.

Pylus. (*Newman*.)

anthicoides *Newm*. The Entomol. 1842, *p*. 402.
Hab. Victoria.

bicinctus *Newm*. l. c. *p*. 364.
Hab. Victoria.

fatuus *Newm*. The Entomol. *p*. 35.—*Kluq*. Mon. *p*. 389.—*Blanch*. Voy. Pole. Sud. IV. *p*. 61, t. 4, f. 16.
ochropus Kluq. Mon. *p*. 341, t. 2, f. 10.—*Spin*, Mon. t. 28, f. 3.
Passerinii Spin. Mon. I. *p*. 283.
Hab. South Australia, Victoria, and New South Wales.

pallipes *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 475.
Hab. Gayndah, Queensland.

Necrobia. (*Latreille.*)

pinguis *Westw.* White. Clerid. IV. *p.* 63; Proc. Zool. Soc. 1852, *p.* 52, t. 27, f. 10.
Hab. Tasmania.

ruficollis *Fabr.* Syst. Ent. *p.* 57.—*Klug.* Mon. *p.* 350.—*Spin.* Mon II. *p.* 103, t. 43, f. 6.
Hab. New Holland. (Introduced.)

rufipes *De Geer.* Mém. V. *p.* 165, t. 15, f. 4.—*Fabr.* Spec. Ins. I. *p.* 65, (1781).—*Klug.* Mon. *p.* 350.—*Spin.* Mon. II. *p.* 101, t. 42, f 6.
Australis Macleay. Dej. Cat. 3. ed. *p.* 128.
Hab. New Holland (Introduced.)

violacea *Linn.* Syst. Nat. ed. 10, *p.* 356.—*Klug.* Mon. *p.* 349.—*Spin.* Mon. II. *p.* 105, t. 44, f. 1.—*Kiesenw.* Nat. Ins. IV. *p.* 693.
Hab. Gayndah, Queensland; Ropes Creek, N. S. Wales. (Introduced?)

LYMEXYLONIDÆ.

Atractocerus. (*Palisot de Beauvois.*)

Kreusleræ *Pascoe.* Proc. Ent. Soc. 1864, *p.* 46.
Hab. South Australia.

Lymexylon. (*Fabricius.*)

Australe *Erichs.* Wiegm. Arch. 1842, I. *p.* 147.
Hab. Tasmania.

PTINIDÆ

Ptinus. (*Linné.*)

albomaculatus *Macleay, W.* Trans. Ent Soc. N. S. Wales, II. 1872, *p.* 276.
Hab. Gayndah, Queensland.

exulans *Erichs.* Wiegm. Arch. 1842, I. *p.* 147.—*Boield.* Mon. *p.* 499, t. 17, f. 16.
Hab. Tasmania.
tectus *Boield.* Mon. *p.* .652
pilosus White. Voy. Ereb. Terr. 1846, XI. *p.* 8.
Hab. Tasmania.

Ectrephes. (*Pascoe.*)

Anapestus King.

formicarium *Pasc.* Proc. Ent. Soc. 1866, *p.* 16.—*Westw.* Trans. Ent. Soc. 1869, *p.* 315.
Kreusleri King. Trans. Ent. Soc. N. S. Wales, I., 1866, *p.* 317, t. 16, f. 1.
Hab. South Australia.
Kingi *Westw.* Trans. Ent. Soc. 1869, *p.* 316.
Hab. Swan River, Western Australia.
Pascoei *Westw.* l. c. *p*, 315.
Hab. Swan River, Western Australia.

Diplocotus. (*Westwood.*)

Howittanus *Westw.* Trans. Ent. Soc. 1869, *p.* 317.
Hab. South Australia.

Epitelus. (*Newman.*)

contumax *Newm.* Entomol. 1842, *p.* 403.
Hab. Victoria.

BOSTRYCHIDÆ.

Bostrychus. (*Geoffroy.*)

bispinosus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 276.
Hab. Gayndah, Queensland.
cylindricus *Macleay, W.* l. c. *p.* 277.
Hab. Gayndah, Queensland.
jesuita *Fabr.* Ent. Syst. I. 2, *p.* 361.—*Boisd.* Voy. Astrol. II. *p.* 461.
Hab. Queensland.

Rhizopertha. (*Stephens.*)

collaris *Erichs.* Wiegm. Arch. 1842, I. *p.* 148.
Hab. Tasmania
elongatula *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 276.
Hab. Gayndah, Queensland.
gibbicollis *Macleay, W.* l. c. *p.* 276.
Hab. Gayndah, Queensland.
obsipa *Germ.* Linn. Ent. III. 1848, *p.* 222.
Hab. South Australia.

TENEBRIONIDÆ.

Zopherosis. (*White.*)

Georgii *White.* Proc. Zool. Soc. 1859, *p.* 121, t. 59, f. 6.
Hab. Lane Cove, Manning River, Currajong, &c., New South Wales.

Cotulades. (*Pascoe.*)

fascicularis *Pascoe.* Journ. of Ent. I. 1860, *p.* 119, t. 7, f. 5.
Hab. Tasmania.
funerosa *Hope.* Trans. Ent. Soc. IV. 1845, *p.* 107.
Hab. Tasmania.
leucospila *Hope.* l. c. *p.* 107.
Hab. Port Essington, and Swan River.

Emeax. (*Pascoe.*)

sculpturatus *Pascoe.* Journ. of Ent. 1866. *p.* 450, t. 19, f. 7.
Hab. New South Wales.

Docalis. (*Pascoe.*)

degener *Pascoe.* Journ. of Ent. 1860, *p.* 122.
Hab. Tasmania.
exoletus *Pascoe.* l. c. *p.* 121, t. 8, f. 9.
Hab. Tasmania.

Dysarchus. (*Pascoe.*)

Odewahni *Pascoe.* Journ. of Ent. 1866, *p.* 449.
Hab. South Australia.

Onosterrhus. (*Pascoe.*)

lævis *Pascoe.* Journ. of Ent. 1866, *p.* 451.
Hab. Western Australia.

Cædius. (*Blanchard.*)

sphæroides *Hope.* Proc. Ent. Soc. 1842, *p.* 77; Trans. Ent Soc. IV. 1845, *p.* 107.
Hab. South Australia.

Isopteron. (*Hope.*)

opatroides *Hope.* Proc. Ent. Soc. 1842, *p.* 77; Trans. Ent. Soc. IV. 1845, *p.* 107.—*Pascoe.* Ann. Nat. Hist 1869, *p.* 277.
Hab. Tasmania.

Sobas. (*Pascoe.*)

Trigonotarsus Hope.

Australis *Hope.* Proc. Ent. Soc. 1842, *p.* 76; Trans. Ent. Soc. IV. 1845, *p.* 106.
Hab. New South Wales, South Australia, and Western Australia.

Prionotus. (*Mulsant et Rey.*)

Achora Pascoe.

denticollis *Blanch.* Voy. Pole. Sud. IV. 1853, *p.* 154, t. 10, f. 13.—*Muls.* Mém. Ac. Lyon. 1859, *p.* 151.
Hab. Tasmania.

serricollis *Hope.* Proc. Ent. Soc. 1842, *p.* 77; Trans. Ent. Soc. IV. 1845, *p.* 108.—*Pascoe.* Ann. Nat Hist. 1869, *p.* 278.
Hab. South Australia.

Apatelus. (*Mulsant et Rey.*)

Hopei *Muls.* Mém. Ac. Lyon. 1859, *p.* 154.
Hab. New Holland.

squamosus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 278.
Hab. Gayndah, Queensland.

Opatrum. (*Fabricius.*)

Australe *Boisd.* Voy. Astrol. II. 1835, *p.* 251.—*d'Urville.* Dej. Cat. 3. ed. *p.* 214.
Hab. New Holland.

Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 277.
Hab. Gayndah, Queensland.
villigerum *Blanch.* Voy. Pole Sud. IV. *p.* 154, t. 10, f. 15.
Hab. Raffles Bay, North Australia.

Cestrinus. (*Erichson.*)

Castrinus Dejean.—Mitua Hope.

aversus *Pascoe.* Ann. Nat. Hist. 1869, *p.* 278.
Hab. Tasmania.
Bidwelli *Hope.* Trans. Ent. Soc. V. 1848, *p.* 56, t. 7, f. 6, a–e.
Hab. New Holland.
insularis *Hope.* Proc. Ent. Soc. 1842, *p.* 76; Trans. Ent. Soc. IV. 1845, *p.* 107.—*Pascoe.* Ann. Nat. Hist. 1869, *p.* 277.
Hab. Melville Island.
obscurus *Erichs.* Wiegm. Arch. 1842, I. *p.* 173.
Hab. Tasmania.
piceitarsis *Hope.* Proc. Ent. Soc. 1842, *p.* 76; Trans. Ent. Soc. IV. 1845, *p.* 108.
Hab. South Australia.
posticus *Pascoe.* Trans. Ent. Soc. 1869, *p.* 278.
Hab. Tasmania.
punctatissimus *Pascoe.* l. c.
Hab. Tasmania.
squalidus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 278.
Hab. Gayndah, Queensland.
trivialis *Erichs.* Wiegm. Arch. 1842, I. *p.* 173.—*Lacord.* Gen. Atl. t. 53, f. 6.
longus Blanch. Voy. Pole. Sud. IV. 1853, *p.* 156, t. 40, f. 14. —*Lacord.* Gen. Col. V. *p.* 276, nota 2.
Hab. Tasmania, and Victoria.

Isostira. (*Pascoe.*)

crenata *Pascoe.* Ann. Nat. Hist. 1870, *p.* 98.
Hab. Moreton Bay, and Wide Bay, Queensland.

Ecripsis. (*Pascoe.*)

pubescens *Pascoe.* Journ. of Ent. 1866, *p.* 456.
Hab. Tasmania.

Hyocis. (*Pascoe.*)

Bakewelli *Pascoe.* Journ. of Ent. 1866, *p.* 456.
Hab. Victoria.

pallida *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 278.
Hab. Gayndah, Queensland.
pubescens *Macleay, W.* l. c. *p.* 279.
Hab. Gayndah, Queensland.

Scymena. (*Pascoe.*)

amphibia *Pascoe.* Ann. Nat. Hist. 1870, *p*, 94.
Hab. King George's Sound.
variabilis *Pascoe.* Journ. of Ent. I. 1866. *p.* 455.
Hab. Sea Coast of New South Wales.

Sphargeris. (*Pascoe.*)

physodes *Pascoe.* Journ of Ent. 1860. *p.* 122, t. 5, f. 9.
Hab. Victoria, and South Australia.

Mychestes. (*Pascoe.*)

lignarius Pascoe. Ann. Nat. Hist. 1870, *p.* 97.
Hab. Moreton Bay.
Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 279.
Hab. Wide Bay, and Gayndah, Queensland.
Pascoei *Macleay, W.* l. c. *p.* 279.
Hab. Gayndah, Queensland

Orcopagia. (*Pascoe.*)

monstrosa *Pascoe.* Proc. Ent. Soc. 1868, *p.* 12 ; Ann. Nat. Hist. 1869, *p.* 31, t. 10, f. 8.
Hab. Illawarra, New South Wales.

Dipsaconia. (*Pascoe.*)

Australis *Hope.* Trans. Ent. Soc. IV. 1845, *p.* 108.
Hab. South Australia.
Bakewelli *Pascoe.* Journ. of Ent. 1860, *p.* 124, t. 7, f. 6.
Hab. Tasmania, and Victoria.
pyritosa *Pascoe.* l c *p.* 124.
Hab. Victoria.

Brysax. (*Pascoe.*)

egenus *Pascoe.* Journ. of Ent. II. 1866, *p.* 459.
Hab. New South Wales, and Queensland.
Macleayi *Pascoe.* Journ of Ent. II. 1866, *p.* 459.
Hab. Manning River, and Port Macquarie, N. S. Wales.
saccharatus *Pascoe.* Ann. Nat. Hist. 1870, *p.* 95.
Hab. Pine Mountain, Queensland.

Ilyxerus. (*Pascoe.*)

asper *Pascoe.* Journ. of Ent. II. 1866. *p.* 458, t. 18, f. 3.
Hab. New South Wales.

Ulodes. (*Erichson.*)

variicornis *Hope.* Proc. Ent. Soc. 1842, *p.* 78; Trans. Ent. Soc. IV. 1845, *p.* 108.
Hab. South Australia.
verrucosus *Erichs.* Wiegm. Arch. 1842, I. *p.* 181, t. 5, f. 1, a–b.
Hab. Tasmania.

Ulodica. (*Pascoe.*)

hispida *Pascoe.* Ann. Nat. Hist. 1869, *p.* 32.
Hab. Illawarra, New South Wales.

Latometus. (*Erichson.*)

pubescens *Erichs.* Wiegm. Arch. 1842, I. *p.* 213, t. 5, f. 3.
Hab. Tasmania.

Elascus. (*Pascoe.*)

crassicornis *Pascoe.* Journ. of Ent. 1860, *p.* 120, t. 7, f. 7.
Hab. Victoria.
lunatus *Pascoe.* l. c. *p.* 120, t. 7, f. 8.
Hab. Victoria.

Ganyme. (*Pascoe.*)

Howitti *Pascoe.* Ann. Nat. Hist. 1869. *p.* 33, t. 10, f. 7.
Hab. New South Wales, and Victoria.
sapphira *Newm.* The Entomol. 1842, *p.* 404.
Hab. Victoria.

Typhobia. (*Pascoe,*)

fuliginea *Pascoe.* Ann. Nat. Hist. 1869, *p.* 279.
Hab. New South Wales, and Queensland.

Platydema. (*Castelnau et Brullé.*)

aries *Pascoe.* Ann. Nat. Hist. 1869, *p.* 280.
Hab. New South Wales, and Queensland.
laticolle *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 280.
Hab. Gayndah, Queensland
limacella *Pascoe.* Ann. Nat. Hist. 1869, *p.* 280.
Hab. New South Wales, and Queensland.

oritica *Pascoe*. l. c. *p*. 280.
Hab. New South Wales, and Queensland.
Pascoei *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 280.
Hab. Gayndah, Queensland
tetraspilota *Hope*. Proc. Ent. Soc. 1842, *p*. 78; Trans. Ent. Soc. IV. 1845, *p*. 108.—*Redtenb*. Reis Novar. II. *p*. 124.
Hab. Australia. (Widely distributed.)
thalloides *Pascoe*. Ann. Nat. Hist. 1869, *p*. 281.
Hab. New South Wales.

Ceropria. (*Castelnau et Brullé*.)

peregrina *Pascoe*. Journ. of Ent. II. 1866, *p*. 460.
Hab. New South Wales, and Queensland.
spectabilis *Casteln. et. Brullé*. Mon. *p*. 397.
amethystina Dalm. Dej. Cat. 3 ed. *p*. 219.
bipunctata Meg. Dej. Cat. l. c.
chalybeata Ziegl. Dej. Cat. l. c.
Hab. New Holland.
valga *Pascoe*. Ann. Nat. Hist. 1869, *p*. 281.
Hab. New South Wales, and Queensland.

Achthosus. (*Pascoe*.)

laticornis *Pascoe*. Ann. Nat. Hist. 1869, *p*. 294.
Hab. New South Wales, and Queensland.
Westwoodi *Pascoe*. Journ. of Ent. 1863, *p*. 43. t. 2, f. 7.
Hab. New South Wales, and Queensland.

Uloma. (*Castelnau*.)

consentanea *Perroud*. Ann. Soc. Linn. Lyon. 1864, *p*. 119.
Hab. New Holland.
depressa *Pascoe*. Journ. of Ent. II. 1866, *p*. 454.
Hab. Queensland.
ovalis *Perroud*. Ann. Soc. Linn. Lyon. 1864, *p*. 121.
Hab. Tasmania.

Heterochira. (*Lacordaire*.)

Australis *Boisd*. Voy. Astrol. II. 1835, *p*. 258.—*Dej*. Cat. 3 ed. *p*. 220.
Hab. New Holland.

Toxicum. (*Latreille*.)

distinctum *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 281.
Hab. Gayndah, Queensland.

brevicorne *Pascoe*. Journ. of Ent. II. 1866, *p*. 454.
Hab. Victoria.
parvicorne *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 281.
Hab Gayndah, Queensland.
punctipenne *Pascoe*. Journ. of Ent. II. 1866, *p*. 454.
Hab. New South Wales.

Encara. (*Gemminger.*)

Encephalus Brême.

Bremei *Hope*. Trans. Ent. Soc. V. 1848, *p*. 54, t. 6, f. 5.—*Lacord.* Gen. Col. V. *p*. 346, nota.
Hab. Swan River, Western Australia.
submaculatum *Brême*. Mon. I. *p*. 25, t. 7, f. 4.—*Lacord.* Gen. Atl. t. 55, f. 3.
Hab. New South Wales.
Westwoodi *Boisd*. Voy. Astrol. II. 1835, *p*. 262.
gibbosum Brême. Mon. I. *p*. 23, t. 5, f. 5.
Hab. New South Wales.

Pterohelæus. (*Bréme.*)

agonus *Pascoe*. Journ. of Ent. II. 1866, *p*. 461.
Hab. Australia. (Interior.)
alternatus *Pascoe*. Ann. Nat. Hist. 1869, *p*. 284.
Hab. Australia. (Interior.)
arcanus *Pascoe*. Ann. Nat. Hist. 1870, *p*. 98.
Hab. Port Denison, Queensland.
asellus *Pascoe*. l. c. *p*. 99.
Hab. Wide Bay, Gayndah, &c., Queensland.
Bremei *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 281.
Hab. Gayndah, Queensland.
bullatus *Pascoe*. Journ. of Ent. II. *p*. 462.
Hab. Queensland.
confusus *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 283.
Hab. Gayndah, Queensland.
dispar *Pascoe*. Ann. Nat. Hist. 1869, *p*. 286.
Hab. Swan River, Western Australia.
elongatus *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 282.
Hab. Gayndah, Queensland.
Guerini *Brême*. Mon. I. *p*. 36, t. 2, f. 3.
Hab. Tasmania.
hepaticus *Pascoe*. Ann. Nat. Hist. 1869, *p*. 285.
Hab. Victoria.

insularis *Brême.* Mon. I. *p.* 30, t. 3, f. 6.—*Blanch.* Voy. Pole. Sud. IV. *p.* 151, t. 10, f. 8.
Hab. Raffles Bay, North Australia.
Kollari *Brême.* Mon. I. *p.* 32, t. 7, f. 3.
Hab. Swan River, Western Australia.
laticollis *Pascoe.* Ann. Nat. Hist. 1869, *p.* 285.
Hab. Victoria.
litigiosus *Pascoe.* l. c. *p.* 283.
Hab. New South Wales.
memnonius *Pascoe.* Journ. of Ent. II. 1866, *p.* 462.
Hab. South Australia.
minimus *Pascoe.* Ann. Nat. Hist. 1869, *p.* 284.
Hab. Cooper's Creek. (Interior.)
nitidissimus *Pascoe.* l. c. *p.* 282.
striatopunctatus Brême. Mon. I. *p.* 31, t. 2, f. 6.
Hab. South Australia.
parallelus *Brême.* Mon. I. *p.* 33, t. 2, f. 7.
Hab. Swan River, Western Australia.
Pascoei *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 282.
Hab. Gayndah, Queensland.
peltatus *Breme.* Mon. I. *p.* 34, t. 2, f. 1.
Hab. New South Wales, and Victoria.
piceus *Kirby.* Trans. Linn. Soc. XII. 1818, *p.* 468.—*Breme.* Mon. I. *p.* 28, t. 2, f. 5.
Hab. New South Wales.
planus *Blessig.* Hor. Soc. ent. ross. I. 1861, *p.* 90, t. 4, f. 1.
Hab. Victoria.
pruinosus *Pascoe.* Journ. of Ent. II. 1866, *p.* 461.
Hab. North Australia.
Reichei *Breme.* Mon. I. *p.* 35, t. 2, f. 2.
Hab. New Holland.
servus *Pascoe.* Journ. of Ent. II. 1866, *p.* 462.
Hab. Victoria.
striatopunctatus *Boisd.* Voy. Astrol. II. *p.* 266.
Hab. Kangaroo Island, S. Australia.
vicarius *Pascoe.* Ann. Nat. Hist. 1869, *p.* 283.
Hab. Victoria, New South Wales, and Queensland.
Walkeri *Breme.* Mon. I. *p.* 27, t. 2, f. 4—*Lacord.* Gen. Atl. t. 54, f. 3.
Hab. New South Wales, and Queensland.

Helæus. (*Latreille.*)

Browni *Kirby.* Trans. Linn. Soc. XII. 1818, *p.* 467, t. 23, f. 8.—*Breme.* Mon. I. *p.* 62, t. 6, f. 6.
Hab. Western Australia.

castor *Pascoe*. Journ. of Ent. II. 1866, *p*. 464.
Hab. South Australia.

colossus *Breme*. Mon. I. *p*. 59, t. 6, f. 1.
Hab. New Holland.

consularis *Pascoe*. Journ. of Ent. II. 1866, *p*. 463.
Hab. Western Australia.

echidna *White*. Voy. Capt. Grey. 1841, App. *p*. 464.—*Breme*. Mon. I. *p*. 64, t. 7, f. 1.
Hab. Western Australia.

echinatus *Hope*. Trans. Ent. Soc. V. 1848, *p*. 54, t. 7, f. 1.
Hab. New Holland.

falcatus *Pascoe*. Journ. of Ent. II. 1866, *p*. 464.
Hab. Kangaroo Island, South Australia.

Hopei *Breme*. Mon. I. *p*. 68, t. 5, f. 4.
Hab. New Holland.

intermedius *Breme*. Mon. I. *p*. 61, t. 5, f. 1.
Hab. South Australia.

Kirbyi *Breme*. Mon. I. *p*. 57, t. 6, f. 4.
Hab. Swan River, Western Australia.

Macleayi *Breme*. Mon. I. *p*. 65, t. 6, f. 3.
Hab. King George's Sound.

Mastersi *Pascoe*. Ann. Nat. Hist. 1870, *p*. 99.
Hab. Salt River, Western Australia.

moniliferus *Pascoe*. Journ. of Ent. II. 1866, *p*. 463.
Hab. South Australia.

ovatus *Guér*. Voy. Coquille. II. 1830, *p*. 105, t. 5, f. 7.—*Breme*. Mon. I. *p*. 69, t. 5, f. 2; t. 1, f. 3–4.
Hab. New Holland.

perforatus *Latr*. Régne. anim. ed. 2, III. *p*. 32, t. 3, f. 6.—*Breme*. Mon. I. *p*. 55, t. 6, f. 2; t. 1, f. 1, 2, 5–8.
Hab. King George's Sound.

Perroni *Boisd*. Voy. Astrol. II. *p*. 259.—*Breme*. Mon. I. *p*. 66, t. 5, f. 3.
Hab. Swan River, Western Australia.

princeps *Hope*. Trans. Ent. Soc. V. 1848, *p*. 52, t. 6, f. 1.
Hab. Swan River, Western Australia.

Spencei *Breme*. Mon. I. *p*. 58, t. 6, f. 5.
Hab. Swan River, Western Australia.

Spinolæ *Hope*. Trans. Ent. Soc. IV. 1848, *p*. 53, t. 6, f. 3.
Hab. Swan River, Western Australia.

squamosus *Pascoe*. Ann. Nat. Hist. 1869, *p*. 286, t. 12, f. 4.
Hab. Darling River.

tuberculatus *Breme*. Mon. I. *p*. 71, t. 7. f. 2.
Hab. New South Wales, and Victoria.

Sympetes. (*Pascoe.*)

Macleayi *Pascoe.* Journ. of Ent. II. 1866, *p.* 465.
Hab. King George's Sound.

magister *Pascoe.* l. c. *p.* 465.
Hab. Queensland.

Saragus. (*Erichson.*)

asidoides *Pascoe.* Journ. of Ent. 1866, *p.* 465.
Hab. South Australia.

asperipes *Pascoe.* Ann. Nat. Hist. 1870, *p.* 101.
Hab. Port Lincoln, South Australia.

Australis *Boisd.* Voy. Astrol. II., *p.* 263.—*d'Urville.* Dej. Cat. 3 ed. *p.* 208.—*Breme.* Mon. I. *p.* 43, t. 4, f. 2.
Hab. New South Wales.

brunnipes *Boisd.* Voy. Astrol. II. *p.* 264.—*Breme.* Mon. I. *p.* 37, t. 3, f. 4.—*Latr.* Dej. Cat. 3 ed. *p.* 208.
Hab. King George's Sound.

carinatus *Breme.* Mon. I. *p.* 41, t. 3, f. 2.
Hab. New Holland.

confirmatus *Pascoe.* Ann. Nat. Hist. 1870, *p.* 102.
Hab. Western Australia.

contractus *Hope.* Trans. Ent. Soc. IV. 1848, *p.* 53, t. 6, f. 2.
Hab. Swan River, Western Australia.

Duboulayi *Pascoe.* Journ. of Ent. II. 1866, *p.* 466.
Hab. Champion Bay, Western Australia.

emarginatus *Guér.* Voy. Coquille. II. 1830, *p.* 105.—*Breme.* Mon. I. *p.* 47, t. 3, f. 5.
cassidoides Boisd. Voy. Astrol. II. 1835, *p.* 265.
Hab. Victoria.

floccosus *Pascoe.* Ann. Nat. Hist. 1870, *p.* 100.
Hab. Wide Bay, Queensland.

gagates *Breme.* Mon. I. *p.* 52, t. 4, f. 1.
Hab. Swan River, Western Australia.

granulatus *Germ.* Linn. Ent. III. 1848, *p.* 197.
Hab. South Australia, Victoria, and New South Wales.

incisus *Pascoe.* Ann. Nat. Hist. 1869, *p.* 101.
Hab. Mudgee, New South Wales.

infelix *Pascoe.* Journ. of Ent. II. 1866, *p.* 466.
Hab. Tasmania.

interruptus *Boisd.* Voy. Astrol. II. *p.* 264.—*Breme.* Mon. I. *p.* 46, t. 4, f. 7.—*Latr.* Dej. Cat. 3 ed. *p.* 208.
Hab. New Holland.

lævicollis *Oliv.* Ent. II. 11. *p.* 12, t. 1, f. 5.—*Fabr.* Ent. Syst. I. *p.* 250.—*Erichs.* Wiegm. Arch. 1842, I. *p.* 172, t. 4, f. 7.—*Breme.* Mon. I. *p.* 44, t. 3, f. 1.—*Hope.* Trans. Ent. Soc. V. 1848, t. 7, f. 5.

costatus Sol. Studi. ent. 1848, *p.* 355, t. 13, f. 10–13.

Hab. Tasmania, Victoria, and South Australia.

limbatus *Pascoe.* Ann. Nat. Hist. 1869, *p.* 278.

Hab. Victoria.

marginatus *Sol.* Studi. ent. *p.* 356.

Hab. New Holland.

marginellus *Hope.* Trans. Ent. Soc. V. *p.* 55, t. 7, f. 4.

Hab. Norfolk Sound, Western Australia.

Odewahni *Pascoe.* Journ. of Ent. II. 1866, *p.* 467.

Hab. South Australia.

orbicularis *Breme.* Mon. I. *p.* 51, t. 4, f. 4.

Hab. New Holland.

ovalis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 283.

Hab. Gayndah, Queensland.

patelliformis *Pascoe.* Ann. Nat. Hist. 1870, *p.* 100.

Hab. Western Australia.

peltatus *Erichs.* Wiegm. Arch. 1842, I. *p.* 175.

Hab. Tasmania, Victoria, and New South Wales.

rotundatus *Breme.* Mon. I. *p.* 50, t. 4, f. 3.

Hab. Swan River, Western Australia.

rugosus *Boisd.* Voy. Astrol. II. *p.* 264.

Hab. New Holland.

silphodes *Boisd.* l. c. *p.* 263.—*Breme.* Mon. I. *p.* 42, t. 3, f. 3.—*Latr.* Dej. Cat. 3 ed. *p.* 208.

Hab. New Holland

simplex *Hope.* Trans. Ent. Soc. V. 1848, *p.* 55, t. 7, f. 2.

Hab. Swan River, Western Australia.

subrugosus *Breme.* Mon. I. *p.* 49, t. 4, f. 5.

Hab. Swan River, Western Australia.

tarsalis *Hope.* Trans. Ent. Soc. 1842, *p.* 55, t. 7, f. 3.

Hab. Swan River, Western Australia.

testudineus *Hope.* l. c. *p.* 53, t. 6, f. 4.

Hab. Port Essington, North Australia.

tricostellus *White.* Voy. Capt. Grey. 1841, App. *p.* 464.—*Breme.* Mon. I. *p.* 53, t. 5, f. 6.

Hab. Western Australia.

tristis *Germ.* Linn. Ent. III. *p.* 197.

Hab. South Australia.

unicarinatus *Boisd.* Voy. Astrol. II. *p.* 265.—*Breme.* Mon. I. *p.* 48, t. 4, f. 6.

Hab. Kangaroo Island, South Australia.

Opisidus. (*Castelnau.*)

chrysomeloides *Pascoe.* Journ. of Ent. II. *p.* 468.
Hab. Ipswich, Gayndah, Port Denison, &c, Queensland.

Nyctozoilus. (*Guérin.*)

Sphenogenius Solier.

elongatulus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 284.
Hab. Gayndah, Queensland.

Mastersi *Macleay, W.* l. c. *p.* 284.
Hab. Gayndah, Queensland.

obesus *Guér.* Voy. Coquille. *p.* 93, t. 4, f. 2; Mag. Zool. Cl. IX. *p.* 8, t. 104.—*Casteln.* Hist. Nat. II. *p.* 190.—*Lacord.* Gen. Atl. t. 55, f. 4.
clathratus Sol. Studi. ent. *p.* 352, t. 14, f. 10–12.
reticulatus Dej. Cat. 3 ed. *p.* 208.
Hab. New Holland.

Cossyphus. (*Olivier.*)

Odewahni *Pascoe.* Journ. of Ent. II. 1866, *p.* 468.
Hab. South Australia; and Singleton, N. S. Wales.

Brises. (*Pascoe.*)

trachynotoides *Pascoe.* Ann. Nat. Hist. 1869, *p*, 146, t. 11, f. 5.
Hab. Champion Bay, Western Australia.

Asphalus. (*Pascoe.*)

ebeninus *Pascoe.* Proc. Ent. Soc. 1868, *p.* 12; Ann. Nat. Hist. 1869, *p.* 147, t. 11, f. 3.
Hab. Northern parts of New South Wales.

Hypaulax. (*Bates.*)

Gayndahensis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 284.
Hab. Gayndah, Queensland.

marginata *Bates.* Trans. Ent. Soc. 1868, *p.* 261, t. 12, f. 1, 1, e.
Hab Clarence River, New South Wales.

oblonga *Bates.* l. c. *p.* 263.
Hab. New South Wales.

opacicollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 285.
Hab. Gayndah, Queensland.

ovalis *Bates.* Trans. Ent. Soc. 1868, *p.* 263, t. 12, f. 1.
Hab. Clarence River, New South Wales.

sinuaticollis *Bates*. l. c. *p*. 261.
Hab. Clarence River, New South Wales.
tarda *Bates*. l. c. *p*. 62.
Hab. Port Denison, Queensland.

Chileone. (*Bates*.)

Deyrollei *Bates*. Trans. Ent. Soc. 1868, *p*. 264, t. 12, f. 2.
Hab. Northern parts of New South Wales.

Nyctobates. (*Guérin*.)

crenata *Boisd*. Voy. Astrol. II. 1835, *p*. 255.—*Dej*. Cat. 3. ed. *p*. 225.
Hab. New Holland.
feronioides *Pascoe*. Journ of Ent. II. 1866, *p*. 458; Ann. Nat. Hist. 1869, *p*. 148, not.
Hab. Blue Mountains, New South Wales.
orcus *Pascoe*. Journ. of Ent. 1860, *p*. 453.
Hab. Western Australia.

Encyalesthus. (*Motschulsky*.)

Cholipus Pascoe.

punctipennis *Pascoe*. Journ. of Ent. II. 1866, *p*. 472.
Hab. New South Wales, and Queensland.

Promethis. (*Pascoe*.)

angulata *Erichs*. Wiegm. Arch. 1842, I. *p*. 174.
Hab. Tasmania.
lethalis *Pascoe*. Ann. Nat. Hist. 1869, *p*. 148.
Hab. Queensland.
nigra *Blessig*. Hor. Soc. ent. Ross. I. 1861, *p*. 91, t. 3. f. 1.
Hab. Victoria.
Pascoei *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 285.
Hab. Gayndah, Queensland.
quadricollis *Pascoe*. Ann. Nat. Hist. 1869, *p*. 149.
Hab. Swan. River, Western Australia.

Oectosis. (*Pascoe*.)

cylindrica *Germ*. Linn. Ent. III. 1848, *p*. 198.—*Lacord*. Gen. Col. V. *p*. 374, not. 4.
Hab. South Australia.

Menephilus. (*Mulsant.*)

colydioides *Erichs.* Wiegm. Arch. 1842, I. *p.* 175.
Hab. Tasmania.

convexiusculus *Hope.* Proc. Ent. Soc. 1842, *p.* 79; Trans. Ent. Soc. IV. 1845, *p.* 110.
Hab. South Australia.

corvinus *Erichs.* Wiegm. Arch. 1842, I. *p.* 175.
Hab. Tasmania.

cyanipennis *Hope.* Proc. Ent. Soc. 1842, *p.* 79; Trans. Ent. Soc. IV. 1845, *p.* 111.
Hab. South Australia.

humilis *Erichs.* Wiegm. Arch. 1842, I. *p.* 174.—*Blanch.* Voy. Pole. Sud. IV. *p.* 162, t. 11, f. 9.
Hab. Tasmania.

longipennis *Hope.* Proc. Ent. Soc. 1842, *p.* 79; Trans. Ent. Soc. IV. 1845, *p.* 110.
Hab. South Australia.

nigerrimus *Boisd.* Voy. Astrol. II. *p.* 254.—*Blanch.* Voy. Pole. Sud. IV. *p.* 163, t. 11, f. 10.—*Dej.* Cat. 3 ed. *p.* 226.—*Blessig.* Hor. Soc. Ent. Ross. I. 1861, *p* 95.
Australis Macleay. Dej. Cat. 3 ed. *p.* 226.
Hab. Australia. (Widely distributed.)

parvulus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 285.
Hab. Gayndah, Queensland.

Meneristes. (*Pascoe.*)

Baryscelis Boisd. (*ined.*)

intermedius *Pascoe.* Ann. Nat. Hist. 1869. *p.* 150.
Hab. South Australia.

laticollis *Boisd.* Voy. Astrol. II. 1835, *p.* 253.—*Dej.* Cat. 3 ed. *p.* 266.—*Pascoe.* Ann. Nat. Hist. 1869, *p.* 150, t. 11, f. 2.
Hab. Victoria.

politus *Boisd.* Voy. Astrol. II. *p.* 253.—*Latr.* Dej. Cat. 3 ed. *p.* 266.
Hab. New Holland.

servulus *Pascoe.* Ann. Nat. Hist. 1869, *p.* 151.
Hab. Tasmania to Queensland.

Ephidonius. (*Pascoe.*)

acuticornis *Pascoe.* Ann. Nat. Hist. 1869, *p.* 152, t. 11, f. 6.
Hab. South Australia.

Tenebrio. (*Linné.*)

Australis *Boisd.* Voy. Astrol. II. *p.* 254.—*Blessig.* Hor. Soc. Ent. Ross. I. 1861, *p.* 94.—*Macleay.* Dej. Cat. 3. ed. *p.* 226.
Hab. Victoria.

Dechius. (*Pascoe.*)

aphodioides *Pascoe.* Journ. of Ent. II. *p.* 445.
Hab. New South Wales, and Queensland.
scissicollis *Bates.* Trans. Ent. Soc. 1868, *p.* 266, t. 12, f. 8.
Hab. New South Wales, and Queensland.

Microphyes. (*Macleay, W.*)

rufipes *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 286.
Hab. Gayndah, Queensland.

Tanylypa. (*Pascoe.*)

morio *Pascoe.* Ann. Nat. Hist. 1869, *p.* 153, t. 11, f. 4.
Hab. Tasmania.

Synercticus. (*Newman.*)

Aposyla Pascoe.

heteromerus *Newm.* Entomol. 1842, *p.* 403.
Hab. New South Wales, and Victoria.
piceus *Pascoe.* Journ. of Ent. I. 1862, *p.* 325, t. 16, f. 4.
Hab. Queensland.

Cyphaleus. (*Westwood.*)

Chrysobalus Boisd.

cupricollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 287.
Hab. Gayndah, and Rockhampton, Queensland.
formosus *Westw.* Arcan. ent. I. *p.* 43, t. 12, f. 1. a–c.
Hab. New South Wales.
fulgidipennis *Boisd.* Voy. Astrol. II. 1835, *p.* 267.
iopterus Westw. Arcan. ent. I. *p.* 43.—*Lacord.* Gen. Col. V. *p.* 409.
Hab. New South Wales.
insignitus *Pascoe.* Journ. of Ent. I. 1862, *p* 327.
Hab. Queensland.
Mastersi *Pascoe.* Ann. Nat. Hist. November 1871, *p.* 357.
chalybeipennis Macleay, W. Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 286.
Hab. Gayndah, Rockhampton, Port Denison, &c., Queensland.

rugosus *Gray*. Griff. Anim. Kingd. II. t. 80, f. 5.—*Westw.* Arcan. ent. I. *p.* 43.
aterrimus Gray. l. c *p.* 22, t. 74, f. 5.
Hab. New South Wales.
valdivianus *Philippi*. Stett. Zeit. 1864, *p.* 350.
Hab. New Holland.

Platyphanes. (*Westwood.*)

cyaneus *Pascoe*. Journ. of Ent. 1866, *p.* 472.
Hab. North Australia.
gibbosus *Westw.* Trans. Ent. Soc. V. *p.* 206, t. 22, f. 6.
Hab. New South Wales.
vittatus *Westw.* l. c. *p.* 206.
Hab. South Australia.

Prophanes. (*Westwood.*)

Oremasis Pascoe.

aculeatus *Westw.* Trans. Ent. Soc. V. *p.* 204, t. 24, f. 4.
Hab. Western Australia.
cupreus *Gray*. Griff. Anim. Kingd. II. 1832, *p.* 22, t. 74, f. 2; t. 80, f. 2.—*Pascoe*. Journ. of Ent. II. 1866, *p.* 470.
Hab. New South Wales.
metallescens *Westw.* Trans. Ent. Soc. V. *p.* 204, t. 24, f. 5.—*Lacord.* Gen. Col. V. *p.* 411, nota.
Hab. New South Wales.
striatopunctatus *Westw.* Trans. Ent. Soc. V. *p.* 205.—*Lacord.* Gen. Col. V. *p.* 411, nota.
Hab. New South Wales, and Victoria.
Westwoodi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II 1872, *p.* 287.
Hab. Gayndah, Queensland

Lygestira. (*Pascoe.*)

funerea *Pascoe*. Journ. of Ent. II. 1866, *p.* 471.
Hab. South Australia.
simplex *Westw.* Trans. Ent. Soc. V. 1849, *p.* 205.—*Lacord.* Gen. Col. V. *p.* 411, nota.
Hab. Victoria.

Opigenia. (*Pascoe.*)

iridescens *Pascoe*. Ann. Nat. Hist. 1869, *p.* 289.
Hab. Victoria.

Hectus. (*Pascoe.*)

anthracinus *Pascoe.* Ann. Nat. Hist. 1869, *p.* 290, t. 12, f. 6.
Hab. Rockhampton, Queensland.

Decialma. (*Pascoe.*)

tenuitarsis *Pascoe.* Ann. Nat. Hist. 1869. *p.* 291.
Hab. Victoria.

Barytipha. (*Pascoe.*)

scocialis *Pascoe.* Ann. Nat. Hist. 1869, *p.* 292, t. 12, f. 5.
Hab. Victoria.

Mithippia. (*Pascoe.*)

aurita *Pascoe.* Ann. Nat. Hist. 1869, *p.* 293, t. 12, f. 3.
Hab. South Australia.

Hemicyclus. (*Westwood.*)

grandis *Westw.* Arcan. Ent. I. *p.* 44, t. 12, f. 3, a–c.
Hab. New South Wales, and Queensland.
metallicus *Westw.* l. c. *p.* 44.—*Lacord.* Gen. Col. V. *p.* 412, nota 1.
Hab. New South Wales.
punctulatus *Pascoe.* Journ. of Ent. II. 1866, *p.* 472.
Hab. Victoria.

Chartopteryx. (*Westwood.*)

Altes Pascoe.—Olisthæna Erichs.

binodosa *Pascoe.* Journ. of Ent. I. 1862, *p.* 327; Ann. Nat. Hist. 1869, *p.* 291, t. 12, f. 2.
Hab. Southern parts of Queensland.
Childreni *Westw.* Arcan. Ent. I. *p.* 44, t. 12, f. 2.
Hab. New South Wales.
Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 287.
Hab. Gayndah, Queensland.
nitida *Erichs.* Wiegm. Arch. 1842, I. *p.* 178, t. 4, f. 8.
Hab. Tasmania.

Lepispilus. (*Westwood.*)

Pachycœlia Boisd.

stygianus *Pascoe.* Ann. Nat. Hist. 1869, *p.* 290.
Hab. Victoria.

sulcicollis *Boisd.* Voy. Astrol. II. 1835, *v.* 248; *p.* 268, t. 7, f. 5. *Dej.* Cat. 3 ed. *p.* 208.—*Westw.* Arcan. Ent. I. *p.* 44, t. 12, f. 4.—*Blanch.* Voy. Pole. Sud. IV. *p.* 172, t. 11, f. 14.—*Lacord.* Gen. Col. V. *p.* 414, nota 1.
Hab. Tasmania, Victoria, and New South Wales.

Tetraphyllus. (*Castelnau et Brulle.*)

Reaumuri *Casteln.* Hist. Nat. II. *p.* 224.
Hab. New Holland.
sumptuosus *Hope.* Proc. Ent. Soc. 1842, *p.* 78; Trans. Ent. Soc. IV. 1845, *p.* 109.
Hab. South Australia.

Titaena. (*Erichson.*)

alcyonea *Erichs.* Wiegm. Arch. 1842, I. *p.* 180.
Hab. Tasmania.
columbina *Erichs.* l. c. *p.* 179, t. 4, f. 9, a–b.—*Blanch.* Voy. Pole. Sud. IV. *p.* 178.
rugosa Blanch. l. c. t. 12, f. 2.
Hab. Tasmania, Victoria, and New South Wales.

Melytra. (*Pascoe.*)

ovata *Pascoe.* Ann. Nat. Hist. 1869, *p.* 34, t. 10, f. 1.
Hab. Tasmania.

Hymæa. (*Pascoe.*)

succinifera *Pascoe.* Ann. Nat. Hist. 1869, *p.* 36, t. 10, f. 3.
Hab. Tasmania.

Ectyche. (*Pascoe.*)

erebea *Pascoe.* Ann. Nat. Hist. 1869, *p.* 144, t. 11, f. 1.
Hab. Freemantle, Western Australia.
nana *Pascoe.* l. c. *p.* 145.
Hab. Gawler, South Australia.

Cardiothorax. (*Motschulsky.*)

Atryphodes Pascoe.—Thoracophorus Hope.

æricollis *Pascoe.* Ann. Nat. Hist. 1869, *p.* 38.
Hab. Queensland.
aratus *Pascoe.* Journ. of Ent. II. 1866, *p.* 479.
Hab. Pine Mountain, Queensland.
brevicollis *Redtenb.* Reis. Novar. II. 1868, *p.* 130, t. 4, f. 6.
Hab. New South Wales.

caperatus *Pascoe*. Ann. Nat. Hist. 1869, *p*. 40.
Hab. Hunter River, New South Wales.

Castelnaudi *Pascoe*. l. c. *p*. 38.
Hab. Illawarra, New South Wales.

cordicollis *Pascoe*. l. c. *p*. 38.
Hab. Brisbane, Queensland.

dilaticollis *Guér*. Voy. Coquille. II. 1830, *p*. 100, t. 4, f. 11.—*Boisd*. Voy. Astrol. II. *p*. 279.
Hab. New Holland.

encephalus *Pascoe*. Ann. Nat. Hist. 1869, *p*. 39.
Hab. Rockhampton, Queensland.

egerius *Pascoe*. Journ. of Ent. II. 1866, *p*. 478, t. 19, f. 4.
Hab. Northern parts of New South Wales.

errans *Pascoe*. l. c. *p*. 479.
Hab. Queensland.

Howitti *Pascoe*. Ann. Nat. Hist. 1869, *p*. 37.
Hab. Illawarra, New South Wales.

Kirbyi *Sol*. Studi. ent 1848, *p*. 193, t. 7, f. 1–4.
Hab. New Holland.

licinoides *Redtenb*. Reis. Novar II. *p*. 129, t. 4, f. 5.
Hab. New South Wales.

Macleayi *Pascoe*. Journ. of Ent. II. 1866, *p*. 478.
Hab. Northern parts of New South Wales.

Mastersi *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 288.
Hab. Gayndah, Queensland.

opacicollis *Macleay, W*. l. c. *p*. 288.
Hab. Gayndah, Queensland.

pithecius *Pascoe*. Ann. Nat. Hist. 1869, *p*. 39.
Hab. Gayndah, Rockhampton, &c., Queensland.

Walckenaeri *Hope*. The Coleopt. Man. III. *p*. 189, t. 3, f. 5.
Hab. New South Wales.

Blepegenes. (*Pascoe*.)

Ceradelium Preudhomme de Borre.)

aruspex *Pascoe*. Proc. Ent. Soc. 1868, *p*. 12; Ann. Nat. Hist. 1869, *p*. 42, t. 10, f. 2.
armatus Preudh. Ann. Soc. Belg. XI. 1868, *p*. 128, t. 3.
Hab. Illawarra. New South Wales.

Byallius. (*Pascoe*.)

reticulatus *Pascoe*. Ann. Nat. Hist. 1869, *p*. 43, t. 10, f. 6.
Hab. Gippsland, Victoria.

Dædrosis. (*Bates.*)

ambigua *Bates.* Trans. Ent. Soc. 1868, *p.* 269, t. 12, f 3.
Hab. New South Wales.

crenatostriata *Bates.* l. c. *p.* 268.
Hab. New South Wales.

Otrintus. (*Pascoe*)

Behri *Germ.* Linn. Ent. III. 1848, *p.* 196.—*Lacord.* Gen. Col. V. *p.* 147, nota.—*Pascoe.* Journ. of Ent. II. 1866, *p.* 483.
Hab. South Australia, Victoria, and New South Wales.

Adelium. (*Kirby.*)

Tropidopterus Blanch.

abbreviatum *Boisd.* Voy. Astrol. II. 1835, *p.* 281.—*Latr.* Dej. Cat. 3 ed. *p.* 232.
impressum Blanch. Voy. Pole. Sud. IV. 1853, *p.* 177, t. 11, f. 18.
Hab. Tasmania.

aerarium *Pascoe.* Ann. Nat. Hist. 1869, *p.* 133.
Hab. Darling Downs, Queensland.

ancilla *Pascoe.* l. c. *p.* 136.
Hab. Darling Downs, Queensland.

angulicolle *Casteln.* Hist. Nat. II. *p.* 236.—*Blessig.* Hor. Soc. Ent. Ross. I. 1861, *p.* 99, t. 3, f. 4.
Hab. Victoria.

augurale *Pascoe.* Journ. of Ent. II. 1866, *p.* 480.
Hab. Southern parts of Queensland.

auratum *Pascoe.* l. c. *p.* 481.
Hab. North Australia.

brevicorne *Blessig.* Hor. Soc. Ent. Ross. I. 1861, *p.* 101, t. 3, f. 2.
Hab. Victoria.

calosomoides *Kirby.* Trans. Linn. Soc. XII. *p.* 420, t. 22, f. 2.—*Boisd.* Voy. Astrol II. *p.* 275.
Hab. South Australia (?)

carinatum *Blanch.* Hist. Nat. II. 1845, *p.* 37.—*Lacord.* Gen. Col. V. *p.* 438, nota 1, III.
Hab. New Holland.

cisteloides *Erichs.* Wiegm. Arch. 1842, I. *p.* 176.—*Blessig.* Hor. Soc. Ent. Ross. I. 1861, *p.* 101.
Hab. Tasmania.

commodum *Pascoe.* Ann. Nat. Hist. 1869, *p.* 139.
Hab. Tasmania.

congestum *Pascoe.* Journ. of Ent. II. 1866, *p.* 482.
Hab. Victoria.

convexiusculum *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 289.
Hab. Gayndah, Queensland.

elongatum *Erichs.* Wiegm. Arch. 1842, I. *p.* 177.
Hab. Tasmania.

geminatum *Pascoe.* Ann. Nat. Hist. 1870, *p.* 102.
Hab. Wide Bay, Queensland.

geniale *Pascoe.* l. c. 1869, *p.* 135.
Hab Clarence River, New South Wales.

harpaloides *Boisd.* Voy. Astrol. II. *p.* 280.—*d'Urville.* Dej. Cat. 3 ed. *p.* 232.
Hab. New Holland.

helopioides *Boisd.* l. c. *p.* 280.—*Dej.* Cat. l. c.
Hab. New Holland.

latum *Pascoe.* Journ. of Ent. II. 1866, *p.* 482.
Hab. Victoria.

licinoides *Kirby.* Trans. Linn. Soc. XII. *p.* 421.—*Boisd.* Voy. Astrol. II. *p.* 276.
Hab. Tasmania.

monilicorne *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 291.
Hab. Gayndah, Queensland.

neophyta *Pascoe.* Ann. Nat. Hist. 1869, *p.* 136.
Hab. Victoria.

obesum *Pascoe.* Journ. of Ent. II. 1866, *p.* 481.
Hab. Victoria.

orphanum *Pascoe.* Ann. Nat. Hist. 1869, *p.* 138.
Hab. Yankee Jim's Creek, Victoria.

panageicolle *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 290.
Hab. Gayndah, Queensland.

parallelum *Germ.* Linn. Ent. III. *p.* 199.
Hab. South Australia.

parvulum *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 290.
Hab. Gayndah, Queensland.

pilosum *Pascoe.* Ann. Nat. Hist. 1869, *p.* 134.
Hab. Lachlan River.

plicigerum *Pascoe.* l. c. *p.* 133.
Hab. Port Denison, Queensland.

porcatum *Fabr.* Syst. Ent. *p.* 239.—*Oliv.* Ent. III. 35, *p.* 37, t. 7, f. 84.
caraboides Kirby. Trans. Linn. Soc. XII. *p.* 466, t. 23, f. 7.—*Boisd.* Voy. Astrol. II. *p.* 274.
porcatulum Fabr. Syst. El. I. *p.* 211.
Hab. New South Wales.

punctipenne *Boisd.* Voy. Astrol. II. *p.* 278.
Hab. New Holland.

reductum *Pascoe.* Ann. Nat. Hist. 1869, *p.* 135.
Hab. Southern parts of Queensland.

repandum *Pascoe.* l. c. *p.* 137.
Hab. Moreton Bay, Wide Bay, &c., Queensland.

rugosicolle *Boisd.* Voy. Astrol. II. *p.* 279.—*Latr.* Dej. Cat. 3 ed. *p.* 232.
Hab. New Holland.

rugicolle *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 289.
Hab. Gayndah, Queensland.

ruptum *Pascoe.* Ann. Nat. Hist. 1869, *p.* 139.
Hab. Yankee Jim's Creek, Victoria.

scutellare *Pascoe.* l. c. *p.* 134.
Hab. Darling Downs, Queensland.

scytalicum *Pascoe.* l. c. *p.* 137.
Hab. Swan River, Western Australia.

similatum *Germ.* Linn. Ent. III. 1848, *p.* 198.
Hab. South Australia.

steropoides *Pascoe.* Ann. Nat. Hist. 1869, *p.* 138.
Hab. Victoria.

striatum *Pascoe.* Journ. of Ent. II. 1866, *p.* 481.
Hab. Southern parts of Queensland.

succisum *Pascoe.* l. c. *p.* 480.
Hab. Victoria.

tenebrioides *Erichs.* Wiegm. Arch. 1842, I. *p.* 176.—*Blessig.* Hor. Soc. Ent. Ross. I. 1861, *p.* 101.
Hab. Tasmania.

vicarium *Pascoe.* Journ. of Ent. II. 1866, *p.* 480.
Hab. Western Australia.

virescens *Boisd.* Voy. Astrol. II. *p.* 281.—*Latr.* Dej. Cat. 3 ed. *p.* 232.
Hab. New Holland.

viridipenne *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 289.
Hab. Gayndah, Queensland.

Seirotrana. (*Pascoe.*)

catenulata *Boisd.* Voy. Astrol. II. 1835, *p.* 276.—*Dej.* Cat. 3 ed. *p.* 232.—*Pascoe.* Journ of Ent. II. 1866, *p.* 483.
Hab. New South Wales.

crenicolle *Pascoe.* Ann. Nat. Hist. 1869, *p.* 43, t. 10, f. 4.
Hab. Mountains of Victoria.

femoralis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 292.
Hab. Gayndah, Queensland.

Mastersi *Pascoe*. Ann. Nat. Hist. 1870, *p*. 104.
Hab. Brisbane, and Gayndah, Queensland.
nosodermoides *Pascoe*. l. c. *p*. 104.
Hab. Wide Bay, and Gayndah, Queensland.
proxima *Pascoe*. Ann. Nat. Hist. 1869, *p*. 43.
Hab. Victoria.
punctifera *Macleay, W*. Trans. Ent. Soc. N. S. Wales. II. 1872, *p*. 291.
Hab. Gayndah, Queensland.

Apasis. (*Pascoe*.)

Howitti *Pascoe*. Ann. Nat. Hist. 1869, *p*. 140, t. 11, f. 7.
Hab. Victoria.

Licinoma. (*Pascoe*.)

elata *Pascoe*. Ann. Nat. Hist. 1870, *p*. 104.
Hab. Wide Bay, and Gayndah, Queensland.
nitida *Pascoe*. l. c. 1869, *p*. 140.
Hab. Mount Macedon, Victoria.
violacea *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 292.

Brycopia. (*Pascoe*.)

dubia *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 293.
Hab. Gayndah, Queensland.
longipes *Macleay, W*. l. c. *p*. 293.
Hab. Gayndah, Queensland.
pilosella *Pascoe*. Ann. Nat. Hist. 1869, *p*. 141.
Hab. Mount Macedon, Victoria.

Dinoria. (*Pascoe*.)

picta *Pascoe*. Ann. Nat. Hist. 1869. *p*. 141.
Hab. Tasmania.

Leptogastrus. (*Macleay, W*.)

Mastersi *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 294.
Hab. Gayndah, Queensland.

Dystalica. (*Pascoe*.)

homogena *Pascoe*. Ann. Nat. Hist. 1869, *p*. 142.
Hab. Swan River, Western Australia.

Pseudhelops. (*Guérin.*)

Coripera (*Pascoe.*)

deplanatus *Boisd.* Voy. Astrol. II. 1835, *p.* 277, t. 7, f. 6.—*Lacord.* Gen. Col. V. *p.* 438, nota 1.—*Pascoe.* Journ of Ent. II. *p.* 483.
Hab. Tasmania.

Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 292.
Hab. Gayndah, Queensland.

ocellatus *Pascoe.* Ann. Nat. Hist. 1869, *p.* 44, t. 10, f. 5.
Hab. Mount Macedon, Victoria.

Omolipus. (*Pascoe.*)

corvus *Pascoe.* Journ. of Ent. 1860, *p.* 127; Ann. Nat. Hist. 1869, *p.* 143.
Hab. Southern parts of Queensland.

cyaneus *Pascoe.* Ann. Nat. Hist. 1870, *p.* 98.
Hab. Western Australia.

gnesioides *Pascoe.* l. c. 1869, *p.* 143.
Hab. Port Denison, Queensland.

grandis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 294.
Hab. Gayndah, Queensland.

lævis *Pascoe.* Ann. Nat. Hist. 1869, *p.* 142.
Hab. Cape York, North Australia.

socius *Pascoe.* l. c. 1862, *p.* 463; 1869, *p.* 143.
Hab. Lizard Island, N. E. Coast.

Chariotheca. (*Pascoe.*)

amaroides *Pascoe.* Ann. Nat. Hist. 1862, *p.* 463.
Hab. Lizard Island, N. E. Coast.

Campolene. (*Pascoe.*)

nitida *Pascoe.* Journ. of Ent. 1863, *p.* 44, t. 2, f. 4.
Hab. New South Wales.

Acrothymus. (*Pascoe*)

cænosus *Pascoe.* Journ. of Ent. II. 1866, *p.* 476.
Hab. New Holland.

Mimopeus. (*Pascoe.*)

amaroides *Pascoe.* Journ. of Ent. II. 1866, *p.* 477.
Hab. New Holland.

Amarygmus. (*Dalman.*)

amethystinus *Fabr.* Syst. Ent. *p.* 124; Syst. El. II. *p.* 13.—*Oliv.* Ent. III. 58, *p.* 9, t. 1, f. 9.—*Boisd.* Voy. Astrol. II. *p.* 273.
Hab. New Holland.

anthracinus *Hope.* Proc. Ent. Soc. 1842, *p.* 79; Trans. Ent. Soc. IV. 1845, *p.* 110.
Hab. New Holland.

bicolor *Fabr.* Syst. Ent. I. *p.* 118; Syst. El. II. *p.* 14.—*Boisd.* Voy. Astrol. II. *p.* 274.
Hab. New Holland.

coelestis *Pascoe.* Ann. Nat. Hist. 1869, *p.* 345.
Hab. Moreton Bay, Queensland.

columbinus *Boisd.* Voy. Astrol. II. 1835, *p.* 271.—*Dej.* Cat. 3 ed. *p.* 233.—*Blanch.* Voy. Pole. Sud. IV. *p.* 182, t. 12, f. 7.
Hab. New Holland.

convexiusculus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 297.
Hab. Gayndah, Queensland.

convexus *Pascoe.* Journ. of Ent. II. 1866, *p.* 485.
Hab. Queensland.

Cupido *Pascoe.* Ann. Nat. Hist. 1869, *p.* 346.
Hab. Queensland.

cupreus *Fabr.* Syst. Ent. *p.* 123; Syst. El. II. *p.* 12.—*Oliv.* Ent. III. 58, *p.* 7, t. 1, f. 6.
venereus Gymel. ed. Linn. I. 4, *p.* 1728.
Hab. New South Wales.

cupricollis *Hope.* Proc. Ent. Soc. 1842, *p.* 78; Trans. Ent. Soc. IV. 1845, *p.* 109.
Hab. South Australia.

cyanipennis *Hope.* l. c. *p.* 78; l. c. *p.* 110.
Hab. South Australia.

ellipsoides *Pascoe.* Ann. Nat. Hist. 1869, *p.* 350.
Hab. Queensland.

exilis *Pascoe.* l. c. *p.* 346.
Hab. Lachlan River.

fastuosus *Germ.* Linn. Ent. III. 1848, *p.* 200.
Hab. South Australia.

fervens *Germ.* l. c. *p.* 200.
Hab. South Australia.

foveolatus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 297.
Hab. Gayndah, Queensland.

grandis *Macleay, W.* l. c. *p.* 295.
Hab. Gayndah, Queensland.

Howitti *Pascoe.* Ann. Nat. Hist. 1869, *p.* 348.
Hab. New South Wales, Victoria, South Australia, and Western Australia.

indigaceus *Pascoe*. l. c. *p*. 346.
Hab. New South Wales.

longipennis *Hope*. Proc. Ent. Soc. 1842, *p*. 79; Trans. Ent. Soc. IV. 1845, *p*. 109.
Hab. South Australia.

maurulus *Pascoe*. Ann. Nat. Hist. 1870, *p*. 105.
Hab. Illawarra, New South Wales.

minutus *Pascoe*. l. c. 1869, *p*. 347.
Hab. New South Wales.

nigritarsis *Pascoe*. Journ. of Ent. II. 1866, *p*. 485.
Hab. Queensland.

obsoletus *Macleay*, *W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 296.
Hab. Gayndah, Queensland.

obtusus *Pascoe*. Ann. Nat. Hist. 1869, *p*. 348.
Hab. Queensland

opacicollis *Macleay*, *W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 295.
Hab. Gayndah, Queensland.

picicornis *Hope*. Proc. Ent. Soc. 1842, *p*. 78; Trans. Ent. Soc. IV. 1845, *p*. 110.
Hab. South Australia.

picipes *Macleay*, *W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 295.
Hab. Gayndah, Queensland.

polychromus *Pascoe*. Ann. Nat. Hist. 1869, *p*. 348.
Hab. South Australia.

puncticollis *Hope*. Proc. Ent. Soc. 1842, *p*. 78; Trans. Ent. Soc. IV. 1845, *p*. 109.
Hab. South Australia.

punctipennis *Macleay*, *W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 296.
Hab. Gayndah, Queensland

purpureus *Germ*. Linn. Ent. III. *p*. 199.
Hab. South Australia.

pusillus *Pascoe*. Ann. Nat. Hist. 1869, *p*. 347.
Hab. Kiama, New South Wales.

resplendens *Boisd*. Voy. Astrol. II. *p*. 272.
Hab. New Holland.

rufipes *Macleay*, *W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 294.
Hab. Gayndah, Queensland.

rugosicollis *Macleay*, *W*. l. c. *p*. 295.
Hab. Gayndah, Queensland.

rugosipennis *Macleay*, *W*. l. c. *p*. 296.
Hab. Gayndah, Queensland.

rugosus *Germ* Linn. Ent. III. *p.* 201.
sulcipennis Hope. Proc. Ent. Soc. 1842, *p.* 78; Trans. Ent. Soc. IV. 1845, *p.* 109.
Hab. South Australia.

semissus *Pascoe.* Ann. Nat. Hist. 1869, *p.* 349.
Hab. Kiama, New South Wales.

semiticus *Pascoe.* l. c. *p.* 349.
Hab. Port Denison, Queensland.

smaragdulus *Fabr.* Syst Ent. *p.* 123; Syst. El. II. *p.* 13.—*Oliv.* Ent. III. 58, *p.* 6, t. 1, f. 5.—*Boisd.* Voy. Astrol. II *p.* 273.
Hab. New Holland.

striatus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 297.
Hab. Gayndah, Queensland.

suturalis *Pascoe.* Ann. Nat. Hist. 1869, *p.* 350.
Hab. Western Australia.

tarsalis *Pascoe.* Journ. of Ent. II. 1866, *p.* 485.
Hab. Queensland.

torridus *Pascoe.* Ann. Nat. Hist. 1869, *p.* 351.
Hab. Cape York, North Australia.

tyrrhenus *Pascoe.* l. c. 1870, *p.* 105.
Hab. King George's Sound.

variolaris *Pascoe.* l. c. *p.* 145.
Hab. Wide Bay, Queensland.

velutinus *Macleay*, King's Surv. Australia. II., App. 1827, *p.* 443.
Hab. New Holland.

vinosus *Pascoe.* Ann. Nat. Hist. 1869, *p.* 345.
Hab. New South Wales

viridicollis *Macleay.* King's Surv. Austr. II. App. *p.* 443.
Hab. New Holland.

Eurypera. *(Pascoe.)*

cuprea *Pascoe.* Ann. Nat. Hist. 1870, *p.* 106.
Hab. Port Denison, Queensland.

Chalcopterus. *(Blessig.)*

affinis *Blessig.* Hor. Soc Ent. Ross. I. 1861, *p.* 109, t. 4, f. 4.
Hab. Victoria.

cupripennis *Hope.* Proc. Ent. Soc. 1842, *p.* 78; Trans. Ent. Soc. IV. 1845, *p.* 109.—*Germ.* Linn Ent. III. 1848, *p.* 200.—*Blessig.* Hor Soc. Ent. Ross. I. 1861, *p*, 109.
Hab. Victoria, and South Australia.

iridicolor *Blessig.* l. c. *p.* 107, t. 4, f. 3, et 6.
Hab. Victoria.

lævicollis *Blessig*. l. c. *p*. 110, t. 4, f. 5.
Hab. Victoria.
variabilis *Blessig*. l. c. *p*. 108.
Hab. Victoria.

Strongylium. (*Kirby*.)

Australe *Mäklin*. Act. Fenn. 1864, *p*. 354.
Hab. New Holland.
Macleayi *Pascoe*. Journ. of Ent. II. 1863, *p*. 43.
Hab. New South Wales.
Mastersi *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 298.
Hab. Gayndah, Queensland.
reticulatum *Mäklin*. Act. Fenn. 1864, *p*. 343.
Hab. New Holland
ruficolle *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 298.
Hab. Gayndah, Queensland.

Tyndarisus. (*Pascoe*.)

longitarsis *Pascoe*. Ann. Nat. Hist. 1869, *p*. 295, t. 12, f. 1.
Hab. New South Wales, and Victoria.

CISTELIDÆ.

Atractus. (*Lacordaire*.)

Aethyssius (*Pascoe*.)

columbinus *Boisd*. Voy. Astrol. II. 1835, *p*. 284.—*Bates*. Trans. Ent. Soc. 1868, *p*. 270, t. 12, f. 7.
Hab. New South Wales.
cyaneus *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 299.
Hab. Gayndah, Queensland.
eros *Pascoe*. Ann. Nat. Hist. 1871, *p*. 357.
Hab. New South Wales.
ruficollis *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 299.
Hab. Gayndah, Queensland.
rugosulus *Macleay, W*. l. c. *p*. 300.
Hab. Gayndah, Queensland.

virescens *Boisd.* Voy. Astrol. II. 1835, *p.* 284.
Hab. New South Wales.
viridis *Boisd.* l. c. *p.* 283.—*Macleay.* Dej. Cat. 3 ed. *p.* 233.
Hab. New South Wales.
vitticollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 300.
Hab. Gayndah, Queensland.

Alcmeonis. (*Bates.*)

pulchra *Bates.* Trans. Ent. Soc. 1868, *p.* 271, t. 12, f. 4.
Hab. South Australia.

Licymnius. (*Bates.*)

foveicollis *Bates.* Trans. Ent. Soc. 1868, *p.* 272, t. 12, f. 5.
Hab. Brisbane, Queensland.

Anaxo. (*Bates.*)

brevicornis *Bates.* Trans. Ent. Soc. 1868, *p.* 273, t. 12, f. 6.
Hab. South Australia.

Chromomaea. (*Pascoe.*)

Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 300.
Hab. Gayndah, Queensland.
pallida *Bates.* Trans. Ent. Soc. 1868, *p.* 319.
Hab. New South Wales.
Pascoei *Bates.* l. c. *p.* 317.
Hab. Brisbane, Queensland.
picea *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 300.
Hab. Gayndah, Queensland.
picta *Pascoe.* Journ. of Ent. II. 1866, *p.* 491.
Hab. Queensland.
rufescens *Bates.* Trans. Ent. Soc. 1868, *p.* 320.
Hab. New South Wales.
unicolor *Bates.* l. c. *p.* 320.
Hab. New South Wales.
vittata *Bates.* l. c. *p.* 318.
Hab. New South Wales.

Metistete. (*Pascoe.*)

cisteloides *Newm.* Ent. Mag. V. 1838, *p.* 488.—*Lacord.* Gen. Col. V. *p.* 499, not 2.
Hab. New South Wales.
gibbicollis *Newm.* Ent. Mag. V. *p.* 488.
Hab. New Holland.

Pascoei *Macleay*, *W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 299.
Hab. Gayndah, Queensland.

Apellatus. (*Pascoe.*)

lateralis *Pascoe.* Journ. of Ent. 1863, *p.* 45, t. 2, f. 1.
Hab. New South Wales.

Mastersi *Macleay*, *W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 299.
Hab. Gayndah, Queensland.

palpalis *Macleay*, *W.* l. c. *p.* 298.
Hab. Gayndah, Queensland.

Tanychilus. (*Newman.*)

dubius *Newm.* Ent. Mag. V. 1838, *p.* 488.
Hab. New South Wales.

splendens *Blessig.* Hor. Soc. Ent. Ross. I. 1861, *p.* 111.
Hab. Ballarat, Victoria.

striatus *Newm.* Ent. Mag. V. *p.* 487, c. fig.—*Lacord.* Gen. Atl. t. 58, f. 4.—*Redtenb* Reis. Novar. II. *p.* 134.
Hab. New South Wales, and Victoria.

Allecula. (*Fabricius.*)

angusticollis *Bohem.* Res. Eugen. 1858, *p.* 100.
Hab. New South Wales.

Australis *Boisd.* Voy. Astrol. II. 1835, *p.* 282.—*Dej.* Cat. 3 ed. *p.* 234.
Hab. New Holland.

canescens *Hope.* Proc. Ent. Soc. 1842, *p.* 80; Trans. Ent. Soc. IV. 1845, *p.* 111.
Hab. South Australia.

carbonaria *Germ.* Linn. Ent. III. 1848, *p.* 202.
Hab. South Australia.

cylindrica *Germ.* l. c. *p.* 202.
Hab. South Australia.

cylindricollis *Boisd.* Voy. Astrol. II. *p.* 283.
Hab. New Holland.

elongata *Macleay*, *W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 301.
Hab. Gayndah, Queensland.

fastigiata *Germ.* Linn. Ent. III. 1848, *p.* 202.
Hab. South Australia.

foveicollis *Hope.* Proc. Ent. Soc. 1842, *p.* 80; Trans. Ent. Soc. IV. 1845, *p.* 112.
Hab. South Australia.

fuscipennis *Blessig.* Hor. Soc. Ent. Ross. I. 1861, *p.* 112, t. 4, f. 2.
Hab. Ballarat, Victoria.

Gouldi *Hope.* Proc. Ent. Soc. 1842, *p.* 80; Trans. Ent. Soc. IV. 1845, *p.* 112.
Hab. South Australia.

laticollis *Bohem.* Res. Eugen. *p.* 100.
Hab. New South Wales.

Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 302.
Hab. Gayndah, Queensland.

melancholica *Hope.* Proc. Ent. Soc. 1842, *p.* 79; Trans. Ent. Soc. IV. 1845, *p.* 111.
Hab. South Australia.

nigricans *Hope.* l. c. *p.* 80; l. c. *p.* 112.
Hab. South Australia.

omophloides *Hope.* l. c. *p.* 79; l. c. *p.* 111.
Hab. South Australia.

Pascoei *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 302.
Hab. Gayndah, Queensland.

pimeloides *Hope.* Proc. Ent. Soc. 1842. *p.* 79; Trans. Ent. Soc. IV. 1845, *p.* 111.
Hab. South Australia.

planicollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 303.
Hab. Gayndah, Queensland.

punctipennis *Macleay, W.* l. c. *p.* 302.
Hab. Gayndah, Queensland.

rotundicollis *Casteln.* Hist. Nat. II. *p.* 243.
Hab. New Holland.

rugulosa *Boisd.* Voy. Astrol. II. *p.* 282.—*Dej.* Cat. 3 ed. *p.* 234.
Hab. New Holland.

subsulcata *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 302.
Hab. Gayndah, Queensland.

Homotrysis. (*Pascoe.*)

microderes *Pascoe.* Journ. of Ent. II. 1866, *p.* 489.
Hab. Victoria.

regularis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 301.
Hab. Gayndah, Queensland.

ruficornis *Macleay, W.* l. c. *p.* 301.
Hab. Gayndah, Queensland.

subgeminatus *Macleay, W.* l. c. *p.* 301.
Hab. Gayndah, Queensland.
tristes *Germ.* Linn. Ent. III. 1848, *p.* 201.
Hab. South Australia.

Hybrenia. (*Pascoe.*)

insularis *Pascoe.* Journ. of Ent. II. 1866, *p.* 489.
Hab. Lizard Island, N. E. Coast.
vittata *Pascoe.* l. c. *p.* 490.
Hab. Cape York, North Australia.

Cistela. (*Fabricius.*)

convexa *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 303.
Hab. Gayndah, Queensland.
depressiuscula *Macleay, W.* l. c. *p.* 303.
Hab. Gayndah, Queensland.
ovata *Macleay, W.* l. c. *p.* 303.
Hab. Gayndah, Queensland.
polita *Macleay, W.* l. c. *p.* 304.
Hab. Gayndah, Queensland.
securigera *Macleay.* King's Surv. of Austral. II. 1827, *p.* 443.
Hab. New Holland.

PYTHIDÆ.

Lissodema. (*Curtis.*)

hybridum *Erichs.* Wiegm. Arch. 1842, I. *p.* 182.
Hab. Tasmania.

MELANDRYIDÆ.

Orchesia. (*Latreille.*)

elongata *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p* 304.
Hab. Gayndah, Queensland.

LAGRIIDÆ.

Lagria. (*Fabricius.*)

affinis *Boisd.* Voy. Astrol. II. 1835 *p.* 286.—*Dej.* Cat. 3 ed. *p.* 237.
Hab. New Holland.

cyanea *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 304.
Hab. Gayndah, Queensland.

grandis *Gyll.* Scönh. Syn. Ins. I. 3. App. *p.* 9.—*Blanch.* Voy. Pole. Sud. IV. *p.* 183, t. 12, f, 9.—*Erichs.* Wiegm. Arch 1842, I. *p.* 370.
rufescens Boisd. Voy. Astrol. II. *p.* 286.—*Latr.* Dej Cat. 3 ed. *p.* 237.
ruficollis Macleay. Dej. Cat. 3 ed. *p.* 237.
Hab. Tasmania, South Australia, Victoria, New South Wales, and Queensland.

tomentosa *Fabr.* Syst. Ent. *p.* 125; Syst. El. II. *p.* 70.—*Boisd.* Voy. Astrol. II. *p.* 287.
Hab. Western Australia.

Eutrapela. (*Blanchard.*)

Australica *Bohem.* Res. Eugen. 1858, *p.* 102.
Hab. New South Wales.

Ommatophorus. (*Macleay, W.*)

Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 305.
Hab. Gayndah, Queensland.

Euomma. (*Boheman.*)

laterale *Bohem.* Res. Eugen. *p.* 101, t 2, f. 1
Hab. New South Wales.

Diacalla. (*Pascoe.*)

comata *Pascoe.* Journ. of Ent. II. 1863, *p.* 46, t. 2, f. 6.
Hab. Queensland.

Ictistygna. (*Pascoe.*)

adusta *Pascoe.* Journ. of Ent. II. 1866, *p.* 492.
Hab. New South Wales.

vetula *Pascoe.* l. c. *p.* 492.
Hab. New South Wales.

PEDILIDÆ.

Xylophilus. (*Latreille.*)

undatus *Gemming*. Col. Heft. VI. 1870.
fasciatus Bohem. Res. Eugen. 1858, *p.* 107.
Hab. New South Wales.

Egestria. (*Pascoe.*)

suturalis *Pascoe*. Ann. Nat. Hist. 1871, *p.* 359.
Hab. North Australia.
tæniata *Pascoe*. l. c. *p.* 358, t. 14, f. 9.
Hab. Rockhampton, Queensland.

Macratria. (*Newman.*)

Australis *King*. Trans. Ent. Soc. N. S. Wales, II. 1869, *p.* 2.
Hab. Gawler, South Australia.

ANTHICIDÆ.

Formicomus. (*Laferté.*)

agilis *King*. Trans. Ent. Soc. N. S. Wales. II. 1869, *p.* 6.
Hab. Parramatta, and Liverpool Plains, New South Wales.
Australis *King*. l. c. *p.* 8.
Hab. New South Wales, South Australia, and King George's Sound.
Clarki *King*. l. c. *p.* 5.
Hab. Gawler, South Australia.
cyaneus *Hope*. Trans. Zool. Soc. I. *p.* 100, t. 14, f. 4.—*Laf.* Mon. *p.* 68, t. 24, f. 3.—*King*. Trans. Ent. Soc. N. S. Wales, II. *p.* 5.
Hab. New Holland.
Denisoni *King*. l. c *p.* 6.
Hab. Port Denison, and Gayndah, Queensland.
humeralis *Macleay, W.* l. c. *p.* 306.
Hab. Gayndah, Queensland.
Kingi *Macleay, W.* l. c. *p.* 306.
Hab. Gayndah, Queensland.
Mastersi *King*. l. c. *p.* 9.
Hab. Port Lincoln, South Australia.

obliqui-fasciatus *King*. l. c. *p*. 8.
Hab. Parramatta, New South Wales.
quadrimaculatus *King*. l. c. *p*. 7.
Hab. Gawler, South Australia.
senex *Laferté*. Mon. Anth. 1848, *p*. 86.—*King*. Trans. Ent. Soc. N. S. Wales, II. 1869, *p*. 9.
Hab. New Holland.
speciosus *King*. l. c. *p*. 7.
Hab. Gawler, South Australia.

Tomoderus. (*Laferté*.)

vinctus *Erichs*. Wiegm. Arch. 1842, I. *p*. 182.—*Laf*. Mon. Anth. 1848, *p*. 70.—*King*. Trans. Ent. Soc N. S. Wales, II. 1869, *p*. 10.
Hab. Tasmania.

Notoxus. (*Geoffroy*.)

Australasia *Laf*. Mon. Anth. 1848, *p*. 44, t. 21, f. 12.—*King*. Trans. Ent. Soc. N. S. Wales. II. 1869, *p*. 3.
Hab. South Australia.

Mecynotarsus. (*Laferté*.)

albellus *Pascoe*. Proc. Ent. Soc. Lond. 1866, *p*. 16.
Hab. New Holland.
concolor *King*. Trans. Ent. Soc. N. S. Wales, II. 1869, *p*. 4.
Hab. Gawler, South Australia.
Kingi *Macleay, W*. l. c. *p*. 305.
Hab. Gayndah, Queensland.
Kreusleri *King*. l. c. *p*. 4.
Hab. Gawler, South Australia; Gayndah, Queensland.
Mastersi *Macleay, W*. l. c. *p*. 305.
Hab. Gayndah, Queensland.
ziczac *King*. l. c. *p*. 4.
Hab. Gawler, South Australia.

Anthicus. (*Paykull*.)

aberrans *Macleay, W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 308.
Hab. Gayndah, Queensland.
abnormis *King*. l. c. 1869, *p*. 24.
Hab. Parramatta, New South Wales.
apicalis *King*. l. c. *p*. 16.
Hab. Port Denison, Queensland.
bellus *King*. l. c. *p*. 13.
Hab. Parramatta, New South Wales.

bembidioides *Laf.* Mon. *p.* 131.—*King.* Trans. Ent. Soc. N. S. Wales, 1869, *p.* 12.
Hab. South Australia.
brevicollis *King.* l. c. *p.* 20.
Hab. Neighbourhood of Sydney
charon *King.* l, c. *p.* 19.
Hab. King George's Sound.
comptus *Laf.* Mon. *p.* 132.—*King.* Trans. Ent. Soc. N. S. Wales, II. 1869, *p.* 12.
Hab. Adelaide, and Gawler, South Australia.
concolor *King*, l. c. *p.* 24.
Hab. Parramatta, New South Wales.
constrictus *Macleay, W.* l. c. 1872, *p.* 307.
Hab. Gayndah, Queensland.
crassipes *Laf.* Mon. *p.* 171, t. 28, f. 10.—*King.* Trans. Ent. Soc. N. S. Wales, II. 1869, *p.* 19.
Hab. New Holland.
crassus *King.* l. c. *p.* 21.
Hab. Gawler, South Australia.
Denisoni *King.* l. c. *p.* 15.
Hab. Port Denison, Queensland.
dubius *King.* l. c. *p.* 15.
Hab. Parramatta, New South Wales.
floralis *Linn.* Faun. Suec. 1761, *p.* 228; Syst. Nat. ed. 12, *p.* 681. —*King.* Trans. Ent. Soc. N. S. Wales, II. 1869, *p.* 17.
Hab. South Australia.
Gawleri *King.* l. c. *p.* 22.
Hab. Gawler, South Australia
glaber *King.* l. c. *p.* 14.
Hab. Gawler, South Australia.
glabricollis *King.* l. c. *p.* 20.
Hab. Gawler, South Australia.
hesperi *King.* l. c. *p.* 18.
Hab. New South Wales, and South Australia.
immaculatus *King.* l. c. *p.* 17.
Hab. Port Lincoln, South Australia.
intricatus *King.* l. c. *p*, 14.
Hab. King George's Sound.
Kingi *Macleay, W.* l. c. 1872, *p.* 306.
Hab. Gayndah, Queensland.
Kreffti *King.* l. c. 1869, *p.* 23.
Hab. Parramatta, New South Wales.
Kreusleri *King.* l. c. *p.* 18.
Hab. South Australia.
laticollis *Macleay, W.* l. c. 1872, *p.* 307.
Hab. Gayndah, Queensland.
luridus *King.* l. c. 1869, *p.* 16.
Hab. Port Denison, and Gayndah, Queensland.

Macleayi *King*. l. c. *p*. 23.
Hab. Illawarra. New South Wales.

Mastersi *Macleay*, *W*. l. c. 1872, *p*. 307.
Hab. Gayndah, Queensland.

monilis *King*. l. c. 1869, *p*. 18.
Hab. Gawler, and Port Lincoln, South Australia.

myrteus *King*. l. c. *p*. 14.
Hab. South Australia, and New South Wales.

nigricollis *King*. l. c. *p*. 21.
Hab. Gawler, South Australia.

nitidissimus *King*. l. c. *p*. 11.
Hab. Gawler, South Australia.

pallidus *Macleay*, *W*. l. c. 1872, *p*. 307.
Hab. Gayndah, Queensland.

propinquus *Macleay*, *W* l. c. *p*. 307.
Hab. Gayndah, Queensland.

pulcher *King*. l. c. 1869, *p*. 12.
Hab. Gawler, South Australia ; Gayndah, Queensland.

rarus *King*. l. c. *p*. 22.
Hab. Parramatta, New South Wales.

scydmænoides *King*. l. c. *p*. 16.
Hab. New South Wales.

strictus *Erich*. Wiegm. Arch. 1842, I. *p*. 182.—*Laf*. Mon. *p*. 278. —*King*. Trans. Ent. Soc. N. S. Wales. II. 1869, *p*. 12.
Hab. Tasmania.

unifasciatus *King*. l. c. *p*. 13.
Hab. Gawler, South Australia.

Wollastoni *King*. l. c. *p*. 22.
Hab. Gawler, South Australia

PYROCHROIDÆ.

Lemodes. (*Boheman*.)

coccinea *Bohem*. Res. Eugen. *p*. 103, t. 2, f. 2, a–f.—*Lacord*. Gen. Col. V. *p*. 604, nota.
Hab. Victoria, New South Wales, and Queensland.

Mastersi *Macleay*, *W*. Trans. Ent. Soc. N. S. Wales, II. 1872, *p*. 308.
Hab. Gayndah, Queensland.

MORDELLIDÆ.

Mordella. (*Linné.*)

abdominalis *Blessig.* Hor. Soc. ent. Ross. I. 1861, *p.* 113, t. 3, f.3.
Hab. Victoria.

albosparsa *Gemming.* Col. Heft. VI. 1870.
albosignata Bohem. Res. Eugen, 1858, *p.* 108.
Hab. New South Wales.

aterrima *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 309.
Hab. Gayndah, Queensland.

Australis *Boisd.* Voy. Astrol. II. 1835, *p.* 289.—*Dej.* Cat. 3 ed. *p.* 240.
Hab. New South Wales, and Queensland.

brunneipennis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 309.
Hab. Gayndah, Queensland.

cuspidata *Macleay, W.* l. c. *p.* 309.
Hab. Gayndah, Queensland

exilis *Germ.* Linn. Ent. III. 1848, *p.* 203.
Hab. South Australia.

lepida *Redtenb.* Reis Novar. II. 1868, *p.* 141.
Hab. New South Wales.

leucosticta *Germ.* Linn. Ent. III. 1848, *p.* 203.
Hab. South Australia.

14 maculata *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 308.
Hab. Gayndah, Queensland.

octomaculata *Macleay, W.* l. c. *p.* 308.
Hab. Gayndah, Queensland.

promiscua *Erichs.* Wiegm. Arch. 1842, I. *p.* 181.
Hab. Tasmania.

tomentosa *Boisd.* Voy. Astrol. II. *p.* 290.—*Dej.* Cat. 3 ed. *p.* 241.
Hab. New Holland.

RHIPIDOPHORIDÆ.

Pelecotomoides. (*Castelnau.*)

Pelecotoma (*Latreille*).—*Rhipiphorus* (*Germar*).—*Trigonodera* (*Gerstäcker*).

conicollis *Casteln.* Hist. Nat. II. *p.* 263.—*Lacord.* Gen. Col. V. *p.* 623, nota 1.
Hab. New South Wales, and Victoria.

Gerstäckeri *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 309.
Hab. Gayndah, Queensland.
lutea *Gerstäck.* Mon. Rhipiphorid. Berlin. 1855, *p.* 7.
Hab. New South Wales.
Mastersi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 310.
Hab. Gayndah, Queensland.
nuda *Gerstäck.* Mon. *p.* 4.
Hab. New Holland.
senilis *Gerstäck.* Mon. *p.* 6.
Hab. New Holland.
sericea *Gerstäck.* Mon. *p.* 7.
Hab. Victoria.

Euctenia. (*Gerstäcker.*)

sericea *Gerstäck.* Mon. 1855, *p.* 11, f. 6.
Hab. New South Wales.

Evaniocera. (*Guérin.*)

Ptilophorus (*Gerstack.*)

Gerstäckeri *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 310.
Hab. Gayndah, Queensland.
nervosa *Gerstack.* Mon. 1855, *p.* 12.
Hab. New Holland.
pruinosa *Gerstack.* l. c. *p.* 12.
Hab. New South Wales.

Emenadia. (*Castelnau.*)

Rhipiphorus (*Fabricius*).

luteipennis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 310.
Hab. Gayndah, Queensland.
maculicollis *Bohem.* Res. Eugen. 1858, *p.* 107.
Hab. New South Wales.
Novæ Hollandiæ *Gerstack.* Mon. 1855, *p.* 24.
Hab. South Australia.
tricolor *Gerstack.* l. c. *p.* 28.
Hab. King George's Sound.

Nephrites. (*Shuckhard.*)

nitidus *Shuck.* Ent. Mag. V. *p.* 513.
Hab. Tasmania.

CANTHARIDÆ.

Palaestra. (*Castelnau.*)

rubripennis *Casteln.* Hist. Nat. II. *p.* 251.—*Lacord.* Gen. Atl. t. 60, f. 3.
Hab. New South Wales, and Victoria.

Tmesidera. (*Westwood.*)

assimilis *Hope.* Proc. Ent. Soc. 1842, *p.* 71; Trans. Ent. Soc. IV. 1845, *p.* 103.
Hab. South Australia.
rubricollis *Hope.* l. c. *p.* 71; *p.* 104.
Hab. South Australia.
rufipennis *Westw.* Mag. Zool. 1841, *p.* 85.—*Lacord.* Gen. Col. V. *p.* 685, not. 1.
Hab. New South Wales.
violacea *Hope.* Proc. Ent. Soc. 1842, *p.* 71; Trans. Ent. Soc. IV, *p.* 103.
Hab. South Australia.

Zonitis. (*Fabricius.*)

æneiventris *Redtenb.* Reis. Novar. II. 1868, *p.* 144.
Hab. New South Wales.
annulata *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872 *p.* 311.
Hab. Gayndah, Queensland.
apicalis *Macleay, W.* l. c. *p.* 311.
Hab. Gayndah, Queensland.
bizonata *Macleay, W.* l. c. *p.* 311.
Hab. Gayndah, Queensland.
cyanipennis *Pascoe.* Journ. of Ent. I. 1860, *p.* 57, t. 3, f. 5.
Hab. Victoria.
dichroa *Germ.* Linn. Ent III. 1848, *p.* 204.
Hab. South Australia.
fuscicornis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 310.
Hab. Gayndah, Queensland,
lutea *Macleay, W.* l. c. *p.* 310.
Hab. Gayndah, Queensland.
rostrata *Blessig.* Hor. Soc. Ent. Ross. I. 1861, *p.* 114, t. 3, f. 5, a–b.
Hab Victoria.
tricolor *Le Guillou.* Rev. Zool. 1844, *p.* 225.
Hab. Tasmania.

Palestrida. (*White.*)

bicolor *White.* Stokes. Discov. *p.* 509.—*Lacord.* Gen. Col. V. *p.* 687.
Hab. King George's Sound.

Sitarida. (*White.*)

Hopei *White.* Stokes. Discov. I. *p.* 508, t. 2, f. 2.
Hab. King George's Sound.

Goetymes. (*Pascoe.*)

flavicornis *Pascoe.* Journ. of Ent. II. 1863, *p.* 48, t. 2, f. 5.
Hab. Port Stephens, New South Wales.

ŒDEMERIDÆ.

Selenopalpus. (*White.*)

cyaneus *Fabr.* Syst. Ent. *p.* 125.—*Oliv.* Ent. III. 50, *p.* 7, t. 1, f. 5.
Hab. New Holland.
fuscus *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 311.
Hab. Gayndah, Queensland.
Mastersi *Macleay, W.* l. c. *p.* 312.
Hab. Gayndah, Queensland.

Ananca. (*Fairmaire et Germain.*)

Australis *Boisd.* Voy. Astrol. II. 1835, *p.* 295.—*Dej.* Cat. 3 ed. *p.* 250.
rubricollis Lacord. Dej. Cat. l. c.
Hab. New Holland.
bivittata *Boisd.* Voy. Astrol. II. *p.* 294.—*Macleay.* Dej. Cat. 3 ed. *p* 250.
Hab. New Holland.
brevicornis *Boisd.* l. c. *p.* 295.—*Latr.* Dej. Cat. l. c.
Hab. New Holland.
luctuosa *Boisd.* l. c. *p.* 295.—*Eschsch.* Dej. Cat. l. c.
Hab. New Holland.
nigronotata *Bohem.* Res. Eugen. 1858, *p.* 110.
Hab. New South Wales, and Victoria.

puncta *Macleay*. King's Survey. II. 1827, *p.* 443.
palliata Dej. Cat. 3 ed. *p.* 250.
suturalis Latr. Dej. Cat. l. c.
Hab. New South Wales.
ruficollis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 312.
Hab. Gayndah, Queensland
vitticollis *Macleay, W.* l. c. *p.* 312.
Hab. Gayndah, Queensland.

Pseudolycus. (*Guérin.*)

apicalis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, II. 1872, *p.* 313.
Hab. Gayndah, Queensland.
atratus *Guér.* Ann. Fr. 1833, *p.* 158.
Hab. King's Island, Bass's Straits.
cinctus *Guér.* l. c. *p.* 157.
Hab. Victoria, and Tasmania.
hæmopterus *Guér.* l. c. *p.* 158.
Hab. Victoria.
hæmorrhoidalis *Fab.* Syst. El. II. *p.* 113.
Hab. Tasmania.
marginata *Guér.* Ann. Fr. 1833, *p.* 156, t. 7, a. f. 1–6.—*Lacord.* Gen. Atl. t. 60, f. 1.
Hab. New South Wales, and Victoria.

Ischnomera. (*Stephens.*)

mansueta *Newm.* Zoolog. App. IX. 1851, *p.* 132.
Hab. New Holland.

Dohrnia. (*Newman.*)

miranda *Newm.* Zoolog. App. IX. 1851, *p.* 133.
Hab. New Holland.

CURCULIONIDÆ.

Evas. (*Pascoe.*)

acuminata *Pascoe.* Trans. Ent. Soc. 1870, *p.* 183.
Hab. King George's Sound.

argenteiventris *Pascoe.* l. c. *p.* 183.
Hab. Queensland.
crassirostris *Pascoe.* l. c. *p.* 183.
Hab. South Australia.

Prosaulius. (*Schönherr.*)

Nephodes (*Schönherr*).—*Prosayleus* (*Schönherr*).

ateropterus *Bohem.* Schh. Gen. Curc. V. *p.* 842.—*Labr. et Imh.* Gen. Curc. II. nr. 37.
Hab. New Holland.
comosus *Germ.* Linn. Ent. III. 1848, *p.* 213.
Hab. South Australia.
dispar *Germ.* l. c. *p.* 213.
Hab. South Australia.
Hopei *Bohem.* Schh. Gen. Curc. V. *p.* 841.
Hab. South Australia.

Eutinophœa. (*Pascoe.*)

nana *Pascoe.* Trans. Ent. Soc. 1870, *p.* 182, t. 5, f. 6, a–b.
Hab. South Australia.

Rhadinosomus. (*Schönherr.*)

Leptosomus (*Schönh.*)

impressus *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 448.
Hab. Western Australia.
Lacordairei *Pascoe.* l. c. *p.* 449.—*Lacord.* Gen. Col. VI. 1863, *p.* 64.
Hab. Queensland.

Ochrometa. (*Pascoe.*)

amoena *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 450, t. 17, f. 6, a–c.
Hab. Champion Bay, Western Australia.

Dermatodes. (*Schönherr.*)

Australis *Boisd.* Voy. Astrol. II. 1835, *p.* 348.—*Dej.* Cat. 3 ed. *p.* 273.
Hab. New Holland.

Prostomus. (*Schönherr.*)

Prorhinus (*Blanchard.*)

scutellaris *Fabr.* Mant. I. *p.* 115.—*Oliv.* Ent. V. 83, *p.* 393, t. 12, f. 142; t. 19, f. 240.—*Boisd.* Voy. Astrol. II. *p.* 343.—*Gyll.* Schh. Gen. Curc. I. *p.* 504.
Hab. New South Wales.

Prypnus. (*Schönherr.*)

Carterus (*Schönh*).—*Nebalis* (*Castelnau*).—*Perimachetes* (*Schönh*).—*Rhyssocarpus* (*Schonh*).

canaliculatus *Gyll.* Schh. Gen. Cur. VI. 2. *p.* 232.
Hab. Victoria.
fallax *Gyll.* l. c. *p.* 232.
Hab. New Holland.
quinquenodosus *Gyll.* l. c. I. *p.* 493.
Hab. New South Wales.
squalidus *Gyll.* l. c. *p.* 505.—*Boisd.* Voy. Astrol. II. *p.* 344.—*Macleay.* Dej. Cat. 3 ed. *p.* 269.—*Labr. et Imh.* Gen. Curc. II. nr. 59.
bidentatus Macleay. Dej. Cat. l. c.
Hab. New South Wales.
subtuberculatus *Gyll.* Schh. Gen. Curc. I. *p.* 494.—*Boisd.* Voy. Astrol. II. *p.* 337.
Hab. New Holland.
tenebricosus *Gyll.* l. c. *p.* 504.—*Boisd.* l. c. *p.* 344.—*Macleay.* Dej. Cat. 3 ed. *p.* 269.
Hab. New Holland.
trituberculatus *Germ.* Linn. Ent. III. 1848, *p.* 216.
Hab. South Australia.

Pachyrrhynchus. (*Germar.*)

Australasiæ *Bohem.* Res. Eugen. 1859, *p.* 119.
Hab. Sydney.

Celeuthetes. (*Schonherr.*)

echinatus *Fabr.* Syst. El. II. *p.* 525.
Australis Boisd. Voy. Astrol. II. *p.* 398.—*Dej.* Cat. 3 ed. *p.* 291.—*Gyll.* Schh. Gen. Curc. II. *p.* 251.
paganus Gyll. l. c. *p.* 539.
Hab. New Holland.

Sphœropterus. (*Guérin.*)

Coptorhynchus (*Guérin*).—*Isomerinthus* (*Schonh*).

Jansoni *Pascoe.* Ann. Nat. Hist. 1871, *p.* 90.
Hab. Lizard Island, N. E. Coast.
lateralis *Boisd.* Voy. Astrol. II. *p.* 395.—*Lacord.* Gen. Col. VI. 1863, *p.* 153, note 2.—*Dej.* Cat. 3. ed. *p.* 294.
Hab. New Holland.
melancholicus *Boisd.* Voy. Astrol. II. *p.* 396.—*d'Urville.* Dej. Cat. 3 ed. *p.* 294.
Hab. New Holland.

scabratus *Oliv.* Ent. V. 83. *p.* 373, t. 19, f. 244.—*Fabr.* Syst. El. II. *p.* 522.—*Bohem.* Schh. Gen. Curc. VII. 1. *p.* 245.
Hab. New Holland.

Psomeles. (*Guérin.*)

oblongus *Blanch.* Voy. Pole. Sud. IV. *p.* 229, t. 15, f. 17.
Hab. Tasmania.

Tyloderes. (*Schonherr.*)

spinosus *Boisd.* Voy. Astrol. II. 1835, *p.* 403.
Hab. New Holland.

Merimnetes. (*Schonherr.*)

tenuis *Germ.* Linn. Ent. III. 1848, *p.* 220.
Hab. South Australia.
uniformis *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 254.
Hab. Victoria.

Euphalia. (*Pascoe.*)

pardalis *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 468, t. 19, f. 14, a–c.
Hab. Western Australia.

Proxyrus. (*Pascoe.*)

abstersus *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 438, t. 17, f. 8, a–c.
Hab. Champion Bay, Western Australia.
lecideosus *Pascoe.* l. c. *p.* 438.
Hab. Champion Bay, Western Australia.

Atmesia. (*Pascoe.*)

marginata *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 469, t. 18, f. 3, a–b.
Hab. Gawler, South Australia.

Phylda. (*Pascoe.*)

periteloides *Pascoe.* Ent. Monthl. Mag. VI. 1869, *p.* 100, f. 1, a.
Hab. South Australia.

Titinia. (*Pascoe.*)

ignaria *Pascoe.* Ent. Monthl. Mag. VI. 1869, *p.* 101, f. 4, a.
Hab. Victoria.
marmorata *Pascoe.* Ann. Nat. Hist. Feb. 1872, *p.* 132.
Hab. New South Wales.

Idaspora. (*Pascoe.*)

terrea *Pascoe.* Ent. Monthl. Mag. VI. 1869, *p.* 101, f. 3, a.
Hab. Gawler, South Australia.

Epherina. (*Pascoe.*)

longicornis *Pascoe.* Ent. Monthl. Mag. VI. 1869, *p.* 102, f. 2, a.
Hab. Champion Bay, Western Australia.

Myllocerus. (*Schonh.*)

aphthosus *Pascoe.* Ent. Monthl. Mag. VI. 1869, *p.* 105.
Hab. Cape York, North Australia.
aurifex *Pascoe.* l. c, *p.* 103.
Hab. Western Australia.
Australis *Boisd.* Voy. Astrol. II. 1835, *p.* 367.—*Dej.* Cat. 3 ed. *p.* 288.
Hab. New Holland.
cinerascens *Pascoe.* Ent. Monthly Mag. VI. 1869, *p.* 104.
Hab. Western Australia.
decretus *Pascoe.* l. c. *p.* 104.
Hab. Champion Bay, Western Australia.
glaucinus *Pascoe.* l. c. *p.* 104.
Hab. Champion Bay, Western Australia.
herbaceus *Pascoe.* l. c. *p.* 103.
Hab. Champion Bay, Western Australia.
nasutus *Pascoe.* l. c. *p.* 105.
Hab. Western Australia.
pudicus *Pascoe.* l. c. *p.* 104.
Hab. Nicol Bay, Western Australia.
rusticus *Pascoe.* l. c. *p.* 105.
Hab. Champion Bay, Western Australia.

Platytrachelus. (*Schonherr.*)

chloris *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 458.
Hab. Western Australia.

Mandalotus. (*Erichson.*)

crudus *Erichs.* Wiegm. Arch. 1842, I. *p.* 194.
Hab. Tasmania.
rigidus *Erichs.* l. c. *p.* 194.
Hab. Tasmania.
sterilis *Erichs.* l. c. *p.* 195.
Hab. Tasmania.
vetulus *Erichs.* l. c. *p.* 195.
Hab. Tasmania.

Oops. (*Germar.*)

pistor *Germ.* Linn. Ent. III. 1848, *p.* 220.
Hab. South Australia.

Pephricus. (*Pascoe.*)

echymis *Pascoe.* Trans. Ent. Soc. 1870, *p.* 184, t. 5, f. 7.
Hab. Western Australia.

Scotasmus. (*Schönherr.*)

carinirostris *Bohem.* Schh. Gen. Curc. VI. 1862, 2. *p.* 336.
Hab. New Holland.

Catasarcus. (*Schönherr.*)

albisparsus *Pascoe.* Trans. Ent. Soc. 1870, *p.* 35.
Hab. Champion Bay, Western Australia.
albuminosus *Pascoe.* l. c. *p.* 29.
Hab. Champion Bay, Western Australia.
araneus *Pascoe.* l. c. *p.* 29.
Hab. Champion Bay, Western Australia.
bellicosus *Pascoe.* l. c. *p.* 28.
Hab. Western Australia.
bilineatus *Fahrs.* Schh. Gen. Curc. V. *p.* 813.—*Pascoe.* Trans. Ent. Soc. 1870, I. *p.* 18.
Hab. Swan. River, Western Australia.
brevicollis *Pascoe.* l. c. *p.* 32.
Hab. Champion Bay. Western Australia.
capito *Pascoe.* l. c. *p.* 33.
Hab. Champion Bay, Western Australia.
carbo *Pascoe.* l. c. *p.* 35.
Hab. Western Australia.
ceratus *Pascoe.* l. c. *p.* 24.
Hab. Western Australia.
cicatricosus *Pascoe.* l. c. *p.* 36.
Hab. Champion Bay, Western Australia.
concretus *Pascoe.* l. c. *p.* 38.
Hab. Queensland.
echidna *Pascoe.* l. c. *p.* 28.
Hab. Champion Bay, Western Australia.
effloratus *Pascoe.* l. c. *p.* 21.
Hab. Champion Bay, Western Australia.
ericius *Pascoe.* l. c, *p.* 37.
Hab. Champion Bay, Western Australia.
foveatus *Pascoe.* l. c. *p.* 24.
Hab. Champion Bay, Western Australia.
funereus *Pascoe.* l. c. *p.* 31.
Hab. Champion Bay, Western Australia.

furfuraceus *Pascoe.* l. c. *p*: 39.
Hab. Champion Bay, Western Australia.
griseus *Pascoe.* l. c. *p.* 22.
Hab. Western Australia.
Hopei *Fahrs.* Schh. Gen. Curc. V. *p.* 815.—*Pascoe.* Trans. Ent. Soc. 1870, *p.* 22
Hab. Swan River, Western Australia.
humerosus *Pascoe.* l. c *p.* 30.
Hab. Western Australia.
impressipennis *Boisd.* Voy. Astrol. II. *p.* 350, t. 7, f. 9.—*Lacord.* Gen. Col. VI. 1863, *p.* 250, nota.
rufipes Fahrs. Schh. Gen. Curc. V. *p.* 814.—*Labr. et Imh.* Gen. Curc. II. nr. 27.—*Pascoe.* Trans. Ent. Soc. 1870, I. *p.* 22.
Hab. Western Australia.
intermedius *Pascoe.* l. c. *p.* 27.
Hab. Champion Bay, Western Australia.
lepidus *Pascoe.* l. c. *p.* 39.
Hab. Champion Bay, Western Australia.
longicornis *Pascoe.* l. c. *p.* 20.
Hab. Champion Bay, Western Australia.
maculatus *Pascoe.* l. c. *p.* 25.
Hab. King George's Sound.
marginispinis *Pascoe.* l. c. *p.* 32.
Hab. Champion Bay, Western Australia.
memnonius *Pascoe.* l. c. *p.* 26.
Hab. Victoria.
nitidulus *Pascoe.* l. c. *p.* 30.
Hab. Swan River, Western Australia.
ochraceus *Pascoe.* l. c. *p.* 34.
Hab Champion Bay, Western Australia.
opimus *Pascoe.* l. c. *p.* 19.
Hab. Western Australia.
ovinus *Pascoe.* l c. *p.* 26.
Hab. Queensland.
pollinosus *Pascoe.* l. c. *p.* 23.
Hab. Western Australia.
rugulosus *Bohem.* Schh. Gen. Curc. VIII. 2. *p.* 380.—*Pascoe.* Trans. Ent. Soc. 1870, 1. *p.* 18.
Hab. Western Australia.
scordalis *Pascoe.* l. c. *p.* 37.
Hab. Champion Bay, Western Australia.
spinipennis *Fahrs.* Schh. Gen. Curc. V. *p.* 817.—*Labr. et. Imh.* Gen. Curc. II. nr. 27.—*Pascoe.* Trans. Ent. Soc. 1870, *p.* 32.
Hab. Western Australia.
stigmatipennis *Boisd.* Voy. Astrol. II. *p.* 349.—*Pasc.* l. c. *p.* 18.
Hab. Western Australia.

suturalis *Pascoe*. l. c. *p*. 18.
Hab. Perth, Western Australia.
transversalis *Germ*. Linn. Ent. III. 1848, *p*. 212.—*Pasc*. l. c. *p*. 25.
Hab. South Australia.
trapa *Pascoe*. l. c. *p*. 38.
Hab. Champion Bay, Western Australia.
tribulus *Pascoe*. l. c. *p*. 40.
Hab. Champion Bay, Western Australia.
vinosus *Pascoe*. l. c. *p*. 21.
Hab. Champion Bay, Western Australia.

Onesorus. (*Pascoe*.)

candidus *Pascoe*. Journ. Linn. Soc. X. 1870, *p*. 484.
Hab. New Holland.
maculosus *Pascoe*. l. c. *p*. 483, t. 19, f. 13, a.
Hab. Cape York, North Australia.
obesus *Pascoe*. l. c. *p*. 483.
Hab. Nicol Bay, Western Australia.
tigrinus *Pascoe*. l. c. *p*. 483.
Hab. New Holland.

Esmelina. (*Pascoe*.)

flavovittata *Pascoe*. Journ. Linn. Soc. X. 1870, *p*. 484, t. 19, f. 8, a–b.
Hab. Blue Mountains, New South Wales.

Lysizone. (*Pascoe*.)

alternata *Pascoe*. Journ. Linn. Soc. X. 1870, *p*. 486.
Hab. Nicol Bay, Western Australia.

Aparete. (*Pascoe*.)

palpebrosa *Pascoe*. Journ. Linn. Soc. XI. 1871, *p*. 166.
Hab. South Australia.

Polyphrades. (*Schönherr*.)

aesalon *Pascoe*. Trans. Ent. Soc. 1870, *p*. 448.
Hab. King George's Sound.
ampliatus *Pascoe*. l. c. *p*. 447.
Hab. Western Australia.
argentarius *Fahrs*. Schh. Gen. Curc. V. *p*. 809.
Hab. Swan River, Western Australia.
biplagiatus *Pascoe*. Trans. Ent. Soc. 1870, *p*. 447.
Hab. Queensland.

cinereus *Fahrs.* Schh. Gen. Curc. V. *p.* 806.
Hab. Swan River, Western Australia.
laticollis *Fahrs.* l. c. *p.* 107.
Hab Swan River, Western Australia.
latipennis *Pascoe.* Trans. Ent. Soc. 1870, *p.* 448.
Hab. Champion Bay, Western Australia.
longipennis *Pascoe.* Ann. Nat. Hist. Feb. 1872, *p.* 133.
Hab. South Australia.
murinus *Fahrs.* Schh. Gen. Curc. V. *p.* 810.
Hab. Swan River, Western Australia.
nanus *Gyll.* Schh. l. c. I. *p.* 503.—*Boisd.* Voy. Astrol. II. *p.* 342.
—*Lacord*, Gen. Col. VI. 1863, *p.* 251, note 1.
Australis Dej. Cat. 3. ed. *p.* 269.
leucophæus Latr. Dej. Cat. l. c.
Hab. New South Wales.
nitidilabris *Germ.* Linn. Ent. III. 1848, *p.* 212.
Hab. South Australia; and King George's Sound.
ortyx *Pascoe.* Trans. Ent. Soc. 1870, *p.* 446.
Hab. Western Australia.
paganus *Bohem.* Schh. Gen. Curc. VIII. *p.* 377.—*Labr. et Imh.* Gen. Curc. II. nr. 36.
Hab. New Holland.
pardalotus *Pascoe.* Trans. Ent. Soc. 1870, *p.* 447.
Hab. King George's Sound.
perignarus *Fahrs.* Schh. Gen. Curc. V. *p.* 811.
Hab. Swan River, Western Australia.
pusillus *Pascoe.* Trans. Ent. Soc. 1870, *p.* 446.
Hab. King George's Sound.

Chaodius. (*Pascoe.*)

nigrescens *Pascoe.* Trans. Ent. Soc. 1870, *p.* 187, t. 5, f. 13.
Hab. Western Australia.

Essolithna. (*Pascoe.*)

pluviata *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 458, t. 18, f. 7, a–b.
Hab. Nicol Bay, Western Australia.
rhombus *Pascoe.* l. c. *p.* 458.
Hab. Champion Bay, Western Australia.

Cherrus. (*Schönherr.*)

Bronchus (*Germar*).—*Hybauchenia* (*Macleay*).

Australis *Boisd.* Voy. Astrol. II. 1835, *p.* 345, t. 7, f. 13 (*gen. dub.*).
Hab. New Holland.
aureolus *Pascoe.* Ann. Nat. Hist. Feb. 1872, *p.* 133.
Hab. King George's Sound.

cænosus *Fahrs.* Schh. Gen. Curc. V. *p.* 802.
Hab. New South Wales.
ebeninus *Fahrs.* l. c. *p.* 804.
Hab. New South Wales.
infaustus *Oliv.* Ent. V. 83. *p.* 400, t. 25, f. 353.—*Gyll.* Schh. Gen. Curc. I. *p.* 500.
bulbifer Germ. Ins. Spec. nov. *p.* 333.—*Boisd.* Voy. Astrol. II. *p.* 332.
granulatus Dej. Cat. 3. ed. *p.* 269.
Hab. New South Wales.
iodimerus *Boisd.* Voy. Astrol. II. *p.* 339, t. 7, f. 14.
Hab. New South Wales.
Mastersi *Pascoe.* Journ. Linn. Soc. XI, 1871, *p.* 158, t. 6, f. 9.
Hab. King George's Sound.
opatrinus *Gyll.* Schh. Gen. Curc. I. *p.* 502.—*Boisd.* Voy. Astrol. II. *p.* 341.
rusticus Dej. Cat. 3. ed. *p.* 269.
Hab. New South Wales.
plebejus *Oliv.* Ent. V. 83. *p.* 400, t. 25, f. 357.—*Gyll.* Schh. Gen. Curc. I. *p.* 501.—*Labr. et Imh.* Gen. Curc. II. nr. 26.
mistothes Herbst. Käf. VII. *p.* 43, t. 97, f. 13.
Hab. New South Wales.
punctipennis *Pascoe.* Journ. Linn. Soc. XI. 1871, *p.* 158.
Hab. Swan River, Western Australia.
silaceus *Pascoe.* l. c. *p.* 157.
Hab. King George's Sound.
vestitus *Pascoe.* Trans. Ent. Soc. 1870, *p.* 209.
Hab. Queensland.

Rhyparophilus. *Schönherr.*

alternans *Bohem.* Schh. Gen. Curc. VIII. 2. *p.* 379.
Hab. New Holland.

Stenocorynus. *Schönherr.*

Gastrodus (*Macleay*).

aridus *Pascoe.* Ann. Nat. Hist. Feb. 1872, *p.* 134.
Hab. Lizard Island, N. E. Coast.
crenulatus *Fab.* Ent. Syst. *p.* 147.—*Olio.* Ent. V, 83, *p.* 401, t. 11, f. 29.—*Gyll.* Schh. Gen. Curc. II. *p.* 321.
Australis Boisd. Voy. Astrol. II. *p.* 394.—*Macleay.* Dej. Cat. 3 ed. *p.* 285.
Hab. New Holland.
lateralis *Bohem.* Schh. Gen. Curc. II. *p.* 322.
albolineatus Macleay. King's Surv. of Austral. II. app. *p.* 445. —*Sturm.* Cat. 1843, *p.* 189.
Hab. New Holland.

vittatus *Pascoe.* Ann. Nat. Hist. Feb. 1872, *p.* 134.
Hab. Night Island, N. E. Coast.

Leptops. *Schönherr.*

acerba *Pascoe.* Journ. Linn. Soc. X. 1879, *p.* 450.
Hab. Western Australia.

angustior *Germ.* Linn. Ent. III. 1848, *p.* 215.
Hab. South Australia.

cicatricosa *Pascoe.* Ann. Nat. Hist. 1871, *p.* 91.
Hab. Queensland.

colossus *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 451.
Hab. Champion Bay, Western Australia.

crenata *Bohem.* Schh. Gen. Curc. VI. 2, *p.* 222.
Hab. New South Wales.

dorsata *Pascoe.* Journ Linn. Soc. X. 1870, *p.* 453.
Hab. Western Australia.

Duboulayi *Pascoe.* l. c. *p.* 452.
Hab. Champion Bay, Western Australia.

dumosa *Fahrs.* Schh. Gen. Curc. VI. 2, *p.* 230.
Hab. Swan River, Western Australia.

ebenina *Pascoe.* Journ Linn. Soc. X. 1870, *p.* 454.
Hab. Queensland.

fera *Pascoe.* Trans. Ent. Soc. 1870, *p.* 185.
Hab. Wide Bay, Queensland.

Hopei *Fahrs.* Schh. Gen. Curc. VI. 2, *p.* 221.
Hab. Victoria.

humeralis *Germ.* Linn. Ent. III. *p.* 215.
Hab. South Australia.

hypocrita *Pascoe.* Ann. Nat. Hist. 1871, *p.* 92.
Hab. South Australia.

hystricosa *Fahrs.* Schh. Gen. Curc. VI. 2, *p.* 229.
Hab. Swan. River, Western Australia.

iliaca *Pascoe.* Ann. Nat. Hist. 1871, *p.* 91.
Hab. Cape York, North Australia.

ovalipennis *Pascoe.* l. c. *p.* 91.
Hab. Lizard Island, N. E. Coast.

polyacantha *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 453.
Hab. New Holland.

quadridens *Fabr.* Syst. Ent. *p.* 153.—*Oliv.* Ent. V. 83, *p.* 397, t. 15, f. 187.—*Boisd.* Voy. Astrol. II. *p.* 335.
Hab. New South Wales.

quadrituberculata *Bohem.* Schh. Gen. Curc. II. *p.* 301.
Hab. New South Wales.

reducta *Pascoe.* Trans. Ent. Soc. 1870, *p.* 185.
Hab. New Holland.

retusa *Pascoe*. Journ. Linn. Soc. X. 1870, *p*. 452.
Hab. Queensland.

robusta *Oliv*. Ent. V. 83, *p*. 398, t. 25, f. 356.—*Bohem*. Schh. Gen. Curc. II. *p*. 298.
bidentata Boisd. Voy. Astrol. II. *p*. 361.—*Macleay*. Dej. Cat. 3. ed. *p*. 269.
Hab. New South Wales.

Spencei *Bohem*. Schh. Gen. Curc. II, *p*. 299.
Hab. New Holland.

spinea *Fahrs*. Schh. l. c. *p*. 228.
Hab. Western Australia.

spinigera *Fahrs*. l. c. *p*. 227.
Hab. King George's Sound.

spinipennis *Fahrs*. l. c. *p*. 223.
Hab. Western Australia.

spinosa *Fahrs*. l. c. *p*. 224.
Hab. Salt River, Western Australia.

squalida *Bohem*. Schh. l. c. II. *p*. 300.
Hab. New South Wales.

subfasciata *Pascoe*. Trans. Ent. Soc. 1870, *p*. 185.
Hab. Queensland.

superciliaris *Pascoe*. Journ. Linn. Soc. X. 1870, *p*. 452.
Hab. Queensland.

tetraphysodes *Pascoe*. Ann. Nat. Hist. 1871, *p*. 92.
Hab. Queensland.

tribulus *Fabr*. Syst. Ent. *p*. 153.—*Oliv*. Ent. V. 83. *p*. 396, t. 13, f. 161.—*Gyll*. Schh. Gen. Curc. I. *p*. 473.
echidna Macleay. Dej. Cat. 3 ed. *p*. 269.
Duponti Boisd. Voy. Astrol. II. *p*. 333.
Hab. New South Wales, Victoria, and South Australia.

tuberculata *Bohem*. Schh. Gen. Curc. II. *p*. 298.
Hab. New South Wales.

Aesiotes. (*Pascoe*.)

notabilis *Pascoe*. Journ. of Ent. II. 1865, *p*. 422, t. 17, f. 16.
Hab. Pine Mountain, Queensland.

Baryopadus. (*Pascoe*.)

corrugatus *Pascoe*. Trans. Ent. Soc. 1870, *p*. 186, t. 5, f. 5, a–b.
Hab. Queensland.

Zymaus. (*Pascoe*.)

binodosus *Pascoe*. Trans. Ent. Soc. 1870, *p*. 449, t. 7, f. 5, a.
Hab. Wide Bay, Queensland.

Catastygnus. (*Pascoe.*)

limbatus *Pascoe.* Ann. Nat. Hist. 1871, *p*, 94.
Hab. Port Denison, Queensland,

rivulosus *Pascoe.* l. c. *p.* 94.
Hab. Moreton Bay.

scutellaris *Pascoe.* l. c. *p.* 93.
Hab. Wide Bay, Queensland.

stigma *Pascoe.* l. c. *p.* 94.
Hab. Rockhampton, Queensland.

toxtilis *Pascoe.* l. c. *p.* 95.
Hab. Lizard Island, N. E. Coast.

Enchymus. (*Pascoe.*)

punctatonotatus *Pascoe.* Ann. Nat. Hist. 1871, *p.* 95.
Hab. South Australia.

Centyres. (*Pascoe.*)

turgidus *Pascoe.* Ann. Nat. Hist. 1871, *p.* 96.
Hab. Queensland.

Amisallus. (*Schönherr.*)

Cubicosomus (*Waterhouse*).

nodosus *Erichs.* Wiegm. Arch. 1842, I. *p.* 187.
Hab. Tasmania.

tuberosus *Bohem.* Schh. Gen. Curc. V. *p.* 798.
Hab. New South Wales.

Whitei *Waterh.* Trans. Ent. Soc. Ser. 2, II. 1853, *p.* 181.—*Lacord.* Gen. Atl. VIII. t. 66. f. 2, a.
Hab. New South Wales, and Queensland.

Ethemaia. *Pascoe.*

adusta *Pascoe.* Journ. of Ent. II. 1865, *p.* 418.
Hab. South Australia.

sellata *Pascoe.* l. c. *p.* 418, t. 17, f. 25.
Hab. South Australia.

Psalidura. *Fischer.*

abnormis *Macleay, W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 215.
Hab. Argyle, New South Wales.

carinata *Boisd.* Voy. Astrol. II. *p.* 385.—*d'Urville.* Dej. Cat. 3 ed. *p.* 289.
Hab. New South Wales.

caudata *Macleay*, *W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 210.
Hab. Darling Downs, Queensland.

Coxi *Macleay*, *W.* l. c. *p.* 204.
Hab Dabee, New South Wales.

crenata *Boisd.* Voy. Astrol. II. *p.* 385.—*d'Urville.* Dej. Cat. 3 ed. *p.* 289.
Hab. New Holland.

Durvillei *Bohem.* Schh. Gen. Curc. VII. 1, *p.* 52.—*Macleay*, *W.* Trans Ent. Soc. N. S. Wales, I. 1865, *p.* 215.
Hab. New Holland.

elongata *Macleay*, *W.* l. c. *p.* 207.
Hab. Lambing Flat, New South Wales.

falciformis *Macleay*, *W* l. c. *p.* 213.
Hab. Mudgee, New South Wales.

forficulata *Macleay*, *W.* l. c. *p.* 210.
Hab. Rockhampton, Queensland.

foveata *Macleay*, *W.* l. c. *p.* 213.
Hab. N. E. Coast, New Holland.

granosa *Guér.* Voy. Coquille. II. 2. 1830, *p.* 120.—*Boisd.* Voy. Astrol. II *p.* 386.
Hab. New South Wales.

Helyi *Macleay*, *W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 213.
Hab. North Australia.

Hopei *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 65.
Hab. New Holland.

Howitti *Macleay*, *W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 211.
Hab. Melbourne.

impressa *Boisd.* Voy. Astrol. II. *p.* 375, t. 7, f. 10.—*Macleay*, *W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 208.
Hab. Tasmania.

Mannerheimi *Schönh.* mant. sec. *p.* 55.
Hab. New Holland.

Mastersi *Macleay*, *W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 214.
Hab. Ipswich, Queensland.

mira *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 51.—*Macleay*, *W.* Trans. Ent. Soc. N. S. Wales, 1. 1865, *p.* 204.
paradoxa Sturm. Cat. 1843, *p.* 350, t. 5, f. 3, a-d.
Hab. Swan River, Western Australia.

mirabilis *Kirby.* Trans. Linn. Soc. XII. 1818, *p.* 469, t. 23, f. 9, a-c.—*Fischer.* Mém. Mosc. VI. 1823, *p.* 265, tit. f. 11.—*Boisd.* Voy. Astrol. II. *p.* 381.—*Gylh.* Schh. Gen. Curc. II. *p.* 470.—*Macleay*, *W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 202.
Hab. New South Wales.

mirabunda *Gylh.* Schh. Gen. Curc. II. *p.* 471.—*Bohem.* Schh. l. c. VII. 1. *p.* 52.—*Boisd* Voy. Astrol. II. *p.* 377.—*Macleay, W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 207.
Hab. New Holland.

miracula *Macleay, W.* l. c. *p.* 205.
Hab. Mudgee, New South Wales.

mirifica *Macleay, W.* l. c. *p.* 206.
Hab. New Holland.

Mitchelli *Macleay, W.* l. c. *p.* 210.
Hab. Victoria River, Northern Australia.

montana *Macleay, W.* l. c. *p.* 209.
Hab. Pine Mountain, Queensland.

postica *Boisd.* Voy. Astrol. II, *p.* 379.
Hab. New Holland.

reticulata *Boisd.* l. c. *p.* 384.—*Macleay, W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 214.
Hab. Wellington Valley, New South Wales.

rufolineata *Macleay, W.* l. c. *p.* 203.
Hab. Newcastle, New South Wales.

scabra *Boisd.* Voy. Astrol. II. *p.* 382.—*d'Urville.* Dej. Cat. 3. ed. *p.* 289.
Hab. New Holland.

Spencei *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 64.
Hab. New Holland.

squalida *Bohem.* l. c. *p.* 53.
Hab. New Holland.

squamigera *Macleay, W.* Trans. Ent. Soc. N. S. Wales, 1. 1865, *p.* 212.
Hab. New Holland.

subcostata *Macleay, W.* l. c. *p.* 206.
Hab. Parramatta, New South Wales.

subvittata *Macleay, W.* l. c. *p.* 211.
Hab. Ipswich, Queensland.

verrucosa *Macleay, W.* l. c. *p.* 203.
Hab. New Holland.

tuberculata *Boisd.* Voy. Astrol. II. *p.* 372.—*d'Urville.* Dej. Cat. 3. ed. *p.* 289.
Hab. New Holland.

Wilcoxi *Macleay, W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 209.
Hab. Clarence River, New South Wales.

Talaurinus. (*Macleay, W.*)

aberrans *Macleay, W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 233.
Hab. Victoria.

alternans *Macleay*, *W.* l. c. *p.* 231.
Hab. Nelligen, New South Wales.
alternatus *Macleay*, *W.* l. c. *p.* 240.
Hab. New Holland.
ambiguus *Macleay*, *W.* l. c. *p.* 225.
Hab. Darling Downs, Queensland.
amycteroides *Macleay*, *W.* l. c. *p.* 235.
Hab. Victoria River, North Australia.
angustatus *Macleay*, *W.* l. c. *p.* 241.
Hab. King George's Sound.
bucephalus *Oliv.* Ent. V. 83, *p.* 399, t. 25, f. 355.—*Boisd.* Voy. Astrol. II. *p.* 373.—*Gyll.* Schh. Gen. Curc. II. *p.* 473.—*Macleay*, *W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 227.
Hab. New South Wales.
Camdenensis *Macleay*, *W.* l. c. *p.* 226.
Hab. Camden, New South Wales.
catenulatus *Macleay*, *W.* l. c. *p.* 234.
Hab. New Holland.
caviceps *Macleay*, *W.* l. c. 1866, *p.* 320.
Hab. Port Lincoln, South Australia.
costatus *Boisd.* Voy. Astrol. II. 1835, *p.* 384.—*d'Urville.* Dej. Cat. 3. ed. *p.* 289.—*Macleay*, *W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 238.
Hab. New South Wales.
Dameli *Macleay*, *W.* l. c. *p.* 242.
Hab. King George's Sound.
dubius *Macleay*, *W.* l. c. *p.* 226.
Hab. Darling Downs, Queensland.
dumosus *Macleay*, *W.* l. c. *p.* 243.
Hab. King George's Sound.
euomoides *Macleay*, *W.* l. c. *p.* 225.
Hab. Queensland.
exasperatus *Erichs.* Wiegm. Arch. 1842, I. *p.* 191.
Howitti Macleay, *W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 217.
Hab. Victoria.
excavatus *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 54.—*Macleay*, *W.* Trans Ent. Soc. N. S. Wales, I. 1865, *p.* 236.
Hab. New South Wales.
foveatus *Macleay*, *W.* l. c. *p.* 237.
Hab. N. E. Coast, New Holland.
griseus *Macleay*, *W.* l. c. *p.* 219.
Hab. Rockhampton, Queensland.
hiscipennis *Macleay*, *W.* l. c. 1866, *p.* 321.
Hab. Yankee Jim's Creek, Victoria.
humeralis *Macleay*, *W.* l. c. *p.* 224.
Hab. Victoria River, North Australia.

hystricosus *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 54.—*Macleay, W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 242.
Hab. King George's Sound.

impressicollis *Macleay, W.* l. c. *p.* 239.
Hab. Victoria.

incanescens *Macleay, W.* l. c. *p.* 244.
Hab. King George's Sound.

incertus *Macleay, W.* l. c. *p.* 221.
Hab. Rockhampton, Queensland.

Kirbyi *Macleay.* King. Survey. II. 1827, *p.* 444.—*Guér.* Voy. Coquille. II. 2. 1830, *p.* 121.—*Boisd.* Voy. Astrol. II. *p.* 387.—*Bohem.* Schh. Gen. Curc. VII. 1. *p.* 66.—*Macleay, W.* Trans. Ent. Soc. N. S. Wales, 1. 1865, *p.* 238.
Hab. New Holland.

lacunosus *Macleay, W.* l. c. *p.* 240.
Hab. Manning River, New South Wales.

laticeps *Macleay, W.* l. c. 1866, *p.* 319.
Hab. Stirling Range, Western Australia.

maculatus *Macleay, W.* l. c. 1865, *p.* 220.
Hab. N. E. Coast, New Holland.

Manglesi *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 61.—*Macleay, W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 244.
Hab. King George's Sound.

Mastersi *Macleay, W.* l. c. *p.* 239.
Hab. Rope's Creek, New South Wales.

Mitchelli *Macleay, W.* l. c. *p.* 234.
Hab. Victoria River, North Australia.

morbillosus *Boisd.* Voy. Astrol. II. *p.* 386.—*d'Urville.* Dej. Cat. 3 ed. *p.* 289.—*Lacord.* Gen. Atl. VII. t. 67, f. 4, a–c.—*Macleay. W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 222.
Hab. Victoria.

muricatus *Macleay, W.* l. c. 1866, *p.* 321.
Hab. Stirling Range, Western Australia.

Murrumbidgensis *Macleay, W.* l. c. 1865, *p.* 227.
Hab. Murrumbidgee, New South Wales.

nodulosus *Macleay, W.* l. c. *p* 223.
Hab. New Holland.

pallidus *Macleay, W.* l. c. *p.* 223.
Hab. New Holland.

papulosus *Macleay, W.* l. c. *p.* 222.
Hab. New Holland.

parallelus *Macleay, W.* l. c. *p.* 224.
Hab. New Holland.

pastillarius *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 60.—*Macleay, W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 232.
Hab. King George's Sound.

penicillatus *Macleay*, *W.* l. c. *p.* 220.
morbillosus Erichs. Wiegm. Arch. 1842, I. *p.* 191 (*forte*).
Hab. Tasmania.
pulverulentus *Macleay*, *W.* l. c. *p.* 223.
Hab. New Holland.
Rayneri *Macleay*, *W.* l. c. *p.* 221.
Hab. West Coast, New Holland.
Riverinæ *Macleay W.* l. c. *p.* 218.
Hab. Lower Murrumbidgee, New South Wales.
Roei *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 62.—*Macleay*, *W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 231.
Hab. King George's Sound.
rudis *Macleay*, *W.* l. c. *p.* 227.
Hab. New South Wales.
rugiceps *Macleay*, *W.* l. c. *p.* 242.
Hab. King George's Sound.
rugicollis *Macleay*, *W.* l. c. *p* 241.
Hab. Singleton, New South Wales.
rugifer *Boisd.* Voy. Astrol. II. *p.* 378.—*Macleay*, W. Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 236.
Hab. Swan. River, Western Australia.
rugosus *Macleay*, W. l. c. *p.* 229.
Hab. New Holland.
salebrosus *Macleay*, W. l. c. *p.* 229.
Hab. New Holland.
scaber *Macleay*, W. l. c. *p.* 240.
Hab. Swan River, Western Australia.
scabrosus *Macleay*, W. l. c. *p.* 235.
Hab. Victoria River, North Australia.
semispinosus *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 59.—*Macleay*, W. Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 232.
Hab. King George's Sound.
simillimus *Macleay*, W. l. c. *p.* 237.
Hab. Merimbula, New South Wales.
sphærulatus *Macleay*, W. l. c. *p.* 235.
Hab. New Holland.
spinosus *Macleay*, W. l. c. *p.* 243.
Hab. King George's Sound.
squamosus *Macleay*, W. l. c. *p.* 219.
Hab. Lower Murrumbidgee, New South Wales.
tomentosus *Boisd.* Voy. Astrol. II. *p.* 373, t. 7, f. 11.—*Macleay*, W. Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 217.
Hab. Victoria.
tuberculatus *Macleay*, W. l. c. *p.* 233.
Hab. Victoria.
typicus *Macleay*, W. l. c. *p.* 230.
Hab. Argyle, New South Wales.

variegatus *Macleay*, W. l. c. *p.* 218.
Hab. Victoria River, North Australia.
verrucosus *Guér.* Voy. Coquille. II. 2. *p.* 121.—*Boisd.* Voy. Astrol. II. *p.* 372.—*d'Urville.* Dej. Cat. 3. ed. *p.* 289.—*Macleay*, W. Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 230.
Hab. Argyle, New South Wales.
Victoriæ *Macleay*, W. l. c. *p.* 319.
Hab. Victoria.
Westwoodi *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 63.—*Macleay*, W. Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 228.
Hab. New South Wales.

Sclerorrhinus. (*Macleay, W.*)

acuminatus *Macleay*, W. Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 255.
Hab. South Australia.
Adelaidæ *Macleay*, W. l. c. *p.* 247.
Hab. South Australia.
alternus *Macleay*, W. l c. *p.* 247.
Hab. Wagga Wagga, New South Wales.
Angasi *Macleay*, W. l. c. *p.* 253.
Hab. South Australia.
angustus *Macleay*, W. l. c. *p.* 246.
Hab. Lower Murrumbidgee, New South Wales.
apicalis *Macleay*, W. l. c. *p.* 260.
Hab. New South Wales.
arenosus *Macleay*, W. l. c. 1866, *p.* 322.
Hab. Flinders' Range, South Australia.
asper *Macleay*, W. l. c. 1865, *p.* 254.
Hab. South Australia.
biordinatus *Macleay*, W. l. c. 1866, *p.* 326.
Hab. York Peninsula. South Australia.
Bubalus *Oliv.* Ent. V. 83, *p.* 399, t. 25, f. 354.—*Boisd.* Voy. Astrol. II. *p.* 382.—*Gylh.* Schh. Gen. Curc. II. *p.* 474.—*Bohem.* l. c. VII. 1. *p*, 64.—*Macleay*, W. Trans. Ent. Soc. N. S. Wales, 1. 1865, *p.* 257.
Hab. Tasmania.
confusus *Macleay*, W. l. c. *p.* 251.
Hab. South Australia.
conspersus *Macleay*, W. l. c. *p.* 250.
Hab. South Australia.
dilaticollis *Macleay*, W. l. c. *p.* 258.
Hab. Victoria.
dimidiatus *Macleay*, W. l. c. 1866, *p.* 324.
Hab. Flinders' Range, South Australia.
divaricatus *Macleay*, W. l. c. 1865, *p.* 248.
Hab. South Australia.

dolens *Boisd.* Voy. Astrol. II. 1835, *p.* 376.—*Macleay*, W. Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 264.
Hab. New Holland.

elongatus *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 58.—*Germ.* Linn. Ent. III. *p.* 217.—*Macleay*, W. Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 259.
Hab. South Australia.

exilis *Macleay*, W. l. c. *p.* 245.
Hab. Lower Murrumbidgee, New South Wales.

fuscus *Macleay*, W. l. c. *p.* 253.
Hab. South Australia.

Germari *Macleay*, W. l. c. 1866, *p.* 325.
Hab. Port Lincoln, South Australia.

horridus *Macleay*, W. l. c. 1865, *p.* 256.
Hab. South Australia.

Howitti *Macleay*, W. l. c. *p.* 257.
Hab. Victoria.

interioris *Macleay*, W. l. c. *p.* 252.
Hab. Stewart's Land, Central Australia.

interruptus *Macleay*, W. l. c. *p.* 263.
Hab. Mudgee, New South Wales.

irregularis *Macleay*, W. l. c. *p.* 263.
Hab. South Australia.

laticollis *Macleay*, W. l. c. 1866, *p.* 326.
Hab. Stirling Range, Western Australia

longus *Macleay*, W. l. c. 1865, *p.* 258.
Hab. South Australia.

Mastersi *Macleay*, W. l. c. 1866, *p.* 323.
Hab. Flinders' Range, South Australia.

mucronatus *Macleay*, W. l. c. 1865, *p.* 255.
Hab Victoria.

nodulosus *Macleay*, W. l. c. *p.* 249.
Hab. South Australia.

obliteratus *Macleay*, W. l. c. *p.* 255.
Hab. Victoria.

parvulus *Macleay*, W. l. c. *p.* 260.
Hab. South Australia.

pilularius *Macleay*, W. l. c. 1866, *p.* 324.
Hab. Flinders' Range, South Australia.

Riverinæ *Macleay*, W. l. c. 1865, *p.* 246.
Hab. Lower Murrumbidgee, New South Wales.

rugicollis *Macleay*, W. l. c. *p.* 250.
Hab. South Australia.

sabulosus *Macleay*, W. l. c. 1866, *p.* 322.
Hab. Flinders' Range, South Australia.

sordidus *Macleay*, W. l. c. 1865, *p.* 254.
Hab. South Australia.

squalidus *Macleay*, W. l. c. *p.* 261.
Hab. Lambing Flat, New South Wales.

Stewarti *Macleay*, W. l. c. *p.* 252.
Hab. Stewart's Land, Central Australia.

Stutchburyi *Macleay*, W. l. c *p.* 264.
Hab. Queensland.

subcostatus *Macleay*, W. l. c. *p.* 258.
Hab. Wingelo, New South Wales.

sublineatus *Germ.* Linn. Ent. III. 1848, *p.* 217.—*Macleay*, W. Trans, Ent. Soc. N. S. Wales, I. 1865, *p.* 250.
Hab. South Australia.

subsequens *Macleay*, W. l. c. *p.* 263.
Hab. Mudgee, New South Wales.

tristis *Boisd.* Voy. Astrol. II. *p.* 388, t. 7, f. 12.—*Macleay*, W. Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 259.
Hab. Tasmania.

tuberculosus *Macleay*, W. l. c. *p.* 256.
Hab. Victoria,

vermiculatus *Macleay*, W. l. c. *p.* 261.
Hab. Braidwood, New South Wales.

verrucosus *Macleay*, W. l. c. *p.* 262.
Hab. New Holland.

vestitus *Macleay*, W. l. c. 1866, *p.* 323.
Hab. Flinders' Range, South Australia.

vittatus *Macleay*, W. l. c. 1865, *p.* 249.
Hab. South Australia.

Waterhousei *Macleay*, W. l. c. *p.* 251.
Hab. South Australia.

Amycterus. (*Schönherr.*)

Boisduvali *Dup.* Voy. Astrol. II. 1835, *p.* 393.—*Macleay*, W. Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 266.
Hab. King George's Sound.

draco *Macleay*. King. Survey. II. App. 1827, *p.* 244.—*Macleay*, W. Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 266.
Hab. New Holland.

Leichardti *Macleay*, W. l. c. *p.* 269.
Hab. Lynd River, North Australia.

Schönherri. *Hope.* Trans. Ent. Soc. I. *p.* 68, t. 8, f. 2.—*Bohem.* Schh. Gen. Curc. VII. 1. *p.* 82.—*Macleay*, W. Trans. Ent. Soc. N. S Wales, I. 1865, *p.* 268.
Hab. Western Australia.

Acantholophus. (*Schönherr.*)

Polycanthus (*Hope*).

Adelaidæ *Waterh.* Trans. Ent. Soc. ser. 2. III. 1854, *p.* 76.—*Macleay*, W. Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 281.
Hab. South Australia.

amycteroides *Macleay*, *W.*, l. c. *p.* 271.
Hab. King George's Sound.

Angasi *Macleay*, *W.*, l. c. *p.* 286.
Hab. South Australia.

apicalis *Macleay*, *W.*, l. c. *p.* 276.
Hab. South Australia.

approximatus *Macleay*, *W.*, l. c. *p.* 283.
Hab. Victoria.

aureolus *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 79. — *Macleay*, W., Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 272.
Hab. King George's Sound.

bivittatus *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 74. — *Macleay*, *W.*, Trans Ent. Soc. N. S. Wales, I. 1865, *p.* 274.
Hab. King George's Sound.

convexiusculus *Macleay*, W., l. c. 1866, *p.* 330.
Hab. Shelley's Flat, and Randwick, New South Wales.

crassidens *Macleay*, W., l. c. 1865, *p.* 276.
Hab. King George's Sound.

crenaticollis *Macleay*, *W.*, l. c. *p.* 289.
Hab. New South Wales.

denticollis *Macleay*, *W.*, l. c. *p.* 282.
Hab. Currajong, New South Wales.

dumosus *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 77.—*Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 272.
Hab. King George's Sound.

echidna *Macleay*, *W.*, l. c. *p.* 280.
Hab. Blue Mountains, New South Wales.

echinatus *Guér.* Voy. Coquille. 1830, *p.* 122. — *Boisd.* Voy. Astrol. II. *p.* 371.—*d'Urville.* Dej. Cat. 3 ed. *p.* 289.—*Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 280.
Hab. New South Wales.

gravicollis *Macleay*, W., l. c. 1866, *p.* 329.
Hab. Port Lincoln, South Australia.

Howitti *Macleay*, W., l. c. 1865, *p.* 285.
Hab. Victoria.

humeralis *Macleay*, W., l. c. *p.* 278.
Hab Swan River, Western Australia.

hypoleucus *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 76.—*Macleay*, *W.*, Trans Ent. Soc. N. S. Wales, 1. 1865, *p.* 275.
Hab. King George's Sound.

hystrix *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 78.—***Macleay, W.***, Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 273.
Hab. King George's Sound.

irroratus *Macleay*, W., l. c. 1866, *p.* 328.
Hab. Port Lincoln, South Australia.

Krefftii *Macleay*, *W.*, l. c. 1865, *p.* 288.
Hab. North Australia.

lateralis *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 75.—***Macleay, W.***, Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 277.
Hab. Swan River, Western Australia.

Marshami *Kirby.* Trans. Linn. Soc. XII. 1818, *p.* 436.—*Boisd.* Voy. Astrol. II. *p.* 369.—*Gylh.* Schh. Gen. Curc. II. *p.* 472. —*Macleay, W.*, Trans. Ent. Soc. N. S. Wales, I. 1865. *p.* 279.
echinatus Dej. Cat. 1. ed. *p.* 64.
scpidioides Latr. Dej. Cat. 3 ed. *p.* 289.
Hab. New South Wales.

Mastersi *Macleay*, *W.*, Trans. Ent. Soc. N. S. Wales, I. 1866, *p.* 327.
Hab. Stirling Range, Western Australia.

mucronatus *Macleay*, W., l. c. 1865, *p.* 287.
Hab. Blue Mountains, New South Wales.

planicollis *Waterh.* Trans. Ent. Soc. 1854, *p.* 78.—***Lacord.*** Gen. Col. VI. 1863, *p.* 312, note.—*Macleay*, W., Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 290.
Hab. South Australia.

posticalis *Macleay*, W., l. c. 1866, *p.* 327.
Hab. Stirling Range, Western Australia.

rugiceps *Macleay*, W., l. c. *p.* 328.
Hab. King George's Sound.

scabrosus *Macleay*, W., l. c. 1865, *p.* 287.
Hab. Blue Mountains, New South Wales.

serraticollis *Macleay*, *W.*, l. c. *p.* 282.
Hab. Wingelo, New South Wales.

spinifer *Macleay*, *W.*, l. c. *p.* 284.
Hab. Victoria.

spinosus *Macleay*, *W.*, l. c. *p.* 274.
Hab. King George's Sound.

squalidus *Macleay*, *W.*, l. c. *p.* 285.
Hab. Merimbula, New South Wales.

squamosus *Macleay*, *W.*, l. c. *p.* 287.
Hab. Victoria.

sublobatus *Macleay*, *W.*, l. c. 1866, *p.* 329.
Hab. Dandenong, Victoria.

suturalis *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 72.—*Macleay, W.*, Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 277.
Hab. Swan River, Western Australia.

transitus *Macleay, W.*, l. c. *p.* 271.
Hab. Swan River, Western Australia.

tribulus *Macleay, W.*, l. c. 1866, *p.* 330.
Hab. Port Lincoln, South Australia.

tridentatus *Macleay, W.*, l. c. 1865, *p.* 288.
Hab. Victoria River, Northern Australia.

truncaticornis *Macleay, W.*, l. c. *p.* 286.
Hab. Newcastle, New South Wales.

Cubicorrhynchus. (*Lacordaire.*)

angularis *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, I. 1866, *p.* 331.
Hab. Swan River, Western Australia.

Bohemani *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 83.—*Macleay, W.*, Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 291.
Hab. Swan River, Western Australia.

calcaratus *Macleay*, W., l. c. *p.* 294.
Hab. South Australia.

crenicollis *Waterh.* Trans. Ent. Soc. 1854, *p.* 79.—*Lacord.* Gen. Col. VI. 1863, *p.* 314, note. 2.—*Macleay*, W., Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 293.
Hab. Swan River, Western Australia.

Dohrni *Waterh.* Trans. Ent. Soc. 1854, *p.* 79.—*Macleay, W.*, Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 293.
Hab. Swan. River, Western Australia.

eximius *Macleay, W.*, l. c. 1866, *p.* 332.
Hab. Stirling Range, Western Australia.

maculatus *Macleay, W.*, l. c. 1865, *p.* 295.
Hab. Murrumbidgee, New South Wales.

maximus *Macleay, W.*, l. c. *p.* 294.
Hab. Swan River, Western Australia.

morosus *Boisd.* Voy. Astrol. II, 1835, *p.* 386.—*Dej.* Cat. 3. ed. *p.* 289.—*Bohem.* Schh. Gen. Curc. VII. 1. *p.* 67.—*Germ.* Linn. Ent. III. *p.* 217.—*Macleay, W.* Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 292.
Hab. New South Wales, and South Australia.

piceosetosus *Macleay, W.*, l. c. *p.* 295.
Hab. Yass, New South Wales.

sepidioides *Macleay, W.*, l. c. 1865, *p.* 294.
Hab. Murrumbidgee, New South Wales.

spinicollis *Macleay, W.*, l. c. 1866, *p.* 332.
Hab. Magadup, Western Australia.

Hyborrhynchus. (*Macleay, W.*)

bicornutus *Macleay, W.*, Trans. Ent. Soc. N. S. Wales, I. 1866, *p.* 333.
Hab. Port Lincoln, South Australia.
cænosus *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 80.—*Macleay*, W., Trans. Ent. Soc. N. S. Wales, I. 1865, *p.* 297.
Hab. King George's Sound.
crassiusculus *Macleay, W.* l. c. 1866, *p.* 334.
Hab. King George's Sound.
furcatus *Macleay, W.*, l. c. 1865, *p.* 296.
Hab. King George's Sound.
maculatus *Macleay, W.*, l. c. *p.* 297.
Hab. King George's Sound.
Mastersi *Macleay, W.*, l. c. 1866, *p.* 335.
Hab. Port Lincoln, South Australia.
prodigus *Macleay, W.*, l. c. *p.* 333.
Hab. King George's Sound.
rugosus *Macleay, W.*, l. c. 1865, *p.* 298.
Hab. King George's Sound.

Melanegis. (*Pascoe.*)

stygius *Pascoe.* Trans. Ent. Soc. 1870, *p.* 452, t. 7, f. 6, a.
Hab. King George's Sound.

Euomus. (*Schönherr.*)

basalis *Boisd.* Voy. Astrol. II. 1835, *p.* 390.—*Dej.* Cat. 3. ed. *p.* 289.
Hab. New Holland.
Fahraei *Schönh.* sec. *p.* 54, (*indscrpt.*)—*Lacord.* Gen. Col. VI. 1863, *p.* 316, note 2.
Hab. New Holland.
insculptus *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 56.
Hab. New Holland.
scorpio *Boisd.* Voy. Astrol. II. *p.* 391, t. 7, f. 15.
Hab. King George's Sound.
Stephensi *Gyll.* Schh. Gen. Curc. II. *p.* 473.—*Boisd.* Voy. Astrol. II. *p.* 388.
Hab. King George's Sound.

Tetralophus. (*Waterhouse.*)

elevatus *Pascoe.* Trans. Ent. Soc. 1870, *p.* 453.
Hab. Western Australia.
excursus *Pascoe.* l. c. *p.* 453.
Hab. South Australia.
incanus *Pascoe.* l. c. *p.* 453.
Hab. Victoria.

sculpturatus *Waterh.* Trans. Ent. Soc. 1853, *p.* 174.—*Lacord.* Gen. Atl. VII. t. 67, f 5, a.
Hab. New Holland.

Atychoria. (*Pascoe.*)

funesta *Pascoe.* Journ. of Ent. II. *p.* 416, t. 17, f. 22.
Hab. New Holland.

Dialeptopus. (*Pascoe.*)

collaris *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 57.—*Lacord.* Gen. Col. VI. 1863, *p.* 316, note. 2.
Hab. Swan River, Western Australia.
ferreus *Pascoe.* Trans. Ent. Soc. 1870, *p.* 451.
Hab Victoria.
macilentus *Pascoe.* l. c. *p.* 451.
Hab. Western Australia.
monachus *Pascoe.* l. c. *p.* 451.
Hab. Flinders' Range, South Australia.
sepidioides *Pascoe.* l. c. *p.* 450, t. 7, f. 4, a.
Hab. Western Australia.

Mythites. (*Schönherr.*)

Acanthomus (*Germ.*)

asperatus *Pascoe.* Ann. Nat. Hist. 1872, *p.* 84.
Hab. Sydney.
degener *Pascoe.* l. c. *p.* 85.
Hab. Port Lincoln, South Australia.
perfossus *Germ.* Linn. Ent. III. 1848, *p.* 210.
Hab. South Australia.
pithecius *Pascoe.* Ann. Nat. Hist. 1872, *p.* 84.
Hab. Monaro, New South Wales.
sulcicollis *Germ.* Linn. Ent. III. 1848, *p.* 211.
Hab. South and Western Australia.

Amorphorrhinus. (*Lacordaire.*)

Australis. *Germ.* Linn. Ent. III. 1848, *p.* 209.—*Lacord.* Gen. Atl. VII. t. 67, f. 6, a–b.
Hab. South Australia.
polyacanthus *Pascoe.* Trans. Ent. Soc. 1870, *p.* 454.
Hab. Western Australia.

Ædriodes. (*Pascoe.*)

fastigiatus *Pascoe.* Ann. Nat. Hist. 1872, *p.* 86.
Hab. King George's Sound.

inuus *Pascoe.* l. c. *p.* 86.
Hab. Western Australia.
mendosus *Pascoe.* l. c. *p.* 86.
Hab. King George's Sound.
nodipennis *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 68.
Hab. South Australia.

Acherres. (*Pascoe.*)

mamillatus *Pascoe.* Ann. Nat. Hist. 1872, *p.* 87.
Hab. Western Australia.

Ennothus. (*Pascoe.*)

fallax *Pascoe.* Ann. Nat. Hist. 1872, *p.* 87.
Hab. Western Australia.

Oditesus. (*Pascoe.*)

buceros *Pascoe.* Ann. Nat. Hist. 1872, *p.* 90.
Hab. King George's Sound.
incoenis *Pascoe.* l. c. *p.* 89.
Hab. King George's Sound.
indutus *Pascoe.* l. c. *p.* 88.
Hab. King George's Sound.
lycosarius *Pascoe.* l. c. *p.* 89.
Hab. King George's Sound.
perditus *Pascoe.* l. c. *p.* 89.
Hab. King George's Sound.
sulcirostris *Pascoe.* l. c. *p.* 90.
Hab. King George's Sound.

Sosytelus. (*Pascoe.*)

lobatus *Pascoe.* Ann. Nat. Hist, 1872, *p.* 91.
Hab. New South Wales.

Bothynorrhynchus. (*Schönherr.*)

lascivus *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 85.—*Lacord.* Gen. Atl. VII. t. 68, f. 1, a.
Hab. New Holland.

Hipporrhinus. (*Schönherr.*)

clavus *Fabr.* Syst. Ent. *p.* 154.—*Oliv.* Ent. V. 83, *p.* 392, t. 13, f. 162.—*Boisd.* Voy. Astrol. II. *p.* 334.
Hab. New Holland.

nigrospinosus *Donov.* Epitom. Ins. Holl. 1805. — *Boisd.* Voy. Astrol. II. *p.* 335.
Hab. New Holland.

Zephryne. (*Pascoe.*)

sordida *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 472, t. 19, f. 12, a-b.
Hab. New Holland.

Dysostines. (*Pascoe.*)

fuligineus *Pascoe.* Trans. Ent. Soc. 1870. *p.* 455
Hab Tasmania.

hoplostethus *Pascoe.* l. c. *p.* 455.
Hab. Tasmania.

pilipes *Pascoe.* l. c. *p.* 456.
Hab. King George's Sound.

pustulosus *Pascoe.* l. c. *p.* 456.
Hab. King George's Sound.

valgus *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 473, t. 19, f. 1, a–b.
Hab. Queensland.

Steriphus. (*Erichson.*)

solidus *Erich.* Wiegm. Arch. 1842, I. *p.* 190.
Hab. Tasmania.

Pantopoeus. (*Schönherr.*)

cervinus *Bohem.* Schh. Gen. Curc. VII. 1. *p.* 253.
Hab. New Holland.

Peripagis. (*Pascoe.*)

rufipes *Pascoe.* Trans. Ent. Soc. 1870, *p.* 188, t. 5, f. 10, a.
Hab. New Holland.

Perperus. (*Schonherr.*)

innocuus *Bohem.* Schh. Gen. Curc. VI. 2. *p.* 264.
Hab. New Holland.

insularis *Bohem.* l. c. *p.* 265.
Hab. New South Wales.

languidus *Erichs.* Wiegm. Arch. 1842, I. *p.* 193.
Hab. Tasmania.

marginalis *Bohem.* Res. Eugen. 1859, *p.* 124.
Hab. New South Wales.

obscurus *Bohem.* Schh. Gen. Curc. VI. 2. *p.* 264.
Hab. Swan. River, Western Australia.

Psaldus. (*Pascoe.*)

liosomoides *Pascoe.* Trans. Ent. Soc. 1870, *p.* 189.
Hab. King George's Sound.

Methypora. (*Pascoe.*)

postica *Pascoe.* Journ. of Ent. II. *p.* 416, t. 17, f. 5.
Hab. Melbourne.

Opsittis. (*Pascoe.*)

atomaria *Pascoe.* Trans. Ent. Soc. 1870, *p.* 457, t. 7, f. 8.
Hab. King George's Sound.

Steremnius. (*Schönherr.*)

tuberosus *Bohem.* Schh. Gen. Curc. III. 1836, *p.* 243.
Hab. New Holland.

Xynaea. (*Pascoe.*)

saginata *Pascoe.* Journ. of Ent. II. 1865, *p.* 420, t. 17, f. 2.
Hab. New Holland.

Synaptonyx. (*Wollaston.*)

ovatus *Wollast.* Trans. Ent. Soc. 1853, *p.* 188.
Hab. New Holland.

Oxyops. (*Schönherr.*)

arcifera *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 481.
Hab. Rockhampton, Queensland.

arctata *Pascoe.* l. c. *p.* 482.
Hab. South Australia.

aulica *Pascoe.* l. c. *p.* 479.
Hab. Port Denison, Queensland.

bilunaris *Pascoe.* l. c. *p.* 480.
Hab. Gawler, South Australia.

cancellata *Bohem.* Schh. Gen. Curc. III *p.* 486.
Hab. New Holland.

clathrata *Bohem.* l. c. *p.* 487.—*Germ.* Linn. Ent. III. *p.* 214.
Hab. South Australia.

concreta *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 479.
Hab. New South Wales.

crassicornis *Pascoe.* l. c. *p.* 480.
Hab. Champion Bay, Western Australia.

excavata *Boisd.* Voy. Astrol. II. *p.* 327.—*d'Urville.* Dej. Cat. 3. ed. *p.* 269.
fovosa Bohem. Schh. Gen. Curc. III. *p.* 485.
Hab. New Holland.
farinosa *Pascoe.* Ann. Nat. Hist. 1871, *p.* 96.
Hab. King. George's Sound.
fasciata *Boisd.* Voy. Astrol. II. *p.* 330.
obliquata Bohem. Schh. Gen. Curc. III. *p.* 488.—*Germ.* Linn. Ent. III. *p.* 214.
Hab. Australia. (Widely distributed.)
fasciculata *Redtenb.* Reis. Novar. II. *p.* 155.
Hab. Sydney.
gemella *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 481.
Hab. Champion Bay, Western Australia.
Hopei *Bohem.* Schh. Gen. Curc. III. *p.* 483.
Hab. New Holland.
irrasa *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 480.
Hab. Queensland.
marginalis *Pascoe.* l. c. *p.* 481.
Hab. Rockhampton, Queensland.
scabrosa *Boisd.* Voy. Astrol. II. *p.* 328.
Hab. New Holland.
squamulosa *Bohem.* Schh. Gen. Curc. III. *p.* 484.
Hab. New Holland.
tuberculata *Perroud.* Ann. Soc. Linn. Lyon. 1864, *p.* 155.
Hab. New Holland.
vitiosa *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 481.
Hab. Wide Bay, Queensland.

Pantoreites. (*Pascoe.*)

scenicus *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 463.
Hab. New South Wales.
virgatus *Pascoe.* l. c. t. 18, f. 4.
Hab. New South Wales.

Syarbis. (*Pascoe.*)

Acroteriasus (*Roelofs.*)

Deyrollei *Roelofs.* Ann. Soc. Belg. XI. 1867, *p.* 76, t. 2, f. 2.
Hab. New Holland.
emarginatus *Roel.* l. c. X. *p.* 247, t. 1, f. 4.
Hab. Western Australia.
goniopteroides *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 444.
Hab. Nicol Bay, Western Australia.
Haagi *Roel.* Ann. Soc. Belg. X. *p.* 245, t. 1, f. 1.
Hab. Queensland.

niger *Roel.* l. c. XI. *p.* 75, t. 2, f. 1.
Hab. New Holland.
nubilus *Roel.* l. c. X. *p.* 246, t. 1, f. 3.
Hab. North Australia.
pachypus *Pascoe.* Journ. of Ent. II. 1865, *p.* 244, t. 17, f. 1.
Hab. Queensland.
punctipennis *Roel.* Ann. Soc. Belg. XI. *p.* 76, t. 2, f. 3.
Hab. New Holland.
sciurus *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 444.
Hab. Nicol Bay, Western Australia.
subnitidus *Roel.* Ann. Soc. Belg. X. *p.* 245, t. 1, f. 2.
Hab. New Holland.

Bryachus. (*Pascoe.*)

squamicollis *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 479.
Hab. Queensland, Western Australia, and South Australia
subfasciatus *Jekel.* in litt.—*Lacord.* Gen. Col. VI. 1863, *p.* 393, note. 1.—*Pascoe.* l. c. *p.* 479.
Hab. South Australia.

Goniopterus. (*Schönherr.*)

Brachysoma (*Dejean*).—*Gonipterus* (*Schönh*).

balteatus *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 477.
Hab. Queensland.
cinnamomeus *Pascoe.* l. c. *p.* 477.
Hab. Queensland.
cionoides *Pascoe.* l. c. *p.* 478.
Hab. New South Wales.
exaratus *Fahrs.* Schh. Gen. Curc. VI. 1. *p.* 462.—Dej. Cat. 3. ed. *p.* 269.—*Blanch.* Voy. Pole. Sud. IV. *p.* 204, t. 14, f. 8.
Hab. New Holland.
ferrugatus *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 477.
Hab. Queensland.
gibberus *Boisd.* Voy. Astrol. II. *p.* 324.—*Dej.* Cat. 3 ed. *p.* 269.
Hab. New Holland.
hyperoides *Pascoe.* Ann. Nat. Hist. 1871, *p.* 96.
Hab. Queensland.
lepidotus *Gylh.* Schh. Gen Curc. I. *p.* 457.—*Boisd.* Voy. Astrol. II. *p.* 323.
Hab. New Holland.
notographus *Boisd.* l. c. *p.* 326.—*Latr.* Dej. Cat. 3. ed. *p.* 269.
Hab. New Holland.
reticulatus *Boisd* l. c. *p.* 326.—*Latr.* l. c.
Hab. New Holland.

scutellatus *Gylh.* Schh. Gen. Curc. I. *p.* 458.—*Boisd.* l. c. *p.* 322.
Hab. New Holland.
sepulchralis *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 478.
Hab. South Australia.
suturalis *Gylh.* Schh. Gen. Curc. I. *p.* 459.—*Macleay.* Dej. Cat. 3. ed. *p.* 269.—*Boisd.* Voy. Astrol. II. *p.* 325.
Hab. New South Wales.
turbidus *Pascoe.* Ann. Nat. Hist. 1871, *p.* 97.
Hab. Tasmania.

Prophaesia. (*Pascoe.*)

albilatera *Pascoe.* Trans. Ent. Soc. 1870, *p.* 190.
Hab. South Australia.
cretata *Pascoe.* l. c. *p.* 190.
Hab. South Australia.

Eurychirus. (*Waterhouse.*)

bituberculatus *Waterh.* Trans. Ent. Soc. 1853, *p.* 183.
Hab. New Holland.

Strongylorrhinus. (*Schönherr.*)

ochraceus *Schönh.* Mant. sec. *p.* 66. (indscrpt.)—*Lacord.* Gen. Col. VI. 1863, *p.* 410.—*Waterh.* Trans. Ent. Soc. 1862, *p.* 227.
Hab. Tasmania.

Aromagis. (*Pascoe.*)

echinata *Pascoe.* Journ. of Ent. II. *p.* 422, t. 17, f. 3.
Hab. New South Wales.

Rhinoplethes. (*Pascoe.*)

foveatus *Pascoe.* Journ. Linn. Soc. X. 1870, *p.* 469.
Hab. Warren River, Western Australia.

Iphisaxus. (*Pascoe.*)

asper *Pascoe.* Journ. Linn. Soc. X. *p.* 470, t. 19, f. 7, a–b.
Hab. King George's Sound.

Atelicus. (*Waterhouse.*)

Peltochirus (*Lacord*).

atrophus *Pascoe.* Trans. Ent. Soc. 1870, *p.* 458.
Hab. Tasmania.

ferrugineus *Waterh.* Trans. Ent. Soc. 1862, *p.* 230.
Hab. South Australia.
guttatus *Pascoe.* Trans. Ent. Soc. 1870, *p.* 458.
Hab. Tasmania.
inaequalis *Waterh.* Trans. Ent. Soc. 1862, *p.* 229.—*Lacord.* Gen. Atl. VII. t. 70, f. 2, a–c.
Hab. Tasmania.
miniatus *Pascoe.* Ann. Nat. Hist. 1872, *p.* 134.
Hab. Moreton Bay.

Aterpus. (*Schönherr.*)

Aades (*Schönh*).

cultratus *Fabr.* Syst. Ent. *p.* 153.—*Oliv.* Ent. V. 83, *p.* 121, t. 13, f. 157.—*Gylh.* Schh. Gen. Curc. II. *p.* 252.—*Blanch.* Voy. Pole. Sud. IV. *p.* 207, t. 14, f. 9.
bicristatus Fabr. Syst. El. II, *p.* 517.
Hab. South Australia, Victoria, New South Wales, and Queensland.
griseatus *Pascoe.* Ann. Nat. Hist. 1872, *p.* 134.
Hab. Queensland.
horrens *Gylh.* Schh. Gen. Curc. II. *p.* 251.—*Boisd.* Voy. Astrol. II. *p.* 354.
Hab. New South Wales.
rubus *Bohem.* Schh. Gen. Curc. VI. 2. *p.* 128.—*Erichs.* Wiegm. Arch. 1842, I. *p.* 187.
Hab. Tasmania.
scoparius *Erichs.* l. c. *p.* 188.
Hab. Tasmania.
seriatus *Boisd.* Voy. Astrol. II. *p.* 355.
Hab. New Holland.
tuberculatus *Gylh.* Schh. Gen. Curc. II. *p.* 250.—*Dej.* Cat. 3. ed. *p.* 282.—*Boisd.* Voy. Astrol. II. *p.* 354.
Hab. New South Wales.

Aparete. (*Pascoe.*)

palpebrosa *Pascoe.* Journ. Linn. Soc. 1871, *p.* 166.
Hab. South Australia.

Pelororrhinus. (*Schönherr.*)

angustatus *Fahrs.* Schh. Gen. Curc. VI. 2. *p.* 126.
Hab. New South Wales.
argentosus *Gylh.* Schh. l. c, II. *p.* 249.—*Boisd.* Voy. Astrol. II. *p.* 353.
margaritaceus *Erichs.* Wiegm. Arch. 1842, I. *p.* 188.
Hab. Tasmania.

pusio *Schönh.* Gen. Curc. VII. 2. *p.* 369.—*Blanch.* Voy. Pole. Sud. IV. *p.* 241, t. 14, f. 2.—*Lacord.* Gen. Col. VI. 1863, *p.* 416, note. 2.
variegatus Fahrs. Schh. l. c. VI. 2. *p.* 127.
Hab. New Holland.

sparsus *Germ.* Linn. Ent. III. 1848, *p.* 214.
Hab. South Australia.

Medicasta. (*Pascoe.*)

leucura *Pascoe.* Journ. Linn. Soc. X. *p.* 442, t. 17, f. 11, a–d.
Hab. Champion Bay, Western Australia.

Rhinaria. (*Kirby.*)

caliginosa *Pascoe.* Ann. Nat. Hist. 1872, *p.* 135.
Hab. Bombala, New South Wales.

costata *Erichs.* Wiegm. Arch. 1842, I. *p.* 198.
Hab. Tasmania.

cristata *Kirby.* Trans. Linn. Soc. XII. *p.* 431, t. 22, f. 9, a–d.—*Boisd.* Voy. Astrol. II. *p.* 415.
Hab. New South Wales.

excavata *Boisd.* l. c. *p.* 417.
Hab. New Holland.

faceta *Pascoe.* Journ. of Ent. II. 1865, *p.* 419.
Hab. New Holland.

foveipennis *Pascoe.* Ann. Nat. Hist. 1872, *p.* 135.
Hab. Bombala, New South Wales.

granulosa *Fahrs.* Schh. Gen. Curc. VI. 2. *p.* 124.
Hab. Tasmania, Victoria, and New South Wales.

grisea *Boisd.* Voy. Astrol. II. *p.* 414.
Hab. New Holland.

myrrhata *Pascoe.* Ann. Nat. Hist, 1872, *p.* 136.
Hab. South Australia.

rugosa *Boisd.* Voy. Astrol. II. *p.* 416.—*Dej.* Cat. 3. ed. *p.* 306.
lopha Gylh. Schh. Gen. Curc. III. *p.* 482.—*Hope.* Dej. Cat. l. c.
Hab New South Wales.

stellio *Pascoe.* Journ. of Ent. II. 1865, *p.* 419.
Hab. Western Australia.

transversa *Boisd.* Voy. Astrol. II. *p.* 413.
Hab. New Holland.

variegata *Boisd.* l. c. *p.* 411, t. 7, f. 10.
maculosa Fahrs. Schh. Gen. Curc. VI. 2. *p.* 125.
Hab. New Holland.

Lixus. (*Fabricius.*)

immundus *Bohem.* Res. Eugen, 1859, *p.* 128.
Hab. New South Wales.

Chrysolophus. (*Schönherr.*)

spectabilis *Fabr.* Syst. Ent. *p.* 155.—*Herbst.* Käf. VI. *p.* 302, t. 95, f. 12.—*Bohem.* Schh. Gen. Curc. II. *p.* 247.
Hab. South Australia, Victoria, New South Wales, and Queensland.

Curculio. (*Linné.*)

guttatus *Bohem.* Schh. Gen. Curc. II. *p.* 346.
Hab. New Holland.

Demyrsus. (*Pascoe.*)

meleoides *Pascoe.* Ann. Nat. Hist. 1872, *p.* 136.
Hab. Sydney.

Alphitopis. (*Pascoe.*)

nivea *Pascoe.* Trans. Ent. Soc. 1870, *p.* 191.
Hab. Champion Bay, and King George's Sound, Western Australia.

Lexithia. (*Pascoe.*)

rufipennis *Pascoe.* Trans. Ent. Soc. 1870, *p.* 192.
Hab. New Holland.

Orthorhinus. (*Schonherr.*)

Rhynchænus (*Fab.*) *Curculio* (*Fab.*)

aethiops *Boisd.* Voy. Astrol. *p.* 410.—*Schh.* Gen. Curc. VII. *p.* 124.
Hab. New Holland.

cylindrirostris *Fab.* Syst. El. II. *p* 463.—*Oliv.* Ent. V. 83. *p.* 180, no. 158, t. 11, f. 128, t. 19, f. 128.—*Fab.* Ent. Syst. III. *p.* 426, no. 136.—*Mant.* I. *p.* 105, no. 99.—*Spec.* Ins. I. *p.* 174, no. 78.—*Syst.* Ent. *p.* 137, no. 55.—*Herbst.* Col. VI. *p.* 309, no. 283, t. 84, f. 7. ?—*Oliv.* Enc Méth. V. *p.* 503, no. 150.—*Linn.* Syst. Nat. Gmel. I. IV. *p.* 1765, no. 241.—*Bohem.* Schh. Gen. Curc. III. *p.* 245.—*Boisd.* Voy. Astrol. II. *p.* 408. *innubus Herbst.* Col. VI. *p.* 172, no. 133, t. 71, f. 15.
Hab. New Holland. (Widely distributed.)

Klugi *Bohem.* Schh. Gen. Curc. III. *p.* 246.
Hab. New Holland.